

LIST OF PUBLICATIONS

SAHARON SHELAH

BOOKS

1. Sh:a Saharon Shelah. *Classification theory and the number of nonisomorphic models*, volume 92 of *Studies in Logic and the Foundations of Mathematics*. North-Holland Publishing Co., Amsterdam-New York, 1978.
2. Sh:b Saharon Shelah. *Proper forcing*, volume 940 of *Lecture Notes in Mathematics*. Springer-Verlag, Berlin-New York, 1982.
3. Sh:d Saharon Shelah. *Around classification theory of models*, volume 1182 of *Lecture Notes in Mathematics*. Springer-Verlag, Berlin, 1986.
4. Sh:c Saharon Shelah. *Classification theory and the number of nonisomorphic models*, volume 92 of *Studies in Logic and the Foundations of Mathematics*. North-Holland Publishing Co., Amsterdam, 2nd edition, 1990. Revised edition of [Sh:a].
5. Sh:g Saharon Shelah. *Cardinal arithmetic*, volume 29 of *Oxford Logic Guides*. The Clarendon Press, Oxford University Press, New York, 1994.
6. Sh:f Saharon Shelah. *Proper and improper forcing*. Perspectives in Mathematical Logic. Springer-Verlag, Berlin, 2nd edition, 1998.
7. Sh:h Saharon Shelah. *Classification theory for abstract elementary classes*, volume 18 of *Studies in Logic (London)*. College Publications, London, 2009.
8. Sh:i Saharon Shelah. *Classification theory for abstract elementary classes. Vol. 2*, volume 20 of *Studies in Logic (London)*. College Publications, London, 2009.
9. Sh:e Saharon Shelah. *Non-structure theory*. Oxford University Press, to appear.

PEER REVIEWED RESEARCH ARTICLES

1. Sh:1 Saharon Shelah. Stable theories. *Israel J. Math.*, 7:187–202, 1969.
2. Sh:2 Saharon Shelah. Note on a min-max problem of Leo Moser. *J. Combinatorial Theory*, 6:298–300, 1969.
3. Sh:4 Saharon Shelah. On theories T categorical in $|T|$. *J. Symbolic Logic*, 35:73–82, 1970.
4. Sh:5 Saharon Shelah. On languages with non-homogeneous strings of quantifiers. *Israel J. Math.*, 8:75–79, 1970.
5. Sh:6 Saharon Shelah. A note on Hanf numbers. *Pacific J. Math.*, 34:541–545, 1970.
6. Sh:7 Saharon Shelah. On the cardinality of ultraproduct of finite sets. *J. Symbolic Logic*, 35:83–84, 1970.
7. Sh:3 Saharon Shelah. Finite diagrams stable in power. *Ann. Math. Logic*, 2(1):69–118, 1970/1971.
8. Sh:9 Saharon Shelah. Remark to “local definability theory” of Reyes. *Ann. Math. Logic*, 2(4):441–447, 1970/1971.
9. Sh:8 Saharon Shelah. Two cardinal compactness. *Israel J. Math.*, 9:193–198, 1971.
10. Sh:10 Saharon Shelah. Stability, the f.c.p., and superstability; model theoretic properties of formulas in first order theory. *Ann. Math. Logic*, 3(3):271–362, 1971.
11. Sh:11 Saharon Shelah. On the number of non-almost isomorphic models of T in a power. *Pacific J. Math.*, 36:811–818, 1971.
12. Sh:12 Saharon Shelah. The number of non-isomorphic models of an unstable first-order theory. *Israel J. Math.*, 9:473–487, 1971.
13. Sh:13 Saharon Shelah. Every two elementarily equivalent models have isomorphic ultrapowers. *Israel J. Math.*, 10:224–233, 1971.
14. Sh:14 Saharon Shelah. Saturation of ultrapowers and Keisler’s order. *Ann. Math. Logic*, 4:75–114, 1972.
15. Sh:15 Saharon Shelah. Uniqueness and characterization of prime models over sets for totally transcendental first-order theories. *J. Symbolic Logic*, 37:107–113, 1972.
16. Sh:16 Saharon Shelah. A combinatorial problem; stability and order for models and theories in infinitary languages. *Pacific J. Math.*, 41:247–261, 1972.
17. Sh:17 Saharon Shelah. For what filters is every reduced product saturated? *Israel J. Math.*, 12:23–31, 1972.
18. Sh:18 Saharon Shelah. On models with power-like orderings. *J. Symbolic Logic*, 37:247–267, 1972.
19. Sh:19 Paul Erdős and Saharon Shelah. Separability properties of almost-disjoint families of sets. *Israel J. Math.*, 12:207–214, 1972.

20. Sh:20 James Henry Schmerl and Saharon Shelah. On power-like models for hyperinaccessible cardinals. *J. Symbolic Logic*, 37:531–537, 1972.
21. Sh:21 Paul Erdős and Saharon Shelah. On problems of Moser and Hanson. In *Graph theory and applications (Proc. Conf., Western Michigan Univ., Kalamazoo, Mich., 1972; dedicated to the memory of J. W. T. Youngs)*, volume 303 of *Lecture Notes in Math.*, pages 75–79. Springer, Berlin, 1972.
22. Sh:22 Saharon Shelah. A note on model complete models and generic models. *Proc. Amer. Math. Soc.*, 34:509–514, 1972.
23. Sh:23 Fred Galvin and Saharon Shelah. Some counterexamples in the partition calculus. *J. Combinatorial Theory Ser. A*, 15:167–174, 1973.
24. Sh:24 Saharon Shelah. First order theory of permutation groups. *Israel J. Math.*, 14:149–162; errata, *ibid.* 15 (1973), 437–441, 1973.
25. Sh:26 Saharon Shelah. Notes on combinatorial set theory. *Israel J. Math.*, 14:262–277, 1973.
26. Sh:27 Gadi Moran and Saharon Shelah. Size direction games over the real line. III. *Israel J. Math.*, 14:442–449, 1973.
27. Sh:28 Saharon Shelah. There are just four second-order quantifiers. *Israel J. Math.*, 15:282–300, 1973.
28. Sh:34 Saharon Shelah. Weak definability in infinitary languages. *J. Symbolic Logic*, 38:399–404, 1973.
29. Sh:39 Saharon Shelah. Differentially closed fields. *Israel J. Math.*, 16:314–328, 1973.
30. Sh:29 Saharon Shelah. A substitute for Hall’s theorem for families with infinite sets. *J. Combinatorial Theory Ser. A*, 16:199–208, 1974.
31. Sh:30 Ralph N. McKenzie and Saharon Shelah. The cardinals of simple models for universal theories. In *Proceedings of the Tarski Symposium*, volume XXV of *Proc. Sympos. Pure Math.*, pages 53–74. Amer. Math. Soc., Providence, R.I., 1974.
32. Sh:31 Saharon Shelah. Categoricity of uncountable theories. In *Proceedings of the Tarski Symposium*, volume XXV of *Proc. Sympos. Pure Math.*, pages 187–203. Amer. Math. Soc., Providence, R.I., 1974.
33. Sh:32 Paul Erdős, András Hajnal, and Saharon Shelah. On some general properties of chromatic numbers. In *Topics in topology (Proc. Colloq., Keszthely, 1972)*, volume 8 of *Colloq. Math. Soc. János Bolyai*, pages 243–255. North-Holland, Amsterdam, 1974.
34. Sh:33 Saharon Shelah. The Hanf number of omitting complete types. *Pacific J. Math.*, 50:163–168, 1974.
35. Sh:35 Eric Charles Milner and Saharon Shelah. Sufficiency conditions for the existence of transversals. *Canadian J. Math.*, 26:948–961, 1974.
36. Sh:44 Saharon Shelah. Infinite abelian groups, Whitehead problem and some constructions. *Israel J. Math.*, 18:243–256, 1974.
37. Sh:37 Saharon Shelah. A two-cardinal theorem. *Proc. Amer. Math. Soc.*, 48:207–213, 1975.
38. Sh:38 Saharon Shelah. Graphs with prescribed asymmetry and minimal number of edges. In *Infinite and finite sets (Colloq., Keszthely, 1973; dedicated to P. Erdős on his 60th birthday)*, Vol. III, volume 10 of *Colloq. Math. Soc. János Bolyai*, pages 1241–1256. North-Holland, Amsterdam, 1975.
39. Sh:40 Saharon Shelah. Notes on partition calculus. In *Infinite and finite sets (Colloq., Keszthely, 1973; dedicated to P. Erdős on his 60th birthday)*, Vol. III, volume 10 of *Colloq. Math. Soc. János Bolyai*, pages 1257–1276. North-Holland, Amsterdam, 1975.
40. Sh:41 Eric Charles Milner and Saharon Shelah. Some theorems on transversals. In *Infinite and finite sets (Colloq., Keszthely, 1973; dedicated to P. Erdős on his 60th birthday)*, Vol III, volume 10 of *Colloq. Math. Soc. János Bolyai*, pages 1115–1126. North Holland, Amsterdam, 1975.
41. Sh:42 Saharon Shelah. The monadic theory of order. *Ann. of Math. (2)*, 102(3):379–419, 1975. arXiv: 2305.00968.
42. Sh:43 Saharon Shelah. Generalized quantifiers and compact logic. *Trans. Amer. Math. Soc.*, 204:342–364, 1975.
43. Sh:45 Saharon Shelah. Existence of rigid-like families of abelian p -groups. In *Model theory and algebra (A memorial tribute to Abraham Robinson)*, volume 498 of *Lecture Notes in Math.*, pages 384–402. Springer, Berlin, 1975.
44. Sh:46 Saharon Shelah. Colouring without triangles and partition relation. *Israel J. Math.*, 20:1–12, 1975.
45. Sh:48 Saharon Shelah. Categoricity in \aleph_1 of sentences in $L_{\omega_1, \omega}(Q)$. *Israel J. Math.*, 20(2):127–148, 1975.
46. Sh:51 Saharon Shelah. Why there are many nonisomorphic models for unsuperstable theories. In *Proceedings of the International Congress of Mathematicians (Vancouver, B. C., 1974)*, volume 1, pages 259–263. Canad. Math. Congress, Montreal, Que., 1975.
47. Sh:52 Saharon Shelah. A compactness theorem for singular cardinals, free algebras, Whitehead problem and transversals. *Israel J. Math.*, 21(4):319–349, 1975.
48. Sh:54 Saharon Shelah. The lazy model-theoretician’s guide to stability. *Logique et Analyse (N.S.)*, 18(71-72):241–308, 1975.
49. Sh:47 Johann Andreas Makowsky, Saharon Shelah, and Jonathan Stavi. Δ -logics and generalized quantifiers. *Ann. Math. Logic*, 10(2):155–192, 1976.

50. Sh:49 Saharon Shelah. A two-cardinal theorem and a combinatorial theorem. *Proc. Amer. Math. Soc.*, 62(1):134–136 (1977), 1976.
51. Sh:50 Saharon Shelah. Decomposing uncountable squares to countably many chains. *J. Combinatorial Theory Ser. A*, 21(1):110–114, 1976.
52. Sh:55 Angus J. Macintyre and Saharon Shelah. Uncountable universal locally finite groups. *J. Algebra*, 43(1):168–175, 1976.
53. Sh:56 Saharon Shelah. Refuting Ehrenfeucht conjecture on rigid models. *Israel J. Math.*, 25(3-4):273–286, 1976.
54. Sh:57 R. Amit and Saharon Shelah. The complete finitely axiomatized theories of order are dense. *Israel J. Math.*, 23(3-4):200–208, 1976.
55. Sh:61 Saharon Shelah. Interpreting set theory in the endomorphism semi-group of a free algebra or in a category. *Ann. Sci. Univ. Clermont*, (60 Math. No. 13):1–29, 1976.
56. Sh:36 Saharon Shelah. Remarks on cardinal invariants in topology. *General Topology and Appl.*, 7(3):251–259, 1977.
57. Sh:53 Ami Litman and Saharon Shelah. Models with few isomorphic expansions. *Israel J. Math.*, 28(4):331–338, 1977.
58. Sh:58 Saharon Shelah. Decidability of a portion of the predicate calculus. *Israel J. Math.*, 28(1-2):32–44, 1977.
59. Sh:59 Howard Lyn Hiller and Saharon Shelah. Singular cohomology in L . *Israel J. Math.*, 26(3-4):313–319, 1977.
60. Sh:60 Wilfrid Hodges, Alistair H. Lachlan, and Saharon Shelah. Possible orderings of an indiscernible sequence. *Bull. London Math. Soc.*, 9(2):212–215, 1977.
61. Sh:64 Saharon Shelah. Whitehead groups may be not free, even assuming CH. I. *Israel J. Math.*, 28(3):193–204, 1977.
62. Sh:77 Saharon Shelah. Existentially-closed groups in \aleph_1 with special properties. *Bull. Soc. Math. Grèce (N.S.)*, 18(1):17–27, 1977.
63. Sh:90 Saharon Shelah. Remarks on λ -collectionwise Hausdorff spaces. *Topology Proc.*, 2(2):583–592 (1978), 1977.
64. Sh:63 Saharon Shelah and Jacques Stern. The Hanf number of the first order theory of Banach spaces. *Trans. Amer. Math. Soc.*, 244:147–171, 1978.
65. Sh:65 Keith J. Devlin and Saharon Shelah. A weak version of \diamond which follows from $2^{\aleph_0} < 2^{\aleph_1}$. *Israel J. Math.*, 29(2-3):239–247, 1978.
66. Sh:66 Saharon Shelah. End extensions and numbers of countable models. *J. Symbolic Logic*, 43(3):550–562, 1978.
67. Sh:67 Saharon Shelah. On the number of minimal models. *J. Symbolic Logic*, 43(3):475–480, 1978.
68. Sh:68 Saharon Shelah. Jonsson algebras in successor cardinals. *Israel J. Math.*, 30(1-2):57–64, 1978.
69. Sh:72 Saharon Shelah. Models with second-order properties. I. Boolean algebras with no definable automorphisms. *Ann. Math. Logic*, 14(1):57–72, 1978.
70. Sh:73 Saharon Shelah. Models with second-order properties. II. Trees with no undefined branches. *Ann. Math. Logic*, 14(1):73–87, 1978.
71. Sh:74 Saharon Shelah. Appendix to: “Models with second-order properties. II. Trees with no undefined branches” (Ann. Math. Logic 14 (1978), no. 1, 73–87). *Ann. Math. Logic*, 14:223–226, 1978.
72. Sh:75 Saharon Shelah. A Banach space with few operators. *Israel J. Math.*, 30(1-2):181–191, 1978.
73. Sh:80 Saharon Shelah. A weak generalization of MA to higher cardinals. *Israel J. Math.*, 30(4):297–306, 1978.
74. Sh:81 Uri Abraham, Keith J. Devlin, and Saharon Shelah. The consistency with CH of some consequences of Martin’s axiom plus $2^{\aleph_0} > \aleph_1$. *Israel J. Math.*, 31(1):19–33, 1978.
75. Sh:91 Howard Lyn Hiller, Martin K. Huber, and Saharon Shelah. The structure of $\text{Ext}(A, \mathbf{Z})$ and $V = L$. *Math. Z.*, 162(1):39–50, 1978.
76. Sh:97 Mary Ellen Rudin and Saharon Shelah. Unordered types of ultrafilters. *Topology Proc.*, 3(1):199–204 (1979), 1978.
77. Sh:62 Johann Andreas Makowsky and Saharon Shelah. The theorems of Beth and Craig in abstract model theory. I. The abstract setting. *Trans. Amer. Math. Soc.*, 256:215–239, 1979.
78. Sh:70 Yuri Gurevich and Saharon Shelah. Modest theory of short chains. II. *J. Symbolic Logic*, 44(4):491–502, 1979.
79. Sh:78 Saharon Shelah. Hanf number of omitting type for simple first-order theories. *J. Symbolic Logic*, 44(3):319–324, 1979.
80. Sh:79 Saharon Shelah. On uniqueness of prime models. *J. Symbolic Logic*, 44(2):215–220, 1979.
81. Sh:85 Keith J. Devlin and Saharon Shelah. A note on the normal Moore space conjecture. *Canadian J. Math.*, 31(2):241–251, 1979.

82. Sh:86 Keith J. Devlin and Saharon Shelah. Souslin properties and tree topologies. *Proc. London Math. Soc.* (3), 39(2):237–252, 1979.
83. Sh:89 Saharon Shelah. Boolean algebras with few endomorphisms. *Proc. Amer. Math. Soc.*, 74(1):135–142, 1979.
84. Sh:94 Saharon Shelah. Weakly compact cardinals: a combinatorial proof. *J. Symbolic Logic*, 44(4):559–562, 1979.
85. Sh:96 Saharon Shelah and Martin Ziegler. Algebraically closed groups of large cardinality. *J. Symbolic Logic*, 44(4):522–532, 1979.
86. Sh:103 David H. Fremlin and Saharon Shelah. On partitions of the real line. *Israel J. Math.*, 32(4):299–304, 1979.
87. Sh:105 Saharon Shelah. On uncountable abelian groups. *Israel J. Math.*, 32(4):311–330, 1979.
88. Sh:108 Saharon Shelah. On successors of singular cardinals. In *Logic Colloquium '78 (Mons, 1978)*, volume 97 of *Stud. Logic Foundations Math.*, pages 357–380. North-Holland, Amsterdam-New York, 1979.
89. Sh:69 Saharon Shelah. On a problem of Kurosh, Jónsson groups, and applications. In *Word problems, II (Conf. on Decision Problems in Algebra, Oxford, 1976)*, volume 95 of *Stud. Logic Foundations Math.*, pages 373–394. North-Holland, Amsterdam-New York, 1980.
90. Sh:71 Saharon Shelah. A note on cardinal exponentiation. *J. Symbolic Logic*, 45(1):56–66, 1980.
91. Sh:76 Saharon Shelah. Independence of strong partition relation for small cardinals, and the free-subset problem. *J. Symbolic Logic*, 45(3):505–509, 1980.
92. Sh:84 Matatyahu Rubin and Saharon Shelah. On the elementary equivalence of automorphism groups of Boolean algebras; downward Skolem-Löwenheim theorems and compactness of related quantifiers. *J. Symbolic Logic*, 45(2):265–283, 1980.
93. Sh:92 Saharon Shelah. Remarks on Boolean algebras. *Algebra Universalis*, 11(1):77–89, 1980.
94. Sh:93 Saharon Shelah. Simple unstable theories. *Ann. Math. Logic*, 19(3):177–203, 1980.
95. Sh:98 Saharon Shelah. Whitehead groups may not be free, even assuming CH. II. *Israel J. Math.*, 35(4):257–285, 1980.
96. Sh:100 Saharon Shelah. Independence results. *J. Symbolic Logic*, 45(3):563–573, 1980.
97. Sh:115 Gregory L. Cherlin and Saharon Shelah. Superstable fields and groups. *Ann. Math. Logic*, 18(3):227–270, 1980.
98. Sh:134 Dov M. Gabbay, Amir Pnueli, Saharon Shelah, and Jonathan Stavi. On the Temporal Analysis of Fairness. In *Proceedings of the 7th ACM SIGPLAN-SIGACT Symposium on Principles of Programming Languages*, POPL '80, pages 163–173. Association Comp. Machinery, NY, 1980.
99. Sh:82 Saharon Shelah. Models with second order properties. III. Omitting types for $L(Q)$. *Arch. Math. Logik Grundlag.*, 21(1-2):1–11, 1981.
100. Sh:95 Saharon Shelah. Canonization theorems and applications. *J. Symbolic Logic*, 46(2):345–353, 1981.
101. Sh:101 Johann Andreas Makowsky and Saharon Shelah. The theorems of Beth and Craig in abstract model theory. II. Compact logics. *Arch. Math. Logik Grundlag.*, 21(1-2):13–35, 1981.
102. Sh:104 Richard Joseph Laver and Saharon Shelah. The \aleph_2 -Souslin hypothesis. *Trans. Amer. Math. Soc.*, 264(2):411–417, 1981.
103. Sh:106 Uri Abraham and Saharon Shelah. Martin's axiom does not imply that every two \aleph_1 -dense sets of reals are isomorphic. *Israel J. Math.*, 38(1-2):161–176, 1981.
104. Sh:109 Wilfrid Hodges and Saharon Shelah. Infinite games and reduced products. *Ann. Math. Logic*, 20(1):77–108, 1981.
105. Sh:119 Saharon Shelah. Iterated forcing and changing cofinalities. *Israel J. Math.*, 40(1):1–32, 1981.
106. Sh:120 Saharon Shelah. Free limits of forcing and more on Aronszajn trees. *Israel J. Math.*, 38(4):315–334, 1981.
107. Sh:122 Saharon Shelah. On Fleissner's diamond. *Notre Dame J. Formal Logic*, 22(1):29–35, 1981.
108. Sh:124 Saharon Shelah. \aleph_ω may have a strong partition relation. *Israel J. Math.*, 38(4):283–288, 1981.
109. Sh:125 Saharon Shelah. The consistency of $\text{Ext}(G, \mathbf{Z}) = \mathbf{Q}$. *Israel J. Math.*, 39(1-2):74–82, 1981.
110. Sh:126 Saharon Shelah. On saturation for a predicate. *Notre Dame J. Formal Logic*, 22(3):239–248, 1981.
111. Sh:127 Saharon Shelah. On uncountable Boolean algebras with no uncountable pairwise comparable or incomparable sets of elements. *Notre Dame J. Formal Logic*, 22(4):301–308, 1981.
112. Sh:129 Saharon Shelah. On the number of nonisomorphic models of cardinality λ $L_{\infty\lambda}$ -equivalent to a fixed model. *Notre Dame J. Formal Logic*, 22(1):5–10, 1981.
113. Sh:135 Andrew M. W. Glass, Yuri Gurevich, W. Charles Holland, and Saharon Shelah. Rigid homogeneous chains. *Math. Proc. Cambridge Philos. Soc.*, 89(1):7–17, 1981.
114. Sh:140 Saharon Shelah. On endo-rigid, strongly \aleph_1 -free abelian groups in \aleph_1 . *Israel J. Math.*, 40(3-4):291–295 (1982), 1981.
115. Sh:148 Gershon Sageev and Saharon Shelah. Weak compactness and the structure of $\text{Ext}(A, \mathbf{Z})$. In *Abelian group theory (Oberwolfach, 1981)*, volume 874 of *Lecture Notes in Math.*, pages 87–92. Springer, Berlin-New York, 1981.

116. Sh:102 Uri Abraham and Saharon Shelah. Forcing with stable posets. *J. Symbolic Logic*, 47(1):37–42, 1982.
117. Sh:110 Saharon Shelah. Better quasi-orders for uncountable cardinals. *Israel J. Math.*, 42(3):177–226, 1982.
118. Sh:112 Saharon Shelah and Lee J. Stanley. S -forcing. I. A “black-box” theorem for morasses, with applications to super-Souslin trees. *Israel J. Math.*, 43(3):185–224, 1982.
119. Sh:123 Yuri Gurevich and Saharon Shelah. Monadic theory of order and topology in ZFC. *Ann. Math. Logic*, 23(2-3):179–198 (1983), 1982.
120. Sh:131 Saharon Shelah. The spectrum problem. I. \aleph_ε -saturated models, the main gap. *Israel J. Math.*, 43(4):324–356, 1982.
121. Sh:132 Saharon Shelah. The spectrum problem. II. Totally transcendental and infinite depth. *Israel J. Math.*, 43(4):357–364, 1982.
122. Sh:133 Saharon Shelah. On the number of nonisomorphic models in $L_{\infty, \kappa}$ when κ is weakly compact. *Notre Dame J. Formal Logic*, 23(1):21–26, 1982.
123. Sh:147 Leo A. Harrington and Saharon Shelah. The undecidability of the recursively enumerable degrees. *Bull. Amer. Math. Soc. (N.S.)*, 6(1):79–80, 1982.
124. Sh:152 Leo A. Harrington and Saharon Shelah. Counting equivalence classes for co- κ -Souslin equivalence relations. In *Logic Colloquium '80 (Prague, 1980)*, volume 108 of *Stud. Logic Foundations Math.*, pages 147–152. North-Holland, Amsterdam-New York, 1982.
125. Sh:154 Saharon Shelah and Lee J. Stanley. Generalized Martin’s axiom and Souslin’s hypothesis for higher cardinals. *Israel J. Math.*, 43(3):225–236, 1982.
126. Sh:165 Saharon Shelah and Benjamin Weiss. Measurable recurrence and quasi-invariant measures. *Israel J. Math.*, 43(2):154–160, 1982.
127. Sh:193 Daniel J. Lehmann and Saharon Shelah. Reasoning with time and chance. *Inform. and Control*, 53(3):165–198, 1982.
128. Sh:87a Saharon Shelah. Classification theory for nonelementary classes. I. The number of uncountable models of $\psi \in L_{\omega_1, \omega}$. Part A. *Israel J. Math.*, 46(3):212–240, 1983.
129. Sh:87b Saharon Shelah. Classification theory for nonelementary classes. I. The number of uncountable models of $\psi \in L_{\omega_1, \omega}$. Part B. *Israel J. Math.*, 46(4):241–273, 1983.
130. Sh:107 Saharon Shelah. Models with second order properties. IV. A general method and eliminating diamonds. *Ann. Pure Appl. Logic*, 25(2):183–212, 1983.
131. Sh:116 Johann Andreas Makowsky and Saharon Shelah. Positive results in abstract model theory: a theory of compact logics. *Ann. Pure Appl. Logic*, 25(3):263–299, 1983.
132. Sh:118 Matatyahu Rubin and Saharon Shelah. On the expressibility hierarchy of Magidor-Malitz quantifiers. *J. Symbolic Logic*, 48(3):542–557, 1983.
133. Sh:121 Menachem Magidor, Saharon Shelah, and Jonathan Stavi. On the standard part of nonstandard models of set theory. *J. Symbolic Logic*, 48(1):33–38, 1983.
134. Sh:136 Saharon Shelah. Constructions of many complicated uncountable structures and Boolean algebras. *Israel J. Math.*, 45(2-3):100–146, 1983.
135. Sh:137 Saharon Shelah. The singular cardinals problem: independence results. In *Surveys in set theory*, volume 87 of *London Math. Soc. Lecture Note Ser.*, pages 116–134. Cambridge Univ. Press, Cambridge, 1983.
136. Sh:139 Saharon Shelah. On the number of nonconjugate subgroups. *Algebra Universalis*, 16(2):131–146, 1983.
137. Sh:141 Yuri Gurevich, Menachem Magidor, and Saharon Shelah. The monadic theory of ω_2 . *J. Symbolic Logic*, 48(2):387–398, 1983.
138. Sh:142 John T. Baldwin and Saharon Shelah. The structure of saturated free algebras. *Algebra Universalis*, 17(2):191–199, 1983.
139. Sh:146 Uri Abraham and Saharon Shelah. Forcing closed unbounded sets. *J. Symbolic Logic*, 48(3):643–657, 1983.
140. Sh:149 Sy-David Friedman and Saharon Shelah. Tall α -recursive structures. *Proc. Amer. Math. Soc.*, 88(4):672–678, 1983.
141. Sh:151 Yuri Gurevich and Saharon Shelah. Interpreting second-order logic in the monadic theory of order. *J. Symbolic Logic*, 48(3):816–828, 1983.
142. Sh:164 Moshe Jarden and Saharon Shelah. Pseudo-algebraically closed fields over rational function fields. *Proc. Amer. Math. Soc.*, 87(2):223–228, 1983.
143. Sh:174 Rami P. Grossberg and Saharon Shelah. On universal locally finite groups. *Israel J. Math.*, 44(4):289–302, 1983.
144. Sh:178 Yuri Gurevich and Saharon Shelah. Random models and the Gödel case of the decision problem. *J. Symbolic Logic*, 48(4):1120–1124 (1984), 1983.
145. Sh:183 Yuri Gurevich and Saharon Shelah. Rabin’s uniformization problem. *J. Symbolic Logic*, 48(4):1105–1119 (1984), 1983.
146. Sh:185 Saharon Shelah. Lifting problem of the measure algebra. *Israel J. Math.*, 45(1):90–96, 1983.

147. Sh:194 Ron Aharoni, Crispin St. J. A. Nash-Williams, and Saharon Shelah. A general criterion for the existence of transversals. *Proc. London Math. Soc. (3)*, 47(1):43–68, 1983.
148. Sh:83 Donato Giorgetta and Saharon Shelah. Existentially closed structures in the power of the continuum. *Ann. Pure Appl. Logic*, 26(2):123–148, 1984.
149. Sh:143 Yuri Gurevich and Saharon Shelah. The monadic theory and the “next world”. *Israel J. Math.*, 49(1-3):55–68, 1984.
150. Sh:144 Menachem Magidor, Saharon Shelah, and Jonathan Stavi. Countably decomposable admissible sets. *Ann. Pure Appl. Logic*, 26(3):287–361, 1984.
151. Sh:145 Paul C. Eklof, Alan H. Mekler, and Saharon Shelah. Almost disjoint abelian groups. *Israel J. Math.*, 49(1-3):34–54, 1984.
152. Sh:157 Alistair H. Lachlan and Saharon Shelah. Stable structures homogeneous for a finite binary language. *Israel J. Math.*, 49(1-3):155–180, 1984.
153. Sh:158 Leo A. Harrington, Michael Makkai, and Saharon Shelah. A proof of Vaught’s conjecture for ω -stable theories. *Israel J. Math.*, 49(1-3):259–280, 1984.
154. Sh:159 Saharon Shelah and W. Hugh Woodin. Forcing the failure of CH by adding a real. *J. Symbolic Logic*, 49(4):1185–1189, 1984.
155. Sh:170 Saharon Shelah. On logical sentences in PA. In *Logic colloquium ’82 (Florence, 1982)*, volume 112 of *Stud. Logic Found. Math.*, pages 145–160. North-Holland, Amsterdam, 1984.
156. Sh:172 Saharon Shelah. A combinatorial principle and endomorphism rings. I. On p -groups. *Israel J. Math.*, 49(1-3):239–257, 1984.
157. Sh:173 Ron Aharoni, Crispin St. J. A. Nash-Williams, and Saharon Shelah. Marriage in infinite societies. In *Progress in graph theory (Waterloo, Ont., 1982)*, pages 71–79. Academic Press, Toronto, ON, 1984.
158. Sh:175 Saharon Shelah. On universal graphs without instances of CH. *Ann. Pure Appl. Logic*, 26(1):75–87, 1984.
159. Sh:176 Saharon Shelah. Can you take Solovay’s inaccessible away? *Israel J. Math.*, 48(1):1–47, 1984.
160. Sh:177 Saharon Shelah. More on proper forcing. *J. Symbolic Logic*, 49(4):1034–1038, 1984.
161. Sh:181 Matt Kaufmann and Saharon Shelah. A nonconservativity result on global choice. *Ann. Pure Appl. Logic*, 27(3):209–214, 1984.
162. Sh:184 Warren D. Goldfarb, Yuri Gurevich, and Saharon Shelah. A decidable subclass of the minimal Gödel class with identity. *J. Symbolic Logic*, 49(4):1253–1261, 1984.
163. Sh:186 Saharon Shelah. Diamonds, uniformization. *J. Symbolic Logic*, 49(4):1022–1033, 1984.
164. Sh:188 Saharon Shelah. A pair of nonisomorphic $\equiv_{\infty\lambda}$ models of power λ for λ singular with $\lambda^\omega = \lambda$. *Notre Dame J. Formal Logic*, 25(2):97–104, 1984.
165. Sh:191 Moti Gitik and Saharon Shelah. On the \mathbb{I} -condition. *Israel J. Math.*, 48(2-3):148–158, 1984.
166. Sh:196 Ron Aharoni, Crispin St. J. A. Nash-Williams, and Saharon Shelah. Another form of a criterion for the existence of transversals. *J. London Math. Soc. (2)*, 29(2):193–203, 1984.
167. Sh:202 Saharon Shelah. On co- κ -Souslin relations. *Israel J. Math.*, 47(2-3):139–153, 1984.
168. Sh:207 Saharon Shelah. On cardinal invariants of the continuum. In *Axiomatic set theory (Boulder, Colo., 1983)*, volume 31 of *Contemp. Math.*, pages 183–207. Amer. Math. Soc., Providence, RI, 1984.
169. Sh:227 Saharon Shelah. A combinatorial theorem and endomorphism rings of abelian groups. II. In *Abelian groups and modules (Udine, 1984)*, volume 287 of *CISM Courses and Lect.*, pages 37–86. Springer, Vienna, 1984.
170. Sh:99 Leo A. Harrington and Saharon Shelah. Some exact equiconsistency results in set theory. *Notre Dame J. Formal Logic*, 26(2):178–188, 1985.
171. Sh:114 Uri Abraham and Saharon Shelah. Isomorphism types of Aronszajn trees. *Israel J. Math.*, 50(1-2):75–113, 1985.
172. Sh:128 Saharon Shelah. Uncountable constructions for B.A., e.c. groups and Banach spaces. *Israel J. Math.*, 51(4):273–297, 1985.
173. Sh:130 Anand Pillay and Saharon Shelah. Classification theory over a predicate. I. *Notre Dame J. Formal Logic*, 26(4):361–376, 1985.
174. Sh:138 Gershon Sageev and Saharon Shelah. On the structure of $\text{Ext}(A, \mathbf{Z})$ in ZFC^+ . *J. Symbolic Logic*, 50(2):302–315, 1985.
175. Sh:153 Uri Abraham, Matatyahu Rubin, and Saharon Shelah. On the consistency of some partition theorems for continuous colorings, and the structure of \aleph_1 -dense real order types. *Ann. Pure Appl. Logic*, 29(2):123–206, 1985.
176. Sh:156 John T. Baldwin and Saharon Shelah. Second-order quantifiers and the complexity of theories. *Notre Dame J. Formal Logic*, 26(3):229–303, 1985.
177. Sh:161 Saharon Shelah. Incompactness in regular cardinals. *Notre Dame J. Formal Logic*, 26(3):195–228, 1985.
178. Sh:163 Yuri Gurevich and Saharon Shelah. To the decision problem for branching time logic. In *Foundations of logic and linguistics (Salzburg, 1983)*, pages 181–198. Plenum, New York, 1985.

179. Sh:166 Alan H. Mekler and Saharon Shelah. Stationary logic and its friends. I. *Notre Dame J. Formal Logic*, 26(2):129–138, 1985.
180. Sh:189 Saharon Shelah. On the possible number $\text{no}(M) =$ the number of nonisomorphic models $L_{\infty, \lambda}$ -equivalent to M of power λ , for λ singular. *Notre Dame J. Formal Logic*, 26(1):36–50, 1985.
181. Sh:190 Rüdiger Göbel and Saharon Shelah. Semirigid classes of cotorsion-free abelian groups. *J. Algebra*, 93(1):136–150, 1985.
182. Sh:195 Manfred Droste and Saharon Shelah. A construction of all normal subgroup lattices of 2-transitive automorphism groups of linearly ordered sets. *Israel J. Math.*, 51(3):223–261, 1985.
183. Sh:199 Saharon Shelah. Remarks in abstract model theory. *Ann. Pure Appl. Logic*, 29(3):255–288, 1985.
184. Sh:200 Saharon Shelah. Classification of first order theories which have a structure theorem. *Bull. Amer. Math. Soc. (N.S.)*, 12(2):227–232, 1985.
185. Sh:201 Matt Kaufmann and Saharon Shelah. On random models of finite power and monadic logic. *Discrete Math.*, 54(3):285–293, 1985.
186. Sh:205 Saharon Shelah. Monadic logic and Löwenheim numbers. *Ann. Pure Appl. Logic*, 28(2):203–216, 1985.
187. Sh:208 Saharon Shelah. More on the weak diamond. *Ann. Pure Appl. Logic*, 28(3):315–318, 1985.
188. Sh:210 Robert Bonnet and Saharon Shelah. Narrow Boolean algebras. *Ann. Pure Appl. Logic*, 28(1):1–12, 1985.
189. Sh:216 W. Charles Holland, Alan H. Mekler, and Saharon Shelah. Lawless order. *Order*, 1(4):383–397, 1985.
190. Sh:218 Saharon Shelah. On measure and category. *Israel J. Math.*, 52(1-2):110–114, 1985.
191. Sh:219 Rüdiger Göbel and Saharon Shelah. Modules over arbitrary domains. *Math. Z.*, 188(3):325–337, 1985.
192. Sh:230 Yuri Gurevich and Saharon Shelah. The decision problem for branching time logic. *J. Symbolic Logic*, 50(3):668–681, 1985.
193. Sh:111 Saharon Shelah. On power of singular cardinals. *Notre Dame J. Formal Logic*, 27(2):263–299, 1986.
194. Sh:150 Matt Kaufmann and Saharon Shelah. The Hanf number of stationary logic. *Notre Dame J. Formal Logic*, 27(1):111–123, 1986.
195. Sh:155 Saharon Shelah. The spectrum problem. III. Universal theories. *Israel J. Math.*, 55(2):229–256, 1986.
196. Sh:160 Wilfrid Hodges and Saharon Shelah. Naturality and definability. I. *J. London Math. Soc. (2)*, 33(1):1–12, 1986.
197. Sh:167 Saharon Shelah and Lee J. Stanley. S -forcing. IIa. Adding diamonds and more applications: coding sets, Arhangel'skii's problem and $\mathcal{L}[Q_1^{<\omega}, Q_2^1]$. *Israel J. Math.*, 56(1):1–65, 1986. With an appendix by John P. Burgess.
198. Sh:179 Saharon Shelah and Charles Ira Steinhorn. On the nonaxiomatizability of some logics by finitely many schemas. *Notre Dame J. Formal Logic*, 27(1):1–11, 1986.
199. Sh:182 Uri Abraham and Saharon Shelah. On the intersection of closed unbounded sets. *J. Symbolic Logic*, 51(1):180–189, 1986.
200. Sh:187 Alan H. Mekler and Saharon Shelah. Stationary logic and its friends. II. *Notre Dame J. Formal Logic*, 27(1):39–50, 1986.
201. Sh:203 Shai Ben-David and Saharon Shelah. Souslin trees and successors of singular cardinals. *Ann. Pure Appl. Logic*, 30(3):207–217, 1986.
202. Sh:209 Saharon Shelah and Stevo Todorčević. A note on small Baire spaces. *Canad. J. Math.*, 38(3):659–665, 1986.
203. Sh:213 Larry Denenberg, Yuri Gurevich, and Saharon Shelah. Definability by constant-depth polynomial-size circuits. *Inform. and Control*, 70(2-3):216–240, 1986.
204. Sh:214 Alan H. Mekler and Saharon Shelah. ω -elongations and Crawley's problem. *Pacific J. Math.*, 121(1):121–132, 1986.
205. Sh:214a Alan H. Mekler and Saharon Shelah. The solution to Crawley's problem. *Pacific J. Math.*, 121(1):133–134, 1986.
206. Sh:216a W. Charles Holland, Alan H. Mekler, and Saharon Shelah. Total orders whose carried groups satisfy no laws. In *Algebra and order (Luminy-Marseille, 1984)*, volume 14 of *Res. Exp. Math.*, pages 29–33. Heldermann, Berlin, 1986.
207. Sh:222 Rami P. Grossberg and Saharon Shelah. On the number of nonisomorphic models of an infinitary theory which has the infinitary order property. I. *J. Symbolic Logic*, 51(2):302–322, 1986.
208. Sh:224 Rüdiger Göbel and Saharon Shelah. Modules over arbitrary domains. II. *Fund. Math.*, 126(3):217–243, 1986.
209. Sh:226 Matthew Dean Foreman, Menachem Magidor, and Saharon Shelah. 0^\sharp and some forcing principles. *J. Symbolic Logic*, 51(1):39–46, 1986.
210. Sh:231 István Juhász and Saharon Shelah. How large can a hereditarily separable or hereditarily Lindelöf space be? *Israel J. Math.*, 53(3):355–364, 1986.

211. Sh:235 Saharon Shelah and Alexander Soifer. Two problems on \aleph_0 -indecomposable abelian groups. *J. Algebra*, 99(2):359–369, 1986.
212. Sh:236 Shai Ben-David and Saharon Shelah. Nonspecial Aronszajn trees on $\aleph_{\omega+1}$. *Israel J. Math.*, 53(1):93–96, 1986.
213. Sh:238 Rami P. Grossberg and Saharon Shelah. A nonstructure theorem for an infinitary theory which has the unsuperstability property. *Illinois J. Math.*, 30(2):364–390, 1986.
214. Sh:239 Saharon Shelah and Alexander Soifer. Countable \aleph_0 -indecomposable mixed abelian groups of finite torsion-free rank. *J. Algebra*, 100(2):421–429, 1986.
215. Sh:244a Yuri Gurevich and Saharon Shelah. Fixed-point extensions of first-order logic. *Ann. Pure Appl. Logic*, 32(3):265–280, 1986.
216. Sh:249 András Hajnal, István Juhász, and Saharon Shelah. Splitting strongly almost disjoint families. *Trans. Amer. Math. Soc.*, 295(1):369–387, 1986.
217. Sh:88 Saharon Shelah. Classification of nonelementary classes. II. Abstract elementary classes. In *Classification theory (Chicago, IL, 1985)*, volume 1292 of *Lecture Notes in Math.*, pages 419–497. Springer, Berlin, 1987.
218. Sh:117 Matatyahu Rubin and Saharon Shelah. Combinatorial problems on trees: partitions, Δ -systems and large free subtrees. *Ann. Pure Appl. Logic*, 33(1):43–81, 1987.
219. Sh:169 Paul C. Eklof, Alan H. Mekler, and Saharon Shelah. On strongly nonreflexive groups. *Israel J. Math.*, 59(3):283–298, 1987.
220. Sh:192 Saharon Shelah. Uncountable groups have many nonconjugate subgroups. *Ann. Pure Appl. Logic*, 36(2):153–206, 1987.
221. Sh:220 Saharon Shelah. Existence of many $L_{\infty, \lambda}$ -equivalent, nonisomorphic models of T of power λ . *Ann. Pure Appl. Logic*, 34(3):291–310, 1987.
222. Sh:221 Uri Abraham, Saharon Shelah, and Robert M. Solovay. Squares with diamonds and Souslin trees with special squares. *Fund. Math.*, 127(2):133–162, 1987.
223. Sh:223 Manfred Droste and Saharon Shelah. On the universality of systems of words in permutation groups. *Pacific J. Math.*, 127(2):321–328, 1987.
224. Sh:225 Saharon Shelah. On the number of strongly \aleph_ϵ -saturated models of power λ . *Ann. Pure Appl. Logic*, 36(3):279–287, 1987.
225. Sh:242 Andreas R. Blass and Saharon Shelah. There may be simple P_{\aleph_1} - and P_{\aleph_2} -points and the Rudin-Keisler ordering may be downward directed. *Ann. Pure Appl. Logic*, 33(3):213–243, 1987.
226. Sh:243 Yuri Gurevich and Saharon Shelah. Expected computation time for Hamiltonian path problem. *SIAM J. Comput.*, 16(3):486–502, 1987.
227. Sh:245 Kevin Jay Compton, C. Ward Henson, and Saharon Shelah. Nonconvergence, undecidability, and intractability in asymptotic problems. *Ann. Pure Appl. Logic*, 36(3):207–224, 1987.
228. Sh:251 Alan H. Mekler and Saharon Shelah. When κ -free implies strongly κ -free. In *Abelian group theory (Oberwolfach, 1985)*, pages 137–148. Gordon and Breach, New York, 1987.
229. Sh:253 Saharon Shelah. Iterated forcing and normal ideals on ω_1 . *Israel J. Math.*, 60(3):345–380, 1987. initial version of Ch. XIII of [Sh:f].
230. Sh:254 James Earl Baumgartner and Saharon Shelah. Remarks on superatomic Boolean algebras. *Ann. Pure Appl. Logic*, 33(2):109–129, 1987.
231. Sh:255 Paul C. Eklof and Saharon Shelah. On groups A such that $A \oplus \mathbf{Z}^n \cong A$. In *Abelian group theory (Oberwolfach, 1985)*, pages 149–163. Gordon and Breach, New York, 1987.
232. Sh:256 Saharon Shelah. More on powers of singular cardinals. *Israel J. Math.*, 59(3):299–326, 1987.
233. Sh:258 Saharon Shelah and Lee J. Stanley. A theorem and some consistency results in partition calculus. *Ann. Pure Appl. Logic*, 36(2):119–152, 1987.
234. Sh:260 Saharon Shelah and Juris Steprāns. Extraspecial p -groups. *Ann. Pure Appl. Logic*, 34(1):87–97, 1987.
235. Sh:263 Saharon Shelah. Semiproper forcing axiom implies Martin maximum but not PFA^+ . *J. Symbolic Logic*, 52(2):360–367, 1987. represented in Ch. XVII of [Sh:f].
236. Sh:265 Manfred H. Dugas, Temple H. Fay, and Saharon Shelah. Singly cogenerated annihilator classes. *J. Algebra*, 109(1):127–137, 1987.
237. Sh:268 András Hajnal, Akihiro Kanamori, and Saharon Shelah. Regressive partition relations for infinite cardinals. *Trans. Amer. Math. Soc.*, 299(1):145–154, 1987.
238. Sh:272 Saharon Shelah. On almost categorical theories. In *Classification theory (Chicago, IL, 1985)*, volume 1292 of *Lecture Notes in Math.*, pages 498–500. Springer, Berlin, 1987.
239. Sh:278 Zoé Maria Chatzidakis, Gregory L. Cherlin, Saharon Shelah, Gabriel Srouf, and Carol Wood. Orthogonality of types in separably closed fields. In *Classification theory (Chicago, IL, 1985)*, volume 1292 of *Lecture Notes in Math.*, pages 72–88. Springer, Berlin, 1987.
240. Sh:281 Zvi Drezner and Saharon Shelah. On the complexity of the Elzinga-Hearn algorithm for the 1-center problem. *Math. Oper. Res.*, 12(2):255–261, 1987.

241. Sh:283 Saharon Shelah. On reconstructing separable reduced p -groups with a given socle. *Israel J. Math.*, 60(2):146–166, 1987.
242. Sh:298 Paul C. Eklof and Saharon Shelah. A calculation of injective dimension over valuation domains. *Rend. Sem. Mat. Univ. Padova*, 78:279–284, 1987.
243. Sh:299 Saharon Shelah. Taxonomy of universal and other classes. In *Proceedings of the International Congress of Mathematicians (Berkeley, Calif., 1986)*, volume 1, pages 154–162. Amer. Math. Soc., Providence, RI, 1987.
244. Sh:300 Saharon Shelah. Universal classes. In *Classification theory (Chicago, IL, 1985)*, volume 1292 of *Lecture Notes in Math.*, pages 264–418. Springer, Berlin, 1987.
245. Sh:206 Saharon Shelah. Decomposing topological spaces into two rigid homeomorphic subspaces. *Israel J. Math.*, 63(2):183–211, 1988.
246. Sh:215 Leo A. Harrington, David E. Marker, and Saharon Shelah. Borel orderings. *Trans. Amer. Math. Soc.*, 310(1):293–302, 1988.
247. Sh:225a Saharon Shelah. Number of strongly \aleph_ϵ saturated models—an addition. *Ann. Pure Appl. Logic*, 40(1):89–91, 1988. improvement of [Sh:225].
248. Sh:240 Matthew Dean Foreman, Menachem Magidor, and Saharon Shelah. Martin’s maximum, saturated ideals, and nonregular ultrafilters. I. *Ann. of Math. (2)*, 127(1):1–47, 1988.
249. Sh:250 Saharon Shelah. Some notes on iterated forcing with $2^{\aleph_0} > \aleph_2$. *Notre Dame J. Formal Logic*, 29(1):1–17, 1988.
250. Sh:252 Matthew Dean Foreman, Menachem Magidor, and Saharon Shelah. Martin’s maximum, saturated ideals and nonregular ultrafilters. II. *Ann. of Math. (2)*, 127(3):521–545, 1988.
251. Sh:261 Saharon Shelah. A graph which embeds all small graphs on any large set of vertices. *Ann. Pure Appl. Logic*, 38(2):171–183, 1988.
252. Sh:264 Saharon Shelah and Juris Steprāns. A Banach space on which there are few operators. *Proc. Amer. Math. Soc.*, 104(1):101–105, 1988.
253. Sh:273 Saharon Shelah. Can the fundamental (homotopy) group of a space be the rationals? *Proc. Amer. Math. Soc.*, 103(2):627–632, 1988.
254. Sh:276 Saharon Shelah. Was Sierpiński right? I. *Israel J. Math.*, 62(3):355–380, 1988.
255. Sh:279 Saharon Shelah and Lee J. Stanley. Weakly compact cardinals and nonspecial Aronszajn trees. *Proc. Amer. Math. Soc.*, 104(3):887–897, 1988.
256. Sh:282 Saharon Shelah. Successors of singulars, cofinalities of reduced products of cardinals and productivity of chain conditions. *Israel J. Math.*, 62(2):213–256, 1988.
257. Sh:284a Saharon Shelah. Notes on monadic logic. Part A. Monadic theory of the real line. *Israel J. Math.*, 63(3):335–352, 1988.
258. Sh:286 Haim I. Judah and Saharon Shelah. Q -sets do not necessarily have strong measure zero. *Proc. Amer. Math. Soc.*, 102(3):681–683, 1988.
259. Sh:290 Balázs Biró and Saharon Shelah. Isomorphic but not lower base-isomorphic cylindric set algebras. *J. Symbolic Logic*, 53(3):846–853, 1988.
260. Sh:292 Haim I. Judah and Saharon Shelah. Souslin forcing. *J. Symbolic Logic*, 53(4):1188–1207, 1988.
261. Sh:303 Péter Komjáth and Saharon Shelah. Forcing constructions for uncountably chromatic graphs. *J. Symbolic Logic*, 53(3):696–707, 1988.
262. Sh:304 Saharon Shelah and Joel H. Spencer. Zero-one laws for sparse random graphs. *J. Amer. Math. Soc.*, 1(1):97–115, 1988.
263. Sh:313 Alan H. Mekler and Saharon Shelah. Diamond and λ -systems. *Fund. Math.*, 131(1):45–51, 1988.
264. Sh:315 Saharon Shelah and Juris Steprāns. PFA implies all automorphisms are trivial. *Proc. Amer. Math. Soc.*, 104(4):1220–1225, 1988.
265. Sh:320 István Juhász, Saharon Shelah, and Lajos Soukup. More on countably compact, locally countable spaces. *Israel J. Math.*, 62(3):302–310, 1988.
266. Sh:328 Saharon Shelah and Simon Thomas. Implausible subgroups of infinite symmetric groups. *Bull. London Math. Soc.*, 20(4):313–318, 1988.
267. Sh:329 Saharon Shelah. Primitive recursive bounds for van der Waerden numbers. *J. Amer. Math. Soc.*, 1(3):683–697, 1988.
268. Sh:332 Yuri Gurevich and Saharon Shelah. Nondeterministic Linear Tasks May Require Substantially Non-linear Deterministic Time in the Case of Sublinear Work Space. In *Proceedings of the Twentieth Annual ACM Symposium on Theory of Computing, STOC ’88*, pages 281–289, New York, NY, USA, 1988. ACM.
269. Sh:168 Yuri Gurevich and Saharon Shelah. On the strength of the interpretation method. *J. Symbolic Logic*, 54(2):305–323, 1989.
270. Sh:257 Andreas R. Blass and Saharon Shelah. Ultrafilters with small generating sets. *Israel J. Math.*, 65(3):259–271, 1989.
271. Sh:262 Saharon Shelah. The number of pairwise non-elementarily-embeddable models. *J. Symbolic Logic*, 54(4):1431–1455, 1989.

272. Sh:267 William G. Fleissner and Saharon Shelah. Collectionwise Hausdorff: incompleteness at singulars. *Topology Appl.*, 31(2):101–107, 1989.
273. Sh:269 Saharon Shelah. “Gap 1” two-cardinal principles and the omitting types theorem for $\mathcal{L}(Q)$. *Israel J. Math.*, 65(2):133–152, 1989.
274. Sh:270 Saharon Shelah. Baire irresolvable spaces and lifting for a layered ideal. *Topology Appl.*, 33(3):217–221, 1989.
275. Sh:274 Alan H. Mekler and Saharon Shelah. Uniformization principles. *J. Symbolic Logic*, 54(2):441–459, 1989.
276. Sh:275 Alan H. Mekler and Saharon Shelah. $L_{\infty\omega}$ -free algebras. *Algebra Universalis*, 26(3):351–366, 1989.
277. Sh:277 Yuri Gurevich and Saharon Shelah. Nearly linear time. In *Logic at Botik '89 (Pereslavl-Zalesskiy, 1989)*, volume 363 of *Lecture Notes in Comput. Sci.*, pages 108–118. Springer, Berlin, 1989.
278. Sh:284d Saharon Shelah. More on monadic logic. Part D: A note on addition of theories. *Israel J. Math.*, 68(3):302–306, 1989.
279. Sh:287 Andreas R. Blass and Saharon Shelah. Near coherence of filters. III. A simplified consistency proof. *Notre Dame J. Formal Logic*, 30(4):530–538, 1989.
280. Sh:289 Saharon Shelah. Consistency of positive partition theorems for graphs and models. In *Set theory and its applications (Toronto, ON, 1987)*, volume 1401 of *Lecture Notes in Math.*, pages 167–193. Springer, Berlin, 1989.
281. Sh:296 Saharon Shelah and Juris Steprāns. Nontrivial homeomorphisms of $\beta\mathbb{N} \setminus \mathbb{N}$ without the continuum hypothesis. *Fund. Math.*, 132(2):135–141, 1989.
282. Sh:302 Rami P. Grossberg and Saharon Shelah. On the structure of $\text{Ext}_p(G, \mathbf{Z})$. *J. Algebra*, 121(1):117–128, 1989.
283. Sh:305 Saharon Shelah and Simon Thomas. Subgroups of small index in infinite symmetric groups. II. *J. Symbolic Logic*, 54(1):95–99, 1989.
284. Sh:307 Steven Buechler and Saharon Shelah. On the existence of regular types. *Ann. Pure Appl. Logic*, 45(3):277–308, 1989.
285. Sh:316 László Fuchs and Saharon Shelah. Kaplansky’s problem on valuation rings. *Proc. Amer. Math. Soc.*, 105(1):25–30, 1989.
286. Sh:317 Thomas Becker, László Fuchs, and Saharon Shelah. Whitehead modules over domains. *Forum Math.*, 1(1):53–68, 1989.
287. Sh:319 Haim I. Judah and Saharon Shelah. Martin’s axioms, measurability and equiconsistency results. *J. Symbolic Logic*, 54(1):78–94, 1989.
288. Sh:321 Haim I. Judah and Saharon Shelah. Δ_2^1 -sets of reals. *Ann. Pure Appl. Logic*, 42(3):207–223, 1989.
289. Sh:325 Manfred H. Dugas and Saharon Shelah. E -transitive groups in L . In *Abelian group theory (Perth, 1987)*, volume 87 of *Contemp. Math.*, pages 191–199. Amer. Math. Soc., Providence, RI, 1989.
290. Sh:335 Haim I. Judah and Saharon Shelah. $\text{MA}(\sigma\text{-centered})$: Cohen reals, strong measure zero sets and strongly meager sets. *Israel J. Math.*, 68(1):1–17, 1989.
291. Sh:341 István Juhász and Saharon Shelah. $\pi(X) = \delta(X)$ for compact X . *Topology Appl.*, 32(3):289–294, 1989. NB: Proof in local case is a mistake.
292. Sh:342 Ehud Hrushovski and Saharon Shelah. A dichotomy theorem for regular types. *Ann. Pure Appl. Logic*, 45(2):157–169, 1989.
293. Sh:343 Yuri Gurevich and Saharon Shelah. Time polynomial in input or output. *J. Symbolic Logic*, 54(3):1083–1088, 1989.
294. Sh:344 Moti Gitik and Saharon Shelah. On certain indestructibility of strong cardinals and a question of Hajnal. *Arch. Math. Logic*, 28(1):35–42, 1989.
295. Sh:348 Tomek Bartoszyński, Haim I. Judah, and Saharon Shelah. The cofinality of cardinal invariants related to measure and category. *J. Symbolic Logic*, 54(3):719–726, 1989.
296. Sh:349 Saharon Shelah. A consistent counterexample in the theory of collectionwise Hausdorff spaces. *Israel J. Math.*, 65(2):219–224, 1989.
297. Sh:350 Emmanuel Dror Farjoun, Kent E. Orr, and Saharon Shelah. Bousfield localization as an algebraic closure of groups. *Israel J. Math.*, 66(1-3):143–153, 1989.
298. Sh:357 Moti Gitik and Saharon Shelah. Forcings with ideals and simple forcing notions. *Israel J. Math.*, 68(2):129–160, 1989.
299. Sh:361 Saharon Shelah and Simon Thomas. Homogeneity of infinite permutation groups. *Arch. Math. Logic*, 28(2):143–147, 1989.
300. Sh:367 Alan H. Mekler and Saharon Shelah. The consistency strength of “every stationary set reflects”. *Israel J. Math.*, 67(3):353–366, 1989.
301. Sh:378 Thomas J. Jech and Saharon Shelah. A note on canonical functions. *Israel J. Math.*, 68(3):376–380, 1989. arXiv: math/9201239.
302. Sh:113 Saharon Shelah. The theorems of Beth and Craig in abstract model theory. III. Δ -logics and infinitary logics. *Israel J. Math.*, 69(2):193–213, 1990.

303. Sh:175a Saharon Shelah. Universal graphs without instances of CH: revisited. *Israel J. Math.*, 70(1):69–81, 1990.
304. Sh:180 Saharon Shelah and Charles Ira Steinhorn. The nonaxiomatizability of $L(Q_{\aleph_1}^2)$ by finitely many schemata. *Notre Dame J. Formal Logic*, 31(1):1–13, 1990.
305. Sh:198 Jean-Pierre Levinski, Menachem Magidor, and Saharon Shelah. Chang’s conjecture for \aleph_ω . *Israel J. Math.*, 69(2):161–172, 1990.
306. Sh:241 Saharon Shelah and W. Hugh Woodin. Large cardinals imply that every reasonably definable set of reals is Lebesgue measurable. *Israel J. Math.*, 70(3):381–394, 1990.
307. Sh:280 Saharon Shelah. Strong negative partition above the continuum. *J. Symbolic Logic*, 55(1):21–31, 1990.
308. Sh:284b Saharon Shelah. Notes on monadic logic. Part B: Complexity of linear orders in ZFC. *Israel J. Math.*, 69(1):94–116, 1990.
309. Sh:284c Saharon Shelah. More on monadic logic. Part C. Monadically interpreting in stable unsuperstable \mathcal{T} and the monadic theory of ${}^\omega\lambda$. *Israel J. Math.*, 70(3):353–364, 1990.
310. Sh:285 Michael Makkai and Saharon Shelah. Categoricity of theories in $L_{\kappa\omega}$, with κ a compact cardinal. *Ann. Pure Appl. Logic*, 47(1):41–97, 1990.
311. Sh:306 Alan H. Mekler and Saharon Shelah. Determining abelian p -groups from their n -socles. *Comm. Algebra*, 18(2):287–307, 1990.
312. Sh:308 Haim I. Judah and Saharon Shelah. The Kunen-Miller chart (Lebesgue measure, the Baire property, Laver reals and preservation theorems for forcing). *J. Symbolic Logic*, 55(3):909–927, 1990.
313. Sh:323 Bradd T. Hart and Saharon Shelah. Categoricity over P for first order T or categoricity for $\phi \in \mathcal{L}_{\omega_1\omega}$ can stop at \aleph_k while holding for $\aleph_0, \dots, \aleph_{k-1}$. *Israel J. Math.*, 70(2):219–235, 1990. arXiv: math/9201240.
314. Sh:330 John T. Baldwin and Saharon Shelah. The primal framework. I. *Ann. Pure Appl. Logic*, 46(3):235–264, 1990. arXiv: math/9201241.
315. Sh:332a Yuri Gurevich and Saharon Shelah. Nondeterministic linear-time tasks may require substantially nonlinear deterministic time in the case of sublinear work space. *J. Assoc. Comput. Mach.*, 37(3):674–687, 1990.
316. Sh:339 Haim I. Judah, Saharon Shelah, and W. Hugh Woodin. The Borel conjecture. *Ann. Pure Appl. Logic*, 50(3):255–269, 1990. NB: A correction of the third section has appeared in 8.3.B of [Bartoszyński, Judah: Set theory. ISBN 1-56881-044-X].
317. Sh:345 Saharon Shelah. Products of regular cardinals and cardinal invariants of products of Boolean algebras. *Israel J. Math.*, 70(2):129–187, 1990.
318. Sh:347 Saharon Shelah. Incompactness for chromatic numbers of graphs. In *A tribute to Paul Erdős*, pages 361–371. Cambridge Univ. Press, Cambridge, 1990.
319. Sh:352 Paul C. Eklof, László Fuchs, and Saharon Shelah. Baer modules over domains. *Trans. Amer. Math. Soc.*, 322(2):547–560, 1990.
320. Sh:354 Micha A. Perles and Saharon Shelah. A closed $(n + 1)$ -convex set in \mathbf{R}^2 is a union of n^6 convex sets. *Israel J. Math.*, 70(3):305–312, 1990.
321. Sh:356 Eric Charles Milner and Saharon Shelah. Graphs with no unfriendly partitions. In *A tribute to Paul Erdős*, pages 373–384. Cambridge Univ. Press, Cambridge, 1990.
322. Sh:358 Haim I. Judah and Saharon Shelah. Around random algebra. *Arch. Math. Logic*, 30(3):129–138, 1990.
323. Sh:387 Thomas J. Jech and Saharon Shelah. Full reflection of stationary sets below \aleph_ω . *J. Symbolic Logic*, 55(2):822–830, 1990. arXiv: math/9201242.
324. Sh:388 Martin Goldstern and Saharon Shelah. Ramsey ultrafilters and the reaping number— $\text{Con}(\mathfrak{r} < \mathfrak{u})$. *Ann. Pure Appl. Logic*, 49(2):121–142, 1990.
325. Sh:408 Menachem Kojman, Micha A. Perles, and Saharon Shelah. Sets in a Euclidean space which are not a countable union of convex subsets. *Israel J. Math.*, 70(3):313–342, 1990.
326. Sh:246 Saharon Shelah. On a problem in cylindric algebra. In *Algebraic logic (Budapest, 1988)*, volume 54 of *Colloq. Math. Soc. János Bolyai*, pages 645–664. North-Holland, Amsterdam, 1991.
327. Sh:271 Wilfrid Hodges and Saharon Shelah. There are reasonably nice logics. *J. Symbolic Logic*, 56(1):300–322, 1991.
328. Sh:318 Dugald Macpherson, Alan H. Mekler, and Saharon Shelah. The number of infinite substructures. *Math. Proc. Cambridge Philos. Soc.*, 109(1):193–209, 1991.
329. Sh:327 Saharon Shelah. Strong negative partition relations below the continuum. *Acta Math. Hungar.*, 58(1-2):95–100, 1991.
330. Sh:334 Ehud Hrushovski and Saharon Shelah. Stability and omitting types. *Israel J. Math.*, 74(2-3):289–321, 1991.
331. Sh:336 Haim I. Judah and Saharon Shelah. Q -sets, Sierpiński sets, and rapid filters. *Proc. Amer. Math. Soc.*, 111(3):821–832, 1991.

332. Sh:338 Haim I. Judah and Saharon Shelah. Forcing minimal degree of constructibility. *J. Symbolic Logic*, 56(3):769–782, 1991.
333. Sh:351 Saharon Shelah. Reflecting stationary sets and successors of singular cardinals. *Arch. Math. Logic*, 31(1):25–53, 1991.
334. Sh:360 John T. Baldwin and Saharon Shelah. The primal framework. II. Smoothness. *Ann. Pure Appl. Logic*, 55(1):1–34, 1991. arXiv: math/9201246.
335. Sh:369 Martin Goldstern, Haim I. Judah, and Saharon Shelah. A regular topological space having no closed subsets of cardinality \aleph_2 . *Proc. Amer. Math. Soc.*, 111(4):1151–1159, 1991.
336. Sh:379 Paul C. Eklof and Saharon Shelah. On Whitehead modules. *J. Algebra*, 142(2):492–510, 1991.
337. Sh:381 Saharon Shelah. Kaplansky test problem for R -modules. *Israel J. Math.*, 74(1):91–127, 1991.
338. Sh:385 Thomas J. Jech and Saharon Shelah. On a conjecture of Tarski on products of cardinals. *Proc. Amer. Math. Soc.*, 112(4):1117–1124, 1991. arXiv: math/9201247.
339. Sh:392 Thomas J. Jech and Saharon Shelah. A partition theorem for pairs of finite sets. *J. Amer. Math. Soc.*, 4(4):647–656, 1991. arXiv: math/9201248.
340. Sh:399 Martin Goldstern, Haim I. Judah, and Saharon Shelah. Saturated families. *Proc. Amer. Math. Soc.*, 111(4):1095–1104, 1991.
341. Sh:429 Saharon Shelah. Multi-dimensionality. *Israel J. Math.*, 74(2-3):281–288, 1991.
342. Sh:211 Saharon Shelah. The Hanf numbers of stationary logic. II. Comparison with other logics. *Notre Dame J. Formal Logic*, 33(1):1–12, 1992. arXiv: math/9201243.
343. Sh:288 Saharon Shelah. Strong partition relations below the power set: consistency; was Sierpiński right? II. In *Sets, graphs and numbers (Budapest, 1991)*, volume 60 of *Colloq. Math. Soc. János Bolyai*, pages 637–668. North-Holland, Amsterdam, 1992. arXiv: math/9201244.
344. Sh:294 Saharon Shelah and Lee J. Stanley. Coding and reshaping when there are no sharps. In *Set theory of the continuum (Berkeley, CA, 1989)*, volume 26 of *Math. Sci. Res. Inst. Publ.*, pages 407–416. Springer, New York, 1992. arXiv: math/9201249.
345. Sh:326 Saharon Shelah. Vive la différence. I. Nonisomorphism of ultrapowers of countable models. In *Set theory of the continuum (Berkeley, CA, 1989)*, volume 26 of *Math. Sci. Res. Inst. Publ.*, pages 357–405. Springer, New York, 1992. arXiv: math/9201245.
346. Sh:364 István Juhász and Saharon Shelah. On partitioning the triples of a topological space. *Topology Appl.*, 44(1-3):203–208, 1992.
347. Sh:372 Haim I. Judah, Arnold W. Miller, and Saharon Shelah. Sacks forcing, Laver forcing, and Martin’s axiom. *Arch. Math. Logic*, 31(3):145–161, 1992.
348. Sh:397 Saharon Shelah. Factor = quotient, uncountable Boolean algebras, number of endomorphism and width. *Math. Japon.*, 37(2):385–400, 1992. arXiv: math/9201250.
349. Sh:400a Saharon Shelah. Cardinal arithmetic for skeptics. *Bull. Amer. Math. Soc. (N.S.)*, 26(2):197–210, 1992. arXiv: math/9201251.
350. Sh:407 Saharon Shelah. $\text{CON}(u > i)$. *Arch. Math. Logic*, 31(6):433–443, 1992.
351. Sh:409 Menachem Kojman and Saharon Shelah. Nonexistence of universal orders in many cardinals. *J. Symbolic Logic*, 57(3):875–891, 1992. arXiv: math/9209201.
352. Sh:411 Shmuel Lifsches and Saharon Shelah. The monadic theory of $(\omega_2, <)$ may be complicated. *Arch. Math. Logic*, 31(3):207–213, 1992.
353. Sh:436 Tomek Bartoszyński and Saharon Shelah. Intersection of $< 2^{\aleph_0}$ ultrafilters may have measure zero. *Arch. Math. Logic*, 31(4):221–226, 1992. arXiv: math/9904068.
354. Sh:437 Maxim R. Burke and Saharon Shelah. Linear liftings for noncomplete probability spaces. *Israel J. Math.*, 79(2-3):289–296, 1992. arXiv: math/9201252.
355. Sh:439 Tomek Bartoszyński and Saharon Shelah. Closed measure zero sets. *Ann. Pure Appl. Logic*, 58(2):93–110, 1992. arXiv: math/9905123.
356. Sh:441 Paul C. Eklof, Alan H. Mekler, and Saharon Shelah. Uniformization and the diversity of Whitehead groups. *Israel J. Math.*, 80(3):301–321, 1992. arXiv: math/9204219.
357. Sh:447 Menachem Kojman and Saharon Shelah. The universality spectrum of stable unsuperstable theories. *Ann. Pure Appl. Logic*, 58(1):57–72, 1992. arXiv: math/9201253.
358. Sh:469 Renling Jin and Saharon Shelah. Planting Kurepa trees and killing Jech-Kunen trees in a model by using one inaccessible cardinal. *Fund. Math.*, 141(3):287–296, 1992. arXiv: math/9211214.
359. Sh:477 Jörg Brendle, Haim I. Judah, and Saharon Shelah. Combinatorial properties of Hechler forcing. *Ann. Pure Appl. Logic*, 58(3):185–199, 1992. arXiv: math/9211202.
360. Sh:162 Bradd T. Hart, Claude Laflamme, and Saharon Shelah. Models with second order properties. V. A general principle. *Ann. Pure Appl. Logic*, 64(2):169–194, 1993. arXiv: math/9311211.
361. Sh:291 Alan H. Mekler, Evelyn M. Nelson, and Saharon Shelah. A variety with solvable, but not uniformly solvable, word problem. *Proc. London Math. Soc. (3)*, 66(2):225–256, 1993. arXiv: math/9301203.
362. Sh:293 Saharon Shelah and Lee J. Stanley. More consistency results in partition calculus. *Israel J. Math.*, 81(1-2):97–110, 1993.

363. Sh:297 Ian Martin Hodkinson and Saharon Shelah. A construction of many uncountable rings using SFP domains and Aronszajn trees. *Proc. London Math. Soc.* (3), 67(3):449–492, 1993.
364. Sh:337 Haim I. Judah and Saharon Shelah. Δ_3^1 -sets of reals. *J. Symbolic Logic*, 58(1):72–80, 1993.
365. Sh:359 Robert Bonnet and Saharon Shelah. On HCO spaces. An uncountable compact T_2 space, different from $\aleph_1 + 1$, which is homeomorphic to each of its uncountable closed subspaces. *Israel J. Math.*, 84(3):289–332, 1993.
366. Sh:368 Tomek Bartoszyński, Haim I. Judah, and Saharon Shelah. The Cichoń diagram. *J. Symbolic Logic*, 58(2):401–423, 1993. arXiv: math/9905122.
367. Sh:374 Haim I. Judah and Saharon Shelah. Adding dominating reals with the random algebra. *Proc. Amer. Math. Soc.*, 119(1):267–273, 1993.
368. Sh:375 Alan H. Mekler and Saharon Shelah. Some compact logics—results in ZFC. *Ann. of Math.* (2), 137(2):221–248, 1993. arXiv: math/9301204.
369. Sh:377 Saharon Shelah, Heikki Tuuri, and Jouko A. Väänänen. On the number of automorphisms of uncountable models. *J. Symbolic Logic*, 58(4):1402–1418, 1993. arXiv: math/9301205.
370. Sh:383 Thomas J. Jech and Saharon Shelah. Full reflection of stationary sets at regular cardinals. *Amer. J. Math.*, 115(2):435–453, 1993. arXiv: math/9204218.
371. Sh:389 Saharon Shelah and Lajos Soukup. The existence of large ω_1 -homogeneous but not ω -homogeneous permutation groups is consistent with ZFC+GCH. *J. London Math. Soc.* (2), 48(2):193–203, 1993.
372. Sh:391 Wilfrid Hodges, Ian Martin Hodkinson, Daniel Lascar, and Saharon Shelah. The small index property for ω -stable ω -categorical structures and for the random graph. *J. London Math. Soc.* (2), 48(2):204–218, 1993.
373. Sh:396 Ryszard Frankiewicz, Saharon Shelah, and Paweł Zbierski. On closed P -sets with ccc in the space ω^* . *J. Symbolic Logic*, 58(4):1171–1176, 1993. arXiv: math/9303207.
374. Sh:398 Alan H. Mekler and Saharon Shelah. The canary tree. *Canad. Math. Bull.*, 36(2):209–215, 1993. arXiv: math/9308210.
375. Sh:403 Uri Abraham and Saharon Shelah. A Δ_2^2 well-order of the reals and incompleteness of $L(Q^{\text{MM}})$. *Ann. Pure Appl. Logic*, 59(1):1–32, 1993. arXiv: math/9812115.
376. Sh:406 David H. Fremlin and Saharon Shelah. Pointwise compact and stable sets of measurable functions. *J. Symbolic Logic*, 58(2):435–455, 1993. arXiv: math/9209218.
377. Sh:410 Saharon Shelah. More on cardinal arithmetic. *Arch. Math. Logic*, 32(6):399–428, 1993. arXiv: math/0406550.
378. Sh:412 Moti Gitik and Saharon Shelah. More on simple forcing notions and forcings with ideals. *Ann. Pure Appl. Logic*, 59(3):219–238, 1993.
379. Sh:414 Péter Komjáth and Saharon Shelah. A consistent edge partition theorem for infinite graphs. *Acta Math. Hungar.*, 61(1-2):115–120, 1993.
380. Sh:416 Alan H. Mekler, Saharon Shelah, and Jouko A. Väänänen. The Ehrenfeucht-Fraïssé-game of length ω_1 . *Trans. Amer. Math. Soc.*, 339(2):567–580, 1993. arXiv: math/9305204.
381. Sh:418 Alan H. Mekler and Saharon Shelah. Every coseparable group may be free. *Israel J. Math.*, 81(1-2):161–178, 1993. arXiv: math/9305205.
382. Sh:420 Saharon Shelah. Advances in cardinal arithmetic. In *Finite and infinite combinatorics in sets and logic (Banff, AB, 1991)*, volume 411 of *NATO Adv. Sci. Inst. Ser. C Math. Phys. Sci.*, pages 355–383. Kluwer Acad. Publ., Dordrecht, 1993. arXiv: 0708.1979.
383. Sh:422 Paul C. Eklof and Saharon Shelah. On a conjecture regarding nonstandard uniserial modules. *Trans. Amer. Math. Soc.*, 340(1):337–351, 1993. arXiv: math/9308211.
384. Sh:424 Saharon Shelah. On $\text{CH} + 2^{\aleph_1} \rightarrow (\alpha)_2^2$ for $\alpha < \omega_2$. In *Logic Colloquium '90 (Helsinki, 1990)*, volume 2 of *Lecture Notes Logic*, pages 281–289. Springer, Berlin, 1993. arXiv: math/9308212.
385. Sh:426 Paul C. Eklof, Alan H. Mekler, and Saharon Shelah. On coherent systems of projections for \aleph_1 -separable groups. *Comm. Algebra*, 21(1):343–353, 1993. arXiv: math/9308213.
386. Sh:428 Tapani Hyttinen, Saharon Shelah, and Heikki Tuuri. Remarks on strong nonstructure theorems. *Notre Dame J. Formal Logic*, 34(2):157–168, 1993.
387. Sh:434 Tomek Bartoszyński, Martin Goldstern, Haim I. Judah, and Saharon Shelah. All meager filters may be null. *Proc. Amer. Math. Soc.*, 117(2):515–521, 1993. arXiv: math/9301206.
388. Sh:438 Martin Goldstern, Haim I. Judah, and Saharon Shelah. Strong measure zero sets without Cohen reals. *J. Symbolic Logic*, 58(4):1323–1341, 1993. arXiv: math/9306214.
389. Sh:440 William Wistar Comfort, Akio Kato, and Saharon Shelah. Topological partition relations of the form $\omega^* \rightarrow (Y)_2^1$. In *Papers on general topology and applications (Madison, WI, 1991)*, volume 704 of *Ann. New York Acad. Sci.*, pages 70–79. New York Acad. Sci., New York, 1993. arXiv: math/9305206.
390. Sh:448 Martin Goldstern and Saharon Shelah. Many simple cardinal invariants. *Arch. Math. Logic*, 32(3):203–221, 1993. arXiv: math/9205208.
391. Sh:449 Menachem Kojman and Saharon Shelah. μ -complete Souslin trees on μ^+ . *Arch. Math. Logic*, 32(3):195–201, 1993. arXiv: math/9306215.

392. Sh:451 Daniel Lascar and Saharon Shelah. Uncountable saturated structures have the small index property. *Bull. London Math. Soc.*, 25(2):125–131, 1993.
393. Sh:453 Alan H. Mekler, Rene J. Schipperus, Saharon Shelah, and John Kenneth Truss. The random graph and automorphisms of the rational world. *Bull. London Math. Soc.*, 25(4):343–346, 1993.
394. Sh:454 Saharon Shelah. Number of open sets for a topology with a countable basis. *Israel J. Math.*, 83(3):369–374, 1993. arXiv: math/9308217.
395. Sh:457 Saharon Shelah. The universality spectrum: consistency for more classes. In *Combinatorics, Paul Erdős is eighty*, volume 1 of *Bolyai Soc. Math. Stud.*, pages 403–420. János Bolyai Math. Soc., Budapest, 1993. arXiv: math/9412229.
396. Sh:459 James Earl Baumgartner, Saharon Shelah, and Simon Thomas. Maximal subgroups of infinite symmetric groups. *Notre Dame J. Formal Logic*, 34(1):1–11, 1993.
397. Sh:461 Paul C. Eklof and Saharon Shelah. Explicitly nonstandard uniserial modules. *J. Pure Appl. Algebra*, 86(1):35–50, 1993. arXiv: math/9301207.
398. Sh:464 John T. Baldwin, Michael Chris Laskowski, and Saharon Shelah. Forcing isomorphism. *J. Symbolic Logic*, 58(4):1291–1301, 1993. arXiv: math/9301208.
399. Sh:465 Saharon Shelah and Juris Steprāns. Maximal chains in ${}^{\omega}\omega$ and ultrapowers of the integers. *Arch. Math. Logic*, 32(5):305–319, 1993. arXiv: math/9204205.
400. Sh:466 Renling Jin and Saharon Shelah. A model in which there are Jech-Kunen trees but there are no Kurepa trees. *Israel J. Math.*, 84(1-2):1–16, 1993. arXiv: math/9308218.
401. Sh:483 Alain Louveau, Saharon Shelah, and Boban Veličković. Borel partitions of infinite subtrees of a perfect tree. *Ann. Pure Appl. Logic*, 63(3):271–281, 1993. arXiv: math/9301209.
402. Sh:489 Michael Chris Laskowski and Saharon Shelah. On the existence of atomic models. *J. Symbolic Logic*, 58(4):1189–1194, 1993. arXiv: math/9301210.
403. Sh:502 Péter Komjáth and Saharon Shelah. On uniformly antisymmetric functions. *Real Anal. Exchange*, 19(1):218–225, 1993. arXiv: math/9308222.
404. Sh:204 Menachem Magidor and Saharon Shelah. When does almost free imply free? (For groups, transversals, etc.). *J. Amer. Math. Soc.*, 7(4):769–830, 1994.
405. Sh:353 Saharon Shelah and Juris Steprāns. Homogeneous almost disjoint families. *Algebra Universalis*, 31(2):196–203, 1994.
406. Sh:370 Saharon Shelah and Lajos Soukup. On the number of nonisomorphic subgraphs. *Israel J. Math.*, 86(1-3):349–371, 1994. arXiv: math/9401210.
407. Sh:373 Haim I. Judah, Andrzej Roslanowski, and Saharon Shelah. Examples for Souslin forcing. *Fund. Math.*, 144(1):23–42, 1994. arXiv: math/9310224.
408. Sh:382 Saharon Shelah and Joel H. Spencer. Can you feel the double jump? *Random Structures Algorithms*, 5(1):191–204, 1994. arXiv: math/9401211.
409. Sh:404 Steven R. Givant and Saharon Shelah. Universal theories categorical in power and κ -generated models. *Ann. Pure Appl. Logic*, 69(1):27–51, 1994. arXiv: math/9401213.
410. Sh:405 Saharon Shelah. Vive la différence. II. The Ax-Kochen isomorphism theorem. *Israel J. Math.*, 85(1-3):351–390, 1994. arXiv: math/9304207.
411. Sh:427 Saharon Shelah and Juris Steprāns. Somewhere trivial autohomeomorphisms. *J. London Math. Soc. (2)*, 49(3):569–580, 1994. arXiv: math/9308214.
412. Sh:431 Péter Komjáth and Saharon Shelah. A note on a set-mapping problem of Hajnal and Máté. *Period. Math. Hungar.*, 28(1):39–42, 1994.
413. Sh:432 Saharon Shelah and Joel H. Spencer. Random sparse unary predicates. *Random Structures Algorithms*, 5(3):375–394, 1994. arXiv: math/9401214.
414. Sh:442 Paul C. Eklof, Alan H. Mekler, and Saharon Shelah. Hereditarily separable groups and monochromatic uniformization. *Israel J. Math.*, 88(1-3):213–235, 1994. arXiv: math/0406552.
415. Sh:443 Reinhard Diestel, Saharon Shelah, and Juris Steprāns. Dominating functions and graphs. *J. London Math. Soc. (2)*, 49(1):16–24, 1994. arXiv: math/9308215.
416. Sh:444 Andreas Huck, Frank Niedermeyer, and Saharon Shelah. Large κ -preserving sets in infinite graphs. *J. Graph Theory*, 18(4):413–426, 1994.
417. Sh:450 Garvin Melles and Saharon Shelah. A saturated model of an unsuperstable theory of cardinality greater than its theory has the small index property. *Proc. London Math. Soc. (3)*, 69(3):449–463, 1994. arXiv: math/9308216.
418. Sh:452 Garvin Melles and Saharon Shelah. $\text{Aut}(M)$ has a large dense free subgroup for saturated M . *Bull. London Math. Soc.*, 26(4):339–344, 1994. arXiv: math/9304201.
419. Sh:454a Saharon Shelah. Cardinalities of topologies with small base. *Ann. Pure Appl. Logic*, 68(1):95–113, 1994. arXiv: math/9403219.
420. Sh:474 Tapani Hyttinen and Saharon Shelah. Constructing strongly equivalent nonisomorphic models for unsuperstable theories. Part A. *J. Symbolic Logic*, 59(3):984–996, 1994. arXiv: math/0406587.

421. Sh:478 Haim I. Judah and Saharon Shelah. Killing Luzin and Sierpiński sets. *Proc. Amer. Math. Soc.*, 120(3):917–920, 1994. arXiv: math/9401215.
422. Sh:480 Saharon Shelah. How special are Cohen and random forcings, i.e. Boolean algebras of the family of subsets of reals modulo meagre or null. *Israel J. Math.*, 88(1-3):159–174, 1994. arXiv: math/9303208.
423. Sh:488 Lorenz J. Halbeisen and Saharon Shelah. Consequences of arithmetic for set theory. *J. Symbolic Logic*, 59(1):30–40, 1994. arXiv: math/9308220.
424. Sh:493 Renling Jin and Saharon Shelah. The strength of the isomorphism property. *J. Symbolic Logic*, 59(1):292–301, 1994. arXiv: math/9401216.
425. Sh:498 Renling Jin and Saharon Shelah. Essential Kurepa trees versus essential Jech-Kunen trees. *Ann. Pure Appl. Logic*, 69(1):107–131, 1994. arXiv: math/9401217.
426. Sh:503 Saharon Shelah. The number of independent elements in the product of interval Boolean algebras. *Math. Japon.*, 39(1):1–5, 1994. arXiv: math/9312212.
427. Sh:505 Paul C. Eklof and Saharon Shelah. A combinatorial principle equivalent to the existence of non-free Whitehead groups. In *Abelian group theory and related topics (Oberwolfach, 1993)*, volume 171 of *Contemp. Math.*, pages 79–98. Amer. Math. Soc., Providence, RI, 1994. arXiv: math/9403220.
428. Sh:510 Saharon Shelah and Juris Steprāns. Decomposing Baire class 1 functions into continuous functions. *Fund. Math.*, 145(2):171–180, 1994. arXiv: math/9401218.
429. Sh:514 Menachem Magidor and Saharon Shelah. $\text{Bext}^2(G, T)$ can be nontrivial, even assuming GCH. In *Abelian group theory and related topics (Oberwolfach, 1993)*, volume 171 of *Contemp. Math.*, pages 287–294. Amer. Math. Soc., Providence, RI, 1994. arXiv: math/9405214.
430. Sh:525 Yuri Gurevich, Neil Immerman, and Saharon Shelah. McColm’s conjecture [positive elementary inductions]. In *Proceedings Ninth Annual IEEE Symposium on Logic in Computer Science*, pages 10–19. IEEE Computer Society Press, July 1994. arXiv: math/9411235.
431. Sh:543 Sakaé Fuchino, Saharon Shelah, and Lajos Soukup. On a theorem of Shapiro. *Math. Japon.*, 40(2):199–206, 1994. arXiv: math/9405215.
432. Sh:340 Saharon Shelah and Lee J. Stanley. A combinatorial forcing for coding the universe by a real when there are no sharps. *J. Symbolic Logic*, 60(1):1–35, 1995. arXiv: math/9311204.
433. Sh:366 Alan H. Mekler and Saharon Shelah. Almost free algebras. *Israel J. Math.*, 89(1-3):237–259, 1995. arXiv: math/9408213.
434. Sh:376 Saharon Shelah and Lajos Soukup. Some remarks on a problem of J. D. Monk. *Period. Math. Hungar.*, 30(2):155–163, 1995.
435. Sh:390 Akihiro Kanamori and Saharon Shelah. Complete quotient Boolean algebras. *Trans. Amer. Math. Soc.*, 347(6):1963–1979, 1995. arXiv: math/9401212.
436. Sh:393 John T. Baldwin and Saharon Shelah. Abstract classes with few models have “homogeneous-universal” models. *J. Symbolic Logic*, 60(1):246–265, 1995. arXiv: math/9502231.
437. Sh:415 Sabine Koppelberg and Saharon Shelah. Densities of ultraproducts of Boolean algebras. *Canad. J. Math.*, 47(1):132–145, 1995. arXiv: math/9404226.
438. Sh:425 Saharon Shelah and Lee J. Stanley. The combinatorics of combinatorial coding by a real. *J. Symbolic Logic*, 60(1):36–57, 1995. arXiv: math/9402214.
439. Sh:435 Saharon Shelah and Tomasz Łuczak. Convergence in homogeneous random graphs. *Random Structures Algorithms*, 6(4):371–391, 1995. arXiv: math/9501221.
440. Sh:445 Saharon Shelah. Every null-additive set is meager-additive. *Israel J. Math.*, 89(1-3):357–376, 1995. arXiv: math/9406228.
441. Sh:455 Menachem Kojman and Saharon Shelah. Universal abelian groups. *Israel J. Math.*, 92(1-3):113–124, 1995. arXiv: math/9409207.
442. Sh:473 Saharon Shelah. Possibly every real function is continuous on a non-meagre set. *Publ. Inst. Math. (Beograd) (N.S.)*, 57(71):47–60, 1995. arXiv: math/9511220.
443. Sh:487 Martin Goldstern, Miroslav Repický, Saharon Shelah, and Otmar Spinas. On tree ideals. *Proc. Amer. Math. Soc.*, 123(5):1573–1581, 1995. arXiv: math/9311212.
444. Sh:492 Péter Komjáth and Saharon Shelah. Universal graphs without large cliques. *J. Combin. Theory Ser. B*, 63(1):125–135, 1995. arXiv: math/9308221.
445. Sh:499 Menachem Kojman and Saharon Shelah. Homogeneous families and their automorphism groups. *J. London Math. Soc. (2)*, 52(2):303–317, 1995. arXiv: math/9409205.
446. Sh:507 Martin Goldstern and Saharon Shelah. The bounded proper forcing axiom. *J. Symbolic Logic*, 60(1):58–73, 1995. arXiv: math/9501222.
447. Sh:519 Rüdiger Göbel and Saharon Shelah. On the existence of rigid \aleph_1 -free abelian groups of cardinality \aleph_1 . In *Abelian groups and modules (Padova, 1994)*, volume 343 of *Math. Appl.*, pages 227–237. Kluwer Acad. Publ., Dordrecht, 1995. arXiv: math/0104194.
448. Sh:520 Paul C. Eklof, Matthew Dean Foreman, and Saharon Shelah. On invariants for ω_1 -separable groups. *Trans. Amer. Math. Soc.*, 347(11):4385–4402, 1995. arXiv: math/9501223.

449. Sh:529 Tapani Hyttinen and Saharon Shelah. Constructing strongly equivalent nonisomorphic models for unsuperstable theories. Part B. *J. Symbolic Logic*, 60(4):1260–1272, 1995. arXiv: math/9202205.
450. Sh:530 James Cummings and Saharon Shelah. A model in which every Boolean algebra has many subalgebras. *J. Symbolic Logic*, 60(3):992–1004, 1995. arXiv: math/9509227.
451. Sh:541 James Cummings and Saharon Shelah. Cardinal invariants above the continuum. *Ann. Pure Appl. Logic*, 75(3):251–268, 1995. arXiv: math/9509228.
452. Sh:562 Mirna Džamonja and Saharon Shelah. On squares, outside guessing of clubs and $I_{<f}[\lambda]$. *Fund. Math.*, 148(2):165–198, 1995. arXiv: math/9510216.
453. Sh:571 James Cummings, Mirna Džamonja, and Saharon Shelah. A consistency result on weak reflection. *Fund. Math.*, 148(1):91–100, 1995. arXiv: math/9504221.
454. Sh:324 Menachem Magidor and Saharon Shelah. The tree property at successors of singular cardinals. *Arch. Math. Logic*, 35(5-6):385–404, 1996. arXiv: math/9501220.
455. Sh:346 Péter Komjáth and Saharon Shelah. On Taylor’s problem. *Acta Math. Hungar.*, 70(3):217–225, 1996. arXiv: math/9402213.
456. Sh:362 Oren Kolman and Saharon Shelah. Categoricity of theories in $L_{\kappa\omega}$, when κ is a measurable cardinal. I. *Fund. Math.*, 151(3):209–240, 1996. arXiv: math/9602216.
457. Sh:417 Alan H. Mekler, Saharon Shelah, and Otmar Spinas. The essentially free spectrum of a variety. *Israel J. Math.*, 93:1–8, 1996. arXiv: math/9411234.
458. Sh:430 Saharon Shelah. Further cardinal arithmetic. *Israel J. Math.*, 95:61–114, 1996. arXiv: math/9610226.
459. Sh:456 Saharon Shelah. Universal in $(< \lambda)$ -stable abelian group. *Math. Japon.*, 44(1):1–9, 1996. arXiv: math/9509225.
460. Sh:458 Uri Abraham and Saharon Shelah. Martin’s axiom and Δ_1^2 well-ordering of the reals. *Arch. Math. Logic*, 35(5-6):287–298, 1996. arXiv: math/9408214.
461. Sh:463 Saharon Shelah. On the very weak 0-1 law for random graphs with orders. *J. Logic Comput.*, 6(1):137–159, 1996. arXiv: math/9507221.
462. Sh:468 Saharon Shelah and Otmar Spinas. Gross spaces. *Trans. Amer. Math. Soc.*, 348(10):4257–4277, 1996. arXiv: math/9510215.
463. Sh:475 Andrzej Rosłanowski and Saharon Shelah. More forcing notions imply diamond. *Arch. Math. Logic*, 35(5-6):299–313, 1996. arXiv: math/9408215.
464. Sh:476 Thomas J. Jech and Saharon Shelah. Possible PCF algebras. *J. Symbolic Logic*, 61(1):313–317, 1996. arXiv: math/9412208.
465. Sh:479 Saharon Shelah. On Monk’s questions. *Fund. Math.*, 151(1):1–19, 1996. arXiv: math/9601218.
466. Sh:481 Saharon Shelah. Was Sierpiński right? III. Can continuum-c.c. times c.c.c. be continuum-c.c.? *Ann. Pure Appl. Logic*, 78(1-3):259–269, 1996. arXiv: math/9509226.
467. Sh:490 Tomek Bartoszyński, Andrzej Rosłanowski, and Saharon Shelah. Adding one random real. *J. Symbolic Logic*, 61(1):80–90, 1996. arXiv: math/9406229.
468. Sh:491 Martin Gilchrist and Saharon Shelah. Identities on cardinals less than \aleph_ω . *J. Symbolic Logic*, 61(3):780–787, 1996. arXiv: math/9505215.
469. Sh:500 Saharon Shelah. Toward classifying unstable theories. *Ann. Pure Appl. Logic*, 80(3):229–255, 1996. arXiv: math/9508205.
470. Sh:501 Andrzej Rosłanowski and Saharon Shelah. Localizations of infinite subsets of ω . *Arch. Math. Logic*, 35(5-6):315–339, 1996. arXiv: math/9506222.
471. Sh:504 Sabine Koppelberg and Saharon Shelah. Subalgebras of Cohen algebras need not be Cohen. In *Logic: from foundations to applications (Staffordshire, 1993)*, Oxford Sci. Publ., pages 261–275. Oxford Univ. Press, New York, 1996. arXiv: math/9610227.
472. Sh:516 Péter Komjáth and Saharon Shelah. Coloring finite subsets of uncountable sets. *Proc. Amer. Math. Soc.*, 124(11):3501–3505, 1996. arXiv: math/9505216.
473. Sh:518 Michael Chris Laskowski and Saharon Shelah. Forcing isomorphism. II. *J. Symbolic Logic*, 61(4):1305–1320, 1996. arXiv: math/0011169.
474. Sh:521 Saharon Shelah. If there is an exactly λ -free abelian group then there is an exactly λ -separable one in λ . *J. Symbolic Logic*, 61(4):1261–1278, 1996. arXiv: math/9503226.
475. Sh:526 Yuri Gurevich and Saharon Shelah. On finite rigid structures. *J. Symbolic Logic*, 61(2):549–562, 1996. arXiv: math/9411236.
476. Sh:539 Shmuel Lifshes and Saharon Shelah. Uniformization, choice functions and well orders in the class of trees. *J. Symbolic Logic*, 61(4):1206–1227, 1996. arXiv: math/9404227.
477. Sh:540 Jörg Brendle and Saharon Shelah. Evasion and prediction. II. *J. London Math. Soc. (2)*, 53(1):19–27, 1996. arXiv: math/9407207.
478. Sh:542 Saharon Shelah. Large normal ideals concentrating on a fixed small cardinality. *Arch. Math. Logic*, 35(5-6):341–347, 1996. arXiv: math/9406219.
479. Sh:545 Mirna Džamonja and Saharon Shelah. Saturated filters at successors of singular, weak reflection and yet another weak club principle. *Ann. Pure Appl. Logic*, 79(3):289–316, 1996. arXiv: math/9601219.

480. Sh:548 Saharon Shelah. Very weak zero one law for random graphs with order and random binary functions. *Random Structures Algorithms*, 9(4):351–358, 1996. arXiv: math/9606230.
481. Sh:549 Sakaé Fuchino, Sabine Koppelberg, and Saharon Shelah. Partial orderings with the weak Freese-Nation property. *Ann. Pure Appl. Logic*, 80(1):35–54, 1996. arXiv: math/9508220.
482. Sh:551 Saharon Shelah. In the random graph $G(n, p)$, $p = n^{-a}$: if ψ has probability $O(n^{-\epsilon})$ for every $\epsilon > 0$ then it has probability $O(e^{-n^\epsilon})$ for some $\epsilon > 0$. *Ann. Pure Appl. Logic*, 82(1):97–102, 1996. arXiv: math/9512228.
483. Sh:556 Sakaé Fuchino, Sabine Koppelberg, and Saharon Shelah. A game on partial orderings. *Topology Appl.*, 74(1-3):141–148, 1996. arXiv: math/9505212.
484. Sh:559 Paul C. Eklof and Saharon Shelah. New nonfree Whitehead groups by coloring. In *Abelian groups and modules (Colorado Springs, CO, 1995)*, volume 182 of *Lecture Notes in Pure and Appl. Math.*, pages 15–22. Dekker, New York, 1996.
485. Sh:564 Saharon Shelah. Finite canonization. *Comment. Math. Univ. Carolin.*, 37(3):445–456, 1996. arXiv: math/9509229.
486. Sh:565 Thomas J. Jech and Saharon Shelah. On countably closed complete Boolean algebras. *J. Symbolic Logic*, 61(4):1380–1386, 1996. arXiv: math/9502203.
487. Sh:566 Thomas J. Jech and Saharon Shelah. A complete Boolean algebra that has no proper atomless complete subalgebra. *J. Algebra*, 182(3):748–755, 1996. arXiv: math/9501206.
488. Sh:579 Rüdiger Göbel and Saharon Shelah. GCH implies existence of many rigid almost free abelian groups. In *Abelian groups and modules (Colorado Springs, CO, 1995)*, volume 182 of *Lecture Notes in Pure and Appl. Math.*, pages 253–271. Dekker, New York, 1996. arXiv: math/0011185.
489. Sh:584 Jan Saxl, Saharon Shelah, and Simon Thomas. Infinite products of finite simple groups. *Trans. Amer. Math. Soc.*, 348(11):4611–4641, 1996. arXiv: math/9605202.
490. Sh:E3 Saharon Shelah. On some problems in general topology. In *Set theory (Boise, ID, 1992–1994)*, volume 192 of *Contemp. Math.*, pages 91–101. Amer. Math. Soc., Providence, RI, 1996. arXiv: 0708.1981.
491. Sh:E9 Saharon Shelah. Remarks on \aleph_1 -CWH not CWH first countable spaces. In *Set theory (Boise, ID, 1992–1994)*, volume 192 of *Contemp. Math.*, pages 103–145. Amer. Math. Soc., Providence, RI, 1996. arXiv: math/9408202.
492. Sh:462 Saharon Shelah. σ -entangled linear orders and narrowness of products of Boolean algebras. *Fund. Math.*, 153(3):199–275, 1997. arXiv: math/9609216.
493. Sh:471 Shmuel Lifsches and Saharon Shelah. Peano arithmetic may not be interpretable in the monadic theory of linear orders. *J. Symbolic Logic*, 62(3):848–872, 1997. arXiv: math/9308219.
494. Sh:484 Kecheng Liu and Saharon Shelah. Cofinalities of elementary substructures of structures on \aleph_ω . *Israel J. Math.*, 99:189–205, 1997. arXiv: math/9604242.
495. Sh:495 Arthur W. Apter and Saharon Shelah. On the strong equality between supercompactness and strong compactness. *Trans. Amer. Math. Soc.*, 349(1):103–128, 1997. arXiv: math/9502232.
496. Sh:496 Arthur W. Apter and Saharon Shelah. Menas’ result is best possible. *Trans. Amer. Math. Soc.*, 349(5):2007–2034, 1997. arXiv: math/9512226.
497. Sh:497 Saharon Shelah. Set theory without choice: not everything on cofinality is possible. *Arch. Math. Logic*, 36(2):81–125, 1997. arXiv: math/9512227.
498. Sh:506 Saharon Shelah. The pcf theorem revisited. In *The mathematics of Paul Erdős, II*, volume 14 of *Algorithms Combin.*, pages 420–459. Springer, Berlin, 1997. arXiv: math/9502233.
499. Sh:508 Andrzej Rosłanowski and Saharon Shelah. Simple forcing notions and forcing axioms. *J. Symbolic Logic*, 62(4):1297–1314, 1997. arXiv: math/9606228.
500. Sh:515 Saharon Shelah. A finite partition theorem with double exponential bound. In *The mathematics of Paul Erdős, II*, volume 14 of *Algorithms Combin.*, pages 240–246. Springer, Berlin, 1997. arXiv: math/9502234.
501. Sh:523 Saharon Shelah. Existence of almost free abelian groups and reflection of stationary set. *Math. Japon.*, 45(1):1–14, 1997. arXiv: math/9606229.
502. Sh:524 Saharon Shelah and Simon Thomas. The cofinality spectrum of the infinite symmetric group. *J. Symbolic Logic*, 62(3):902–916, 1997. arXiv: math/9412230.
503. Sh:528 John T. Baldwin and Saharon Shelah. Randomness and semigenericity. *Trans. Amer. Math. Soc.*, 349(4):1359–1376, 1997. arXiv: math/9607226.
504. Sh:544 Sakaé Fuchino, Saharon Shelah, and Lajos Soukup. Sticks and clubs. *Ann. Pure Appl. Logic*, 90(1-3):57–77, 1997. arXiv: math/9804153.
505. Sh:552 Saharon Shelah. Non-existence of universals for classes like reduced torsion free abelian groups under embeddings which are not necessarily pure. In *Advances in algebra and model theory (Essen, 1994; Dresden, 1995)*, volume 9 of *Algebra Logic Appl.*, pages 229–286. Gordon and Breach, Amsterdam, 1997. arXiv: math/9609217.
506. Sh:554 Martin Goldstern and Saharon Shelah. A partial order where all monotone maps are definable. *Fund. Math.*, 152(3):255–265, 1997. arXiv: math/9707202.

507. Sh:561 Saharon Shelah and Jindřich Zapletal. Embeddings of Cohen algebras. *Adv. Math.*, 126(2):93–118, 1997. arXiv: math/9502230.
508. Sh:563 Renling Jin and Saharon Shelah. Can a small forcing create Kurepa trees. *Ann. Pure Appl. Logic*, 85(1):47–68, 1997. arXiv: math/9504220.
509. Sh:572 Saharon Shelah. Colouring and non-productivity of \aleph_2 -c.c. *Ann. Pure Appl. Logic*, 84(2):153–174, 1997. arXiv: math/9609218.
510. Sh:577 Moti Gitik and Saharon Shelah. Less saturated ideals. *Proc. Amer. Math. Soc.*, 125(5):1523–1530, 1997. arXiv: math/9503203.
511. Sh:583 Martin Gilchrist and Saharon Shelah. The consistency of $ZFC + 2^{\aleph_0} > \aleph_\omega + \mathcal{I}(\aleph_2) = \mathcal{I}(\aleph_\omega)$. *J. Symbolic Logic*, 62(4):1151–1160, 1997. arXiv: math/9603219.
512. Sh:601 Franz-Viktor Kuhlmann, Salma Kuhlmann, and Saharon Shelah. Exponentiation in power series fields. *Proc. Amer. Math. Soc.*, 125(11):3177–3183, 1997. arXiv: math/9608214.
513. Sh:611 Eric Rosen, Saharon Shelah, and Scott Weinstein. k -universal finite graphs. In *Logic and random structures (New Brunswick, NJ, 1995)*, volume 33 of *DIMACS Ser. Discrete Math. Theoret. Comput. Sci.*, pages 65–77. Amer. Math. Soc., Providence, RI, 1997. arXiv: math/9604244.
514. Sh:617 Paul C. Eklof, Birge Huisgen-Zimmermann, and Saharon Shelah. Torsion modules, lattices and p -points. *Bull. London Math. Soc.*, 29(5):547–555, 1997. arXiv: math/9703221.
515. Sh:628 Andrzej Rosłanowski and Saharon Shelah. Norms on possibilities. II. More ccc ideals on 2^ω . *J. Appl. Anal.*, 3(1):103–127, 1997. arXiv: math/9703222.
516. Sh:675 Saharon Shelah. On Ciesielski’s problems. *J. Appl. Anal.*, 3(2):191–209, 1997. arXiv: math/9801155.
517. Sh:302a Rami P. Grossberg and Saharon Shelah. On cardinalities in quotients of inverse limits of groups. *Math. Japon.*, 47(2):189–197, 1998. arXiv: math/9911225.
518. Sh:433 Menachem Magidor and Saharon Shelah. Length of Boolean algebras and ultraproducts. *Math. Japon.*, 48(2):301–307, 1998. arXiv: math/9805145.
519. Sh:512 Marek Balcerzak, Andrzej Rosłanowski, and Saharon Shelah. Ideals without ccc. *J. Symbolic Logic*, 63(1):128–148, 1998. arXiv: math/9610219.
520. Sh:531 Saharon Shelah and Otmar Spinas. The distributivity numbers of finite products of $\mathcal{P}(\omega)/\text{fin}$. *Fund. Math.*, 158(1):81–93, 1998. arXiv: math/9801151.
521. Sh:534 Andrzej Rosłanowski and Saharon Shelah. Cardinal invariants of ultraproducts of Boolean algebras. *Fund. Math.*, 155(2):101–151, 1998. arXiv: math/9703218.
522. Sh:547 Rüdiger Göbel and Saharon Shelah. Endomorphism rings of modules whose cardinality is cofinal to omega. In *Abelian groups, module theory, and topology (Padua, 1997)*, volume 201 of *Lecture Notes in Pure and Appl. Math.*, pages 235–248. Dekker, New York, 1998. arXiv: math/0011186.
523. Sh:567 John T. Baldwin and Saharon Shelah. DOP and FCP in generic structures. *J. Symbolic Logic*, 63(2):427–438, 1998. arXiv: math/9607228.
524. Sh:573 Shmuel Lifsches and Saharon Shelah. Uniformization and Skolem functions in the class of trees. *J. Symbolic Logic*, 63(1):103–127, 1998. arXiv: math/9412231.
525. Sh:578 Eric Charles Milner and Saharon Shelah. A tree-arrowing graph. In *Set theory (Curaçao, 1995; Barcelona, 1996)*, pages 175–182. Kluwer Acad. Publ., Dordrecht, 1998. arXiv: math/9708210.
526. Sh:586 Saharon Shelah. A polarized partition relation and failure of GCH at singular strong limit. *Fund. Math.*, 155(2):153–160, 1998. arXiv: math/9706224.
527. Sh:591 Rüdiger Göbel and Saharon Shelah. Indecomposable almost free modules—the local case. *Canad. J. Math.*, 50(4):719–738, 1998. arXiv: math/0011182.
528. Sh:594 Saharon Shelah. There may be no nowhere dense ultrafilter. In *Logic Colloquium ’95 (Haifa)*, volume 11 of *Lecture Notes Logic*, pages 305–324. Springer, Berlin, 1998. arXiv: math/9611221.
529. Sh:597 Moti Gitik and Saharon Shelah. On densities of box products. *Topology Appl.*, 88(3):219–237, 1998. arXiv: math/9603206.
530. Sh:609 Menachem Kojman and Saharon Shelah. A ZFC Dowker space in $\aleph_{\omega+1}$: an application of PCF theory to topology. *Proc. Amer. Math. Soc.*, 126(8):2459–2465, 1998. arXiv: math/9512202.
531. Sh:612 István Juhász and Saharon Shelah. On the cardinality and weight spectra of compact spaces. II. *Fund. Math.*, 155(1):91–94, 1998. arXiv: math/9703220.
532. Sh:613 Renling Jin and Saharon Shelah. Compactness of Loeb spaces. *J. Symbolic Logic*, 63(4):1371–1392, 1998. arXiv: math/9604211.
533. Sh:618 Joel David Hamkins and Saharon Shelah. Superdestructibility: a dual to Laver’s indestructibility. *J. Symbolic Logic*, 63(2):549–554, 1998. arXiv: math/9612227.
534. Sh:625 Paul C. Eklof and Saharon Shelah. The Kaplansky test problems for \aleph_1 -separable groups. *Proc. Amer. Math. Soc.*, 126(7):1901–1907, 1998. arXiv: math/9709230.
535. Sh:627 Saharon Shelah. Erdős and Rényi conjecture. *J. Combin. Theory Ser. A*, 82(2):179–185, 1998. arXiv: math/9707226.
536. Sh:632 Tapani Hyttinen and Saharon Shelah. On the number of elementary submodels of an unsuperstable homogeneous structure. *MLQ Math. Log. Q.*, 44(3):354–358, 1998. arXiv: math/9702228.

537. Sh:633 Martin Goldstern and Saharon Shelah. Order polynomially complete lattices must be large. *Algebra Universalis*, 39(3-4):197–209, 1998. arXiv: math/9707203.
538. Sh:636 Saharon Shelah. The lifting problem with the full ideal. *J. Appl. Anal.*, 4(1):1–17, 1998. arXiv: math/9712284.
539. Sh:661 Oren Kolman and Saharon Shelah. A result related to the problem CN of Fremlin. *J. Appl. Anal.*, 4(2):161–165, 1998. arXiv: math/9712287.
540. Sh:660 Saharon Shelah. Covering numbers associated with trees branching into a countably generated set of possibilities. *Real Anal. Exchange*, 24(1):205–213, 1998/99. arXiv: math/9711223.
541. Sh:680 Krzysztof Chris Ciesielski and Saharon Shelah. Uniformly antisymmetric functions with bounded range. *Real Anal. Exchange*, 24(2):615–619, 1998/99. arXiv: math/9805151.
542. Sh:310 Moti Gitik and Saharon Shelah. Cardinal preserving ideals. *J. Symbolic Logic*, 64(4):1527–1551, 1999. arXiv: math/9605234.
543. Sh:314 Alan H. Mekler, Andrzej Roslanowski, and Saharon Shelah. On the p -rank of Ext. *Israel J. Math.*, 112:327–356, 1999. arXiv: math/9806165.
544. Sh:394 Saharon Shelah. Categoricity for abstract classes with amalgamation. *Ann. Pure Appl. Logic*, 98(1-3):261–294, 1999. arXiv: math/9809197.
545. Sh:402 Saharon Shelah. Borel Whitehead groups. *Math. Japon.*, 50(1):121–130, 1999. arXiv: math/9809198.
546. Sh:470 Andrzej Roslanowski and Saharon Shelah. Norms on possibilities. I. Forcing with trees and creatures. *Mem. Amer. Math. Soc.*, 141(671):xii+167, 1999. arXiv: math/9807172.
547. Sh:522 Saharon Shelah. Borel sets with large squares. *Fund. Math.*, 159(1):1–50, 1999. arXiv: math/9802134.
548. Sh:527 Shmuel Lifsches and Saharon Shelah. Random graphs in the monadic theory of order. *Arch. Math. Logic*, 38(4-5):273–312, 1999. arXiv: math/9701219.
549. Sh:533 Andreas R. Blass, Yuri Gurevich, and Saharon Shelah. Choiceless polynomial time. *Ann. Pure Appl. Logic*, 100(1-3):141–187, 1999. arXiv: math/9705225.
550. Sh:569 Ziv Shami and Saharon Shelah. Rigid \aleph_c -saturated models of superstable theories. *Fund. Math.*, 162(1):37–46, 1999. arXiv: math/9908158.
551. Sh:570 John T. Baldwin, Rami P. Grossberg, and Saharon Shelah. Transferring saturation, the finite cover property, and stability. *J. Symbolic Logic*, 64(2):678–684, 1999. arXiv: math/9511205.
552. Sh:574 Mirna Džamonja and Saharon Shelah. Similar but not the same: various versions of \clubsuit do not coincide. *J. Symbolic Logic*, 64(1):180–198, 1999. arXiv: math/9710215.
553. Sh:593 Sakaé Fuchino, Heike Mildenerger, Saharon Shelah, and Peter Vojtáš. On absolutely divergent series. *Fund. Math.*, 160(3):255–268, 1999. arXiv: math/9903114.
554. Sh:596 James Cummings and Saharon Shelah. Some independence results on reflection. *J. London Math. Soc. (2)*, 59(1):37–49, 1999. arXiv: math/9703219.
555. Sh:602 Tapani Hyttinen and Saharon Shelah. Constructing strongly equivalent nonisomorphic models for unsuperstable theories. Part C. *J. Symbolic Logic*, 64(2):634–642, 1999. arXiv: math/9709229.
556. Sh:605 Saharon Shelah and John Kenneth Truss. On distinguishing quotients of symmetric groups. *Ann. Pure Appl. Logic*, 97(1-3):47–83, 1999. arXiv: math/9805147.
557. Sh:606 Saharon Shelah. On T_3 -topological space omitting many cardinals. *Period. Math. Hungar.*, 38(1-2):87–98, 1999. arXiv: math/9811177.
558. Sh:610 Saharon Shelah and Jindřich Zapletal. Canonical models for \aleph_1 -combinatorics. *Ann. Pure Appl. Logic*, 98(1-3):217–259, 1999. arXiv: math/9806166.
559. Sh:620 Saharon Shelah. Special subsets of ${}^{cf(\mu)}\mu$, Boolean algebras and Maharam measure algebras. *Topology Appl.*, 99(2-3):135–235, 1999. arXiv: math/9804156.
560. Sh:624 Saharon Shelah. On full Suslin trees. *Colloq. Math.*, 79(1):1–7, 1999. arXiv: math/9608215.
561. Sh:626 Renling Jin and Saharon Shelah. Possible size of an ultrapower of ω . *Arch. Math. Logic*, 38(1):61–77, 1999. arXiv: math/9801153.
562. Sh:631 Mariusz Rabus and Saharon Shelah. Topological density of ccc Boolean algebras—every cardinality occurs. *Proc. Amer. Math. Soc.*, 127(9):2573–2581, 1999. arXiv: math/9709231.
563. Sh:635 Saharon Shelah and Andrés Villaveces. Toward categoricity for classes with no maximal models. *Ann. Pure Appl. Logic*, 97(1-3):1–25, 1999. arXiv: math/9707227.
564. Sh:642 Jörg Brendle and Saharon Shelah. Ultrafilters on ω —their ideals and their cardinal characteristics. *Trans. Amer. Math. Soc.*, 351(7):2643–2674, 1999. arXiv: math/9710217.
565. Sh:649 Menachem Kojman and Saharon Shelah. Regressive Ramsey numbers are Ackermannian. *J. Combin. Theory Ser. A*, 86(1):177–181, 1999. arXiv: math/9805150.
566. Sh:653 Krzysztof Chris Ciesielski and Saharon Shelah. A model with no magic set. *J. Symbolic Logic*, 64(4):1467–1490, 1999. arXiv: math/9801154.
567. Sh:654 Winfried Just, Saharon Shelah, and Simon Thomas. The automorphism tower problem revisited. *Adv. Math.*, 148(2):243–265, 1999. arXiv: math/0003120.
568. Sh:663 Saharon Shelah and Otmar Spinas. On tightness and depth in superatomic Boolean algebras. *Proc. Amer. Math. Soc.*, 127(12):3475–3480, 1999. arXiv: math/9802135.

569. Sh:678 Paul C. Eklof and Saharon Shelah. Absolutely rigid systems and absolutely indecomposable groups. In *Abelian groups and modules (Dublin, 1998)*, Trends Math., pages 257–268. Birkhäuser, Basel, 1999. arXiv: math/0010264.
570. Sh:682 Rüdiger Göbel and Saharon Shelah. Almost free splitters. *Colloq. Math.*, 81(2):193–221, 1999. arXiv: math/9910161.
571. Sh:683 Oren Kolman and Saharon Shelah. Almost disjoint pure subgroups of the Baer-Specker group. In *Abelian groups and modules (Dublin, 1998)*, Trends Math., pages 225–230. Birkhäuser, Basel, 1999. arXiv: math/0102057.
572. Sh:688 Martin Goldstern and Saharon Shelah. There are no infinite order polynomially complete lattices, after all. *Algebra Universalis*, 42(1-2):49–57, 1999. arXiv: math/9810050.
573. Sh:689 Gregory L. Cherlin, Saharon Shelah, and Niandong Shi. Universal graphs with forbidden subgraphs and algebraic closure. *Adv. in Appl. Math.*, 22(4):454–491, 1999. arXiv: math/9809202.
574. Sh:419 Saharon Shelah and Lee J. Stanley. Filters, Cohen sets and consistent extensions of the Erdős-Dushnik-Miller theorem. *J. Symbolic Logic*, 65(1):259–271, 2000. arXiv: math/9709228.
575. Sh:460 Saharon Shelah. The generalized continuum hypothesis revisited. *Israel J. Math.*, 116:285–321, 2000. arXiv: math/9809200.
576. Sh:494 Saharon Shelah and Otmar Spinas. The distributivity numbers of $\mathcal{P}(\omega)/\text{fin}$ and its square. *Trans. Amer. Math. Soc.*, 352(5):2023–2047, 2000. arXiv: math/9606227.
577. Sh:546 Saharon Shelah. Was Sierpiński right? IV. *J. Symbolic Logic*, 65(3):1031–1054, 2000. arXiv: math/9712282.
578. Sh:553 Ofer Shafir and Saharon Shelah. More on entangled orders. *J. Symbolic Logic*, 65(4):1823–1832, 2000. arXiv: math/9711220.
579. Sh:575 Saharon Shelah. Cellularity of free products of Boolean algebras (or topologies). *Fund. Math.*, 166(1-2):153–208, 2000. arXiv: math/9508221.
580. Sh:580 Saharon Shelah. Strong covering without squares. *Fund. Math.*, 166(1-2):87–107, 2000. arXiv: math/9604243.
581. Sh:585 Mariusz Rabus and Saharon Shelah. Covering a function on the plane by two continuous functions on an uncountable square—the consistency. *Ann. Pure Appl. Logic*, 103(1-3):229–240, 2000. arXiv: math/9706223.
582. Sh:589 Saharon Shelah. Applications of PCF theory. *J. Symbolic Logic*, 65(4):1624–1674, 2000. arXiv: math/9804155.
583. Sh:590 Saharon Shelah. On a problem of Steve Kalikow. *Fund. Math.*, 166(1-2):137–151, 2000. arXiv: math/9705226.
584. Sh:592 Saharon Shelah. Covering of the null ideal may have countable cofinality. *Fund. Math.*, 166(1-2):109–136, 2000. arXiv: math/9810181.
585. Sh:595 Saharon Shelah. Embedding Cohen algebras using pcf theory. *Fund. Math.*, 166(1-2):83–86, 2000. arXiv: math/9508201.
586. Sh:599 Andrzej Rosłanowski and Saharon Shelah. More on cardinal invariants of Boolean algebras. *Ann. Pure Appl. Logic*, 103(1-3):1–37, 2000. arXiv: math/9808056.
587. Sh:616 Tomek Bartoszyński, Andrzej Rosłanowski, and Saharon Shelah. After all, there are some inequalities which are provable in ZFC. *J. Symbolic Logic*, 65(2):803–816, 2000. arXiv: math/9711222.
588. Sh:623 John T. Baldwin and Saharon Shelah. On the classifiability of cellular automata. *Theoret. Comput. Sci.*, 230(1-2):117–129, 2000. arXiv: math/9801152.
589. Sh:629 Tapani Hyttinen and Saharon Shelah. Strong splitting in stable homogeneous models. *Ann. Pure Appl. Logic*, 103(1-3):201–228, 2000. arXiv: math/9911229.
590. Sh:634 Saharon Shelah. Choiceless Polynomial Time Logic: Inability to express. In Peter G. Clote and Helmut Schwichtenberg, editors, *Computer Science Logic, 14th International Workshop, CSL 2000, Annual Conference of the EACSL, Fischbachau, Germany, August 21–26, 2000, Proceedings*, volume 1862 of *Lecture Notes in Computer Science*, pages 72–125. Springer, 2000. arXiv: math/9807179.
591. Sh:639 Saharon Shelah. On quantification with a finite universe. *J. Symbolic Logic*, 65(3):1055–1075, 2000. arXiv: math/9809201.
592. Sh:644 Saharon Shelah and Pauli Väisänen. On inverse γ -systems and the number of $L_{\infty\lambda}$ -equivalent, non-isomorphic models for λ singular. *J. Symbolic Logic*, 65(1):272–284, 2000. arXiv: math/9807181.
593. Sh:645 Péter Komjáth and Saharon Shelah. Two consistency results on set mappings. *J. Symbolic Logic*, 65(1):333–338, 2000. arXiv: math/9807182.
594. Sh:647 Rüdiger Göbel and Saharon Shelah. Cotorsion theories and splitters. *Trans. Amer. Math. Soc.*, 352(11):5357–5379, 2000. arXiv: math/9910159.
595. Sh:657 Saharon Shelah and Jouko A. Väänänen. Stationary sets and infinitary logic. *J. Symbolic Logic*, 65(3):1311–1320, 2000. arXiv: math/9706225.
596. Sh:666 Saharon Shelah. On what I do not understand (and have something to say). I. *Fund. Math.*, 166(1-2):1–82, 2000. arXiv: math/9906113.

597. Sh:671 Thomas J. Jech and Saharon Shelah. On reflection of stationary sets in $\mathcal{P}_{\kappa\lambda}$. *Trans. Amer. Math. Soc.*, 352(6):2507–2515, 2000. arXiv: math/9801078.
598. Sh:673 Menachem Kojman and Saharon Shelah. The PCF trichotomy theorem does not hold for short sequences. *Arch. Math. Logic*, 39(3):213–218, 2000. arXiv: math/9712289.
599. Sh:674 Zoltan Tibor Balogh, Sheldon W. Davis, Winfried Just, Saharon Shelah, and Paul J. Szeptycki. Strongly almost disjoint sets and weakly uniform bases. *Trans. Amer. Math. Soc.*, 352(11):4971–4987, 2000. arXiv: math/9803167.
600. Sh:677 Saharon Shelah and Otmar Spinas. On incomparability and related cardinal functions on ultraproducts of Boolean algebras. *Math. Japon.*, 52(3):345–358, 2000. arXiv: math/9903116.
601. Sh:684 Heike Mildenberger and Saharon Shelah. Changing cardinal characteristics without changing ω -sequences or cofinalities. *Ann. Pure Appl. Logic*, 106(1-3):207–261, 2000. arXiv: math/9901096.
602. Sh:685 Mirna Džamonja and Saharon Shelah. On versions of \clubsuit on cardinals larger than \aleph_1 . *Math. Japon.*, 51(1):53–61, 2000. arXiv: math/9911228.
603. Sh:695 Krzysztof Chris Ciesielski and Saharon Shelah. Category analogue of sup-measurability problem. *J. Appl. Anal.*, 6(2):159–172, 2000. arXiv: math/9905147.
604. Sh:697 András Hajnal, István Juhász, and Saharon Shelah. Strongly almost disjoint families, revisited. *Fund. Math.*, 163(1):13–23, 2000. arXiv: math/9812114.
605. Sh:702 Saharon Shelah. On what I do not understand (and have something to say), model theory. *Math. Japon.*, 51(2):329–377, 2000. arXiv: math/9910158.
606. Sh:709 Oren Kolman and Saharon Shelah. Infinitary axiomatizability of slender and cotorsion-free groups. *Bull. Belg. Math. Soc. Simon Stevin*, 7(4):623–629, 2000. arXiv: math/9910162.
607. Sh:730 Saharon Shelah. A space with only Borel subsets. *Period. Math. Hungar.*, 40(2):81–84, 2000. arXiv: math/0009047.
608. Sh:472 Saharon Shelah. Categoricity of theories in $L_{\kappa^*,\omega}$, when κ^* is a measurable cardinal. II. *Fund. Math.*, 170(1-2):165–196, 2001. arXiv: math/9604241.
609. Sh:537 Uri Abraham and Saharon Shelah. Lusin sequences under CH and under Martin’s axiom. *Fund. Math.*, 169(2):97–103, 2001. arXiv: math/9807178.
610. Sh:560 Michael Chris Laskowski and Saharon Shelah. The Karp complexity of unstable classes. *Arch. Math. Logic*, 40(2):69–88, 2001. arXiv: math/0011167.
611. Sh:568 Rüdiger Göbel and Saharon Shelah. Some nasty reflexive groups. *Math. Z.*, 237(3):547–559, 2001. arXiv: math/0003164.
612. Sh:576 Saharon Shelah. Categoricity of an abstract elementary class in two successive cardinals. *Israel J. Math.*, 126:29–128, 2001. arXiv: math/9805146.
613. Sh:582 Moti Gitik and Saharon Shelah. More on real-valued measurable cardinals and forcing with ideals. *Israel J. Math.*, 124:221–242, 2001. arXiv: math/9507208.
614. Sh:607 Tomek Bartoszyński and Saharon Shelah. Strongly meager sets do not form an ideal. *J. Math. Log.*, 1(1):1–34, 2001. arXiv: math/9805148.
615. Sh:608 Saharon Shelah and Lee J. Stanley. Forcing many positive polarized partition relations between a cardinal and its powerset. *J. Symbolic Logic*, 66(3):1359–1370, 2001. arXiv: math/9710216.
616. Sh:621 Paul C. Eklof and Saharon Shelah. A non-reflexive Whitehead group. *J. Pure Appl. Algebra*, 156(2-3):199–214, 2001. arXiv: math/9908157.
617. Sh:622 Saharon Shelah. Non-existence of universal members in classes of abelian groups. *J. Group Theory*, 4(2):169–191, 2001. arXiv: math/9808139.
618. Sh:640 Aleksander Błaszczyk and Saharon Shelah. Regular subalgebras of complete Boolean algebras. *J. Symbolic Logic*, 66(2):792–800, 2001. arXiv: math/9712285.
619. Sh:641 Saharon Shelah. Constructing Boolean algebras for cardinal invariants. *Algebra Universalis*, 45(4):353–373, 2001. arXiv: math/9712286.
620. Sh:646 Saharon Shelah and Pauli Väisänen. On the number of $L_{\infty\omega_1}$ -equivalent non-isomorphic models. *Trans. Amer. Math. Soc.*, 353(5):1781–1817, 2001. arXiv: math/9908160.
621. Sh:651 Andrzej Rosłanowski and Saharon Shelah. Forcing for hL and hd. *Colloq. Math.*, 88(2):273–310, 2001. arXiv: math/9808104.
622. Sh:655 Andrzej Rosłanowski and Saharon Shelah. Iteration of λ -complete forcing notions not collapsing λ^+ . *Int. J. Math. Math. Sci.*, 28(2):63–82, 2001. arXiv: math/9906024.
623. Sh:662 Aapo Halko and Saharon Shelah. On strong measure zero subsets of κ^2 . *Fund. Math.*, 170(3):219–229, 2001. arXiv: math/9710218.
624. Sh:664 Saharon Shelah. Strong dichotomy of cardinality. *Results Math.*, 39(1-2):131–154, 2001. arXiv: math/9807183.
625. Sh:665 Saharon Shelah and Juris Steprāns. The covering numbers of Mycielski ideals are all equal. *J. Symbolic Logic*, 66(2):707–718, 2001. arXiv: math/9712288.
626. Sh:676 Tapani Hyttinen and Saharon Shelah. Main gap for locally saturated elementary submodels of a homogeneous structure. *J. Symbolic Logic*, 66(3):1286–1302, 2001. arXiv: math/9804157.

627. Sh:686 Andrzej Rosłanowski and Saharon Shelah. The yellow cake. *Proc. Amer. Math. Soc.*, 129(1):279–291, 2001. arXiv: math/9810179.
628. Sh:693 Saharon Shelah and Jan Trlifaj. Spectra of the Γ -invariant of uniform modules. *J. Pure Appl. Algebra*, 162(2-3):367–379, 2001. arXiv: math/0009060.
629. Sh:694 Thomas J. Jech and Saharon Shelah. Simple complete Boolean algebras. *Proc. Amer. Math. Soc.*, 129(2):543–549, 2001. arXiv: math/0406438.
630. Sh:699 Lorenz J. Halbeisen and Saharon Shelah. Relations between some cardinals in the absence of the axiom of choice. *Bull. Symbolic Logic*, 7(2):237–261, 2001. arXiv: math/0010268.
631. Sh:708 Moti Gitik and Saharon Shelah. On some configurations related to the Shelah weak hypothesis. *Arch. Math. Logic*, 40(8):639–650, 2001. arXiv: math/9909087.
632. Sh:712 Sakaé Fuchino, Stefan Geschke, Saharon Shelah, and Lajos Soukup. On the weak Freese-Nation property of complete Boolean algebras. *Ann. Pure Appl. Logic*, 110(1-3):89–105, 2001. arXiv: math/9911230.
633. Sh:716 Rüdiger Göbel and Saharon Shelah. Decompositions of reflexive modules. *Arch. Math. (Basel)*, 76(3):166–181, 2001. arXiv: math/0003165.
634. Sh:720 Menachem Kojman and Saharon Shelah. Fallen cardinals. *Ann. Pure Appl. Logic*, 109(1-2):117–129, 2001. arXiv: math/0009079.
635. Sh:721 Rüdiger Göbel, Saharon Shelah, and Simone L. Wallutis. On the lattice of cotorsion theories. *J. Algebra*, 238(1):292–313, 2001. arXiv: math/0103154.
636. Sh:722 Tomek Bartoszyński and Saharon Shelah. Continuous images of sets of reals. *Topology Appl.*, 116(2):243–253, 2001. arXiv: math/0001051.
637. Sh:723 Saharon Shelah. Consistently there is no non trivial ccc forcing notion with the Sacks or Laver property. *Combinatorica*, 21(2):309–319, 2001. arXiv: math/0003139.
638. Sh:727 Rüdiger Göbel and Saharon Shelah. Reflexive subgroups of the Baer-Specker group and Martin’s axiom. In *Abelian groups, rings and modules (Perth, 2000)*, volume 273 of *Contemp. Math.*, pages 145–158. Amer. Math. Soc., Providence, RI, 2001. arXiv: math/0009062.
639. Sh:729 Saharon Shelah and Lutz H. Strüngmann. The failure of the uncountable non-commutative Specker phenomenon. *J. Group Theory*, 4(4):417–426, 2001. arXiv: math/0009045.
640. Sh:733 Andrzej Rosłanowski and Saharon Shelah. Historic forcing for depth. *Colloq. Math.*, 89(1):99–115, 2001. arXiv: math/0006219.
641. Sh:759 John T. Baldwin and Saharon Shelah. Model companions of T_{Aut} for stable T . *Notre Dame J. Formal Logic*, 42(3):129–142 (2003), 2001. arXiv: math/0105136.
642. Sh:467 Saharon Shelah. Zero-one laws for graphs with edge probabilities decaying with distance. I. *Fund. Math.*, 175(3):195–239, 2002. arXiv: math/9606226.
643. Sh:485 Uri Abraham and Saharon Shelah. Coding with ladders a well ordering of the reals. *J. Symbolic Logic*, 67(2):579–597, 2002. arXiv: math/0104195.
644. Sh:513 Saharon Shelah. PCF and infinite free subsets in an algebra. *Arch. Math. Logic*, 41(4):321–359, 2002. arXiv: math/9807177.
645. Sh:603 Saharon Shelah. Few non minimal types on non structure. In *In the Scope of Logic, Methodology and Philosophy of Science . Volume One of the 11th International Congress of Logic, Methodology and Philosophy of Science, Cracow, August 1999*, volume 1, pages 29–53. Springer Netherlands, 2002. arXiv: math/9906023.
646. Sh:643 Saharon Shelah and Zoran Spasojević. Cardinal invariants \mathfrak{b}_κ and \mathfrak{t}_κ . *Publ. Inst. Math. (Beograd) (N.S.)*, 72(86):1–9, 2002. arXiv: math/0003141.
647. Sh:652 Saharon Shelah. More constructions for Boolean algebras. *Arch. Math. Logic*, 41(5):401–441, 2002. arXiv: math/9605235.
648. Sh:658 Tomek Bartoszyński and Saharon Shelah. Strongly meager and strong measure zero sets. *Arch. Math. Logic*, 41(3):245–250, 2002. arXiv: math/9907137.
649. Sh:679 Saharon Shelah. A partition theorem. *Sci. Math. Jpn.*, 56(2):413–438, 2002. arXiv: math/0003163.
650. Sh:696 Martin Goldstern and Saharon Shelah. Antichains in products of linear orders. *Order*, 19(3):213–222, 2002. arXiv: math/9902054.
651. Sh:698 Saharon Shelah. On the existence of large subsets of $[\lambda]^{<\kappa}$ which contain no unbounded non-stationary subsets. *Arch. Math. Logic*, 41(3):207–213, 2002. arXiv: math/9908159.
652. Sh:701 Rüdiger Göbel, José Luis Rodríguez Blancas, and Saharon Shelah. Large localizations of finite simple groups. *J. Reine Angew. Math.*, 550:1–24, 2002. arXiv: math/9912191.
653. Sh:704 Saharon Shelah. Superatomic Boolean algebras: maximal rigidity. In *Set theory (Piscataway, NJ, 1999)*, volume 58 of *DIMACS Ser. Discrete Math. Theoret. Comput. Sci.*, pages 107–128. Amer. Math. Soc., Providence, RI, 2002. arXiv: math/0009075.
654. Sh:717 Paul C. Eklof and Saharon Shelah. The structure of $\text{Ext}(A, \mathbb{Z})$ and GCH: possible co-Moore spaces. *Math. Z.*, 239(1):143–157, 2002. arXiv: math/0303344.
655. Sh:718 Saharon Shelah and Pauli Väisänen. The number of $L_{\infty\kappa}$ -equivalent nonisomorphic models for κ weakly compact. *Fund. Math.*, 174(2):97–126, 2002. arXiv: math/9911232.

656. Sh:719 Saharon Shelah and Pauli Väisänen. On equivalence relations second order definable over $H(\kappa)$. *Fund. Math.*, 174(1):1–21, 2002. arXiv: math/9911231.
657. Sh:731 Heike Mildenerger and Saharon Shelah. The relative consistency of $\mathfrak{g} < \text{cf}(\text{Sym}(\omega))$. *J. Symbolic Logic*, 67(1):297–314, 2002. arXiv: math/0009077.
658. Sh:732 Tomek Bartoszyński and Saharon Shelah. Perfectly meager sets and universally null sets. *Proc. Amer. Math. Soc.*, 130(12):3701–3711, 2002. arXiv: math/0102011.
659. Sh:735 Saharon Shelah and Juris Steprāns. Martin’s axiom is consistent with the existence of nowhere trivial automorphisms. *Proc. Amer. Math. Soc.*, 130(7):2097–2106, 2002. arXiv: math/0011166.
660. Sh:737 Martin Goldstern and Saharon Shelah. Clones on regular cardinals. *Fund. Math.*, 173(1):1–20, 2002. arXiv: math/0005273.
661. Sh:739 Rüdiger Göbel and Saharon Shelah. Constructing simple groups for localizations. *Comm. Algebra*, 30(2):809–837, 2002. arXiv: math/0009089.
662. Sh:740 Rüdiger Göbel, Agnes T. Paras, and Saharon Shelah. Groups isomorphic to all their non-trivial normal subgroups. *Israel J. Math.*, 129:21–27, 2002. arXiv: math/0009088.
663. Sh:741 Rüdiger Göbel and Saharon Shelah. Radicals and Plotkin’s problem concerning geometrically equivalent groups. *Proc. Amer. Math. Soc.*, 130(3):673–674, 2002. arXiv: math/0010303.
664. Sh:743 Manfred Droste and Saharon Shelah. Outer automorphism groups of ordered permutation groups. *Forum Math.*, 14(4):605–621, 2002. arXiv: math/0010304.
665. Sh:748 Hirotaka Kikyo and Saharon Shelah. The strict order property and generic automorphisms. *J. Symbolic Logic*, 67(1):214–216, 2002. arXiv: math/0010306.
666. Sh:751 Katsuya Eda and Saharon Shelah. The non-commutative Specker phenomenon in the uncountable case. *J. Algebra*, 252(1):22–26, 2002. arXiv: math/0011231.
667. Sh:752 Paul C. Eklof and Saharon Shelah. Whitehead modules over large principal ideal domains. *Forum Math.*, 14(3):477–482, 2002. arXiv: math/0011230.
668. Sh:753 Heike Mildenerger and Saharon Shelah. The splitting number can be smaller than the matrix chaos number. *Fund. Math.*, 171(2):167–176, 2002. arXiv: math/0011188.
669. Sh:755 Saharon Shelah. Weak diamond. *Sci. Math. Jpn.*, 55(3):531–538, 2002. arXiv: math/0107207.
670. Sh:756 Tapani Hyttinen and Saharon Shelah. Forcing a Boolean algebra with predesigned automorphism group. *Proc. Amer. Math. Soc.*, 130(10):2837–2843, 2002. arXiv: math/0102044.
671. Sh:758 Yō Matsubara and Saharon Shelah. Nowhere precipitousness of the non-stationary ideal over $\mathcal{P}_{\kappa\lambda}$. *J. Math. Log.*, 2(1):81–89, 2002. arXiv: math/0102045.
672. Sh:760 Andreas R. Blass, Yuri Gurevich, and Saharon Shelah. On polynomial time computation over unordered structures. *J. Symbolic Logic*, 67(3):1093–1125, 2002. arXiv: math/0102059.
673. Sh:767 Saharon Shelah and Akito Tsuboi. Definability of initial segments. *Notre Dame J. Formal Logic*, 43(2):65–73 (2003), 2002. arXiv: math/0104277.
674. Sh:769 Juliette Cara Kennedy and Saharon Shelah. On regular reduced products. *J. Symbolic Logic*, 67(3):1169–1177, 2002. arXiv: math/0105135.
675. Sh:770 Alex Hellsten, Tapani Hyttinen, and Saharon Shelah. Potential isomorphism and semi-proper trees. *Fund. Math.*, 175(2):127–142, 2002. arXiv: math/0112288.
676. Sh:773 Saharon Shelah and Lutz H. Strüngmann. Cotorsion theories cogenerated by \aleph_1 -free abelian groups. *Rocky Mountain J. Math.*, 32(4):1617–1626, 2002. arXiv: math/0107208.
677. Sh:776 Tapani Hyttinen, Saharon Shelah, and Jouko A. Väisänen. More on the Ehrenfeucht-Fraïssé game of length ω_1 . *Fund. Math.*, 175(1):79–96, 2002. arXiv: math/0212234.
678. Sh:787 Saharon Shelah and Pauli Väisänen. Almost free groups and Ehrenfeucht-Fraïssé games for successors of singular cardinals. *Ann. Pure Appl. Logic*, 118(1-2):147–173, 2002. arXiv: math/0212063.
679. Sh:791 Saharon Shelah and Jindřich Zapletal. Duality and the PCF theory. *Math. Res. Lett.*, 9(5-6):585–595, 2002. arXiv: math/0212041.
680. Sh:806 Saharon Shelah. Martin’s axiom and maximal orthogonal families. *Real Anal. Exchange*, 28(2):477–480, 2002/03. arXiv: math/0211438.
681. Sh:413 Saharon Shelah. More Jonsson algebras. *Arch. Math. Logic*, 42(1):1–44, 2003. arXiv: math/9809199.
682. Sh:536 Yuri Gurevich and Saharon Shelah. Spectra of Monadic Second-Order Formulas with One Unary Function. In *18th Annual IEEE Symposium of Logic in Computer Science, 2003. Proceedings.*, pages 291–300, June 2003. arXiv: math/0404150.
683. Sh:587 Saharon Shelah. Not collapsing cardinals $\leq \kappa$ in $(< \kappa)$ -support iterations. *Israel J. Math.*, 136:29–115, 2003. arXiv: math/9707225.
684. Sh:615 Franz-Viktor Kuhlmann, Salma Kuhlmann, and Saharon Shelah. Functorial equations for lexicographic products. *Proc. Amer. Math. Soc.*, 131(10):2969–2976, 2003. arXiv: math/0107206.
685. Sh:619 Saharon Shelah. The null ideal restricted to some non-null set may be \aleph_1 -saturated. *Fund. Math.*, 179(2):97–129, 2003. arXiv: math/9705213.
686. Sh:659 Mirna Džamonja and Saharon Shelah. Universal graphs at the successor of a singular cardinal. *J. Symbolic Logic*, 68(2):366–388, 2003. arXiv: math/0102043.

687. Sh:667 Saharon Shelah. Successor of singulars: combinatorics and not collapsing cardinals $\leq \kappa$ in $(< \kappa)$ -support iterations. *Israel J. Math.*, 134:127–155, 2003. arXiv: math/9808140.
688. Sh:687 Michael Chris Laskowski and Saharon Shelah. Karp complexity and classes with the independence property. *Ann. Pure Appl. Logic*, 120(1-3):263–283, 2003. arXiv: math/0303345.
689. Sh:690 Todd Eisworth, Peter J. Nyikos, and Saharon Shelah. Gently killing S-spaces. *Israel J. Math.*, 136:189–220, 2003. arXiv: math/9812133.
690. Sh:691 Mirna Džamonja and Saharon Shelah. Weak reflection at the successor of a singular cardinal. *J. London Math. Soc. (2)*, 67(1):1–15, 2003. arXiv: math/0003118.
691. Sh:703 Saharon Shelah. On ultraproducts of Boolean algebras and irr. *Arch. Math. Logic*, 42(6):569–581, 2003. arXiv: math/0012171.
692. Sh:714 István Juhász, Saharon Shelah, Lajos Soukup, and Zoltán Szentmiklóssy. A tall space with a small bottom. *Proc. Amer. Math. Soc.*, 131(6):1907–1916, 2003. arXiv: math/0104198.
693. Sh:728 Juliette Cara Kennedy and Saharon Shelah. On embedding models of arithmetic of cardinality \aleph_1 into reduced powers. *Fund. Math.*, 176(1):17–24, 2003. arXiv: math/0105134.
694. Sh:738 Rüdiger Göbel and Saharon Shelah. Philip Hall’s problem on non-abelian splitters. *Math. Proc. Cambridge Philos. Soc.*, 134(1):23–31, 2003. arXiv: math/0009091.
695. Sh:742 Rüdiger Göbel, Saharon Shelah, and Simone L. Wallutis. On universal and epi-universal locally nilpotent groups. *Illinois J. Math.*, 47(1-2):223–236, 2003. arXiv: math/0112252.
696. Sh:744 Saharon Shelah. A countable structure does not have a free uncountable automorphism group. *Bull. London Math. Soc.*, 35(1):1–7, 2003. arXiv: math/0010305.
697. Sh:745 Jaroslav Nešetřil and Saharon Shelah. On the order of countable graphs. *European J. Combin.*, 24(6):649–663, 2003. arXiv: math/0404319.
698. Sh:746 Paul B. Larson and Saharon Shelah. Bounding by canonical functions, with CH. *J. Math. Log.*, 3(2):193–215, 2003. arXiv: math/0011187.
699. Sh:749 Paul C. Eklof and Saharon Shelah. On the existence of precovers. *Illinois J. Math.*, 47(1-2):173–188, 2003. arXiv: math/0011228.
700. Sh:754 Saharon Shelah and Lutz H. Strüngmann. It is consistent with ZFC that B_1 -groups are not B_2 . *Forum Math.*, 15(4):507–524, 2003. arXiv: math/0012172.
701. Sh:761 Saharon Shelah. A partition relation using strongly compact cardinals. *Proc. Amer. Math. Soc.*, 131(8):2585–2592, 2003. arXiv: math/0103155.
702. Sh:762 Jörg Brendle and Saharon Shelah. Evasion and prediction. IV. Strong forms of constant prediction. *Arch. Math. Logic*, 42(4):349–360, 2003. arXiv: math/0103153.
703. Sh:766 László Fuchs and Saharon Shelah. On a non-vanishing Ext. *Rend. Sem. Mat. Univ. Padova*, 109:235–239, 2003. arXiv: math/0405015.
704. Sh:768 Saharon Shelah and Boaz Tsaban. Critical cardinalities and additivity properties of combinatorial notions of smallness. *J. Appl. Anal.*, 9(2):149–162, 2003. arXiv: math/0304019.
705. Sh:772 Saharon Shelah and Lutz H. Strüngmann. Kulikov’s problem on universal torsion-free abelian groups. *J. London Math. Soc. (2)*, 67(3):626–642, 2003. arXiv: math/0112253.
706. Sh:774 Tomek Bartoszyński, Saharon Shelah, and Boaz Tsaban. Additivity properties of topological diagonalizations. *J. Symbolic Logic*, 68(4):1254–1260, 2003. arXiv: math/0112262.
707. Sh:778 Heike Mildenberger and Saharon Shelah. Specialising Aronszajn trees by countable approximations. *Arch. Math. Logic*, 42(7):627–647, 2003. arXiv: math/0112287.
708. Sh:780 Rüdiger Göbel and Saharon Shelah. Characterizing automorphism groups of ordered abelian groups. *Bull. London Math. Soc.*, 35(3):289–292, 2003. arXiv: math/0112264.
709. Sh:781 Menachem Kojman and Saharon Shelah. van der Waerden spaces and Hindman spaces are not the same. *Proc. Amer. Math. Soc.*, 131(5):1619–1622, 2003. arXiv: math/0112265.
710. Sh:785 Rüdiger Göbel, Saharon Shelah, and Lutz H. Strüngmann. Almost-free E -rings of cardinality \aleph_1 . *Canad. J. Math.*, 55(4):750–765, 2003. arXiv: math/0112214.
711. Sh:792 Saharon Shelah and Jindřich Zapletal. Games with creatures. *Comment. Math. Univ. Carolin.*, 44(1):9–21, 2003. arXiv: math/0212042.
712. Sh:795 István Juhász and Saharon Shelah. Generic left-separated spaces and calibers. *Topology Appl.*, 132(2):103–108, 2003. arXiv: math/0212027.
713. Sh:796 Péter Komjáth and Saharon Shelah. A partition theorem for scattered order types. *Combin. Probab. Comput.*, 12(5-6):621–626, 2003. arXiv: math/0212022.
714. Sh:802 Wiesław Kubiś and Saharon Shelah. Analytic colorings. *Ann. Pure Appl. Logic*, 121(2-3):145–161, 2003. arXiv: math/0212026.
715. Sh:807 Tomek Bartoszyński and Saharon Shelah. Strongly meager sets of size continuum. *Arch. Math. Logic*, 42(8):769–779, 2003. arXiv: math/0211023.
716. Sh:811 Stefan Geschke and Saharon Shelah. Some notes concerning the homogeneity of Boolean algebras and Boolean spaces. *Topology Appl.*, 133(3):241–253, 2003. arXiv: math/0211399.

717. Sh:E33 Saharon Shelah and Alexander Soifer. Axiom of choice and chromatic number of the plane. *J. Combin. Theory Ser. A*, 103(2):387–391, 2003.
718. Sh:E33a Saharon Shelah and Alexander Soifer. Chromatic number of the plane. III. Its future. *Geombinatorics*, 13(1):41–46, 2003.
719. Sh:401 Saharon Shelah. Characterizing an \aleph_ϵ -saturated model of superstable NDOP theories by its $\mathbb{L}_{\infty, \aleph_\epsilon}$ -theory. *Israel J. Math.*, 140:61–111, 2004. arXiv: math/9609215.
720. Sh:598 Uri Abraham and Saharon Shelah. Ladder gaps over stationary sets. *J. Symbolic Logic*, 69(2):518–532, 2004. arXiv: math/0404151.
721. Sh:614 Mirna Džamonja and Saharon Shelah. On the existence of universal models. *Arch. Math. Logic*, 43(7):901–936, 2004. arXiv: math/9805149.
722. Sh:630 Saharon Shelah. Properness without elementarity. *J. Appl. Anal.*, 10(2):169–289, 2004. arXiv: math/9712283.
723. Sh:650 Rüdiger Göbel and Saharon Shelah. Uniquely transitive torsion-free abelian groups. In *Rings, modules, algebras, and abelian groups*, volume 236 of *Lecture Notes in Pure and Appl. Math.*, pages 271–290. Dekker, New York, 2004. arXiv: math/0404259.
724. Sh:668 Saharon Shelah. Anti-homogeneous partitions of a topological space. *Sci. Math. Jpn.*, 59(2):203–255, 2004. arXiv: math/9906025.
725. Sh:672 Andrzej Rosłanowski and Saharon Shelah. Sweet & sour and other flavours of ccc forcing notions. *Arch. Math. Logic*, 43(5):583–663, 2004. arXiv: math/9909115.
726. Sh:681 Rüdiger Göbel, Saharon Shelah, and Lutz H. Strüngmann. Generalized E -rings. In *Rings, modules, algebras, and abelian groups*, volume 236 of *Lecture Notes in Pure and Appl. Math.*, pages 291–306. Dekker, New York, 2004. arXiv: math/0404271.
727. Sh:692 Mirna Džamonja and Saharon Shelah. On \triangleleft^* -maximality. *Ann. Pure Appl. Logic*, 125(1-3):119–158, 2004. arXiv: math/0009087.
728. Sh:700 Saharon Shelah. Two cardinal invariants of the continuum ($\mathfrak{d} < \mathfrak{a}$) and FS linearly ordered iterated forcing. *Acta Math.*, 192(2):187–223, 2004. Previous title “Are \mathfrak{a} and \mathfrak{d} your cup of tea?” arXiv: math/0012170.
729. Sh:715 Saharon Shelah. Classification theory for elementary classes with the dependence property—a modest beginning. *Sci. Math. Jpn.*, 59(2):265–316, 2004. arXiv: math/0009056.
730. Sh:724 Saharon Shelah. On nice equivalence relations on λ^2 . *Arch. Math. Logic*, 43(1):31–64, 2004. arXiv: math/0009064.
731. Sh:725 Heike Mildenberger and Saharon Shelah. On needed reals. *Israel J. Math.*, 141:1–37, 2004. arXiv: math/0104276.
732. Sh:757 Saharon Shelah. Quite complete real closed fields. *Israel J. Math.*, 142:261–272, 2004. arXiv: math/0112212.
733. Sh:765 István Juhász, Saharon Shelah, Lajos Soukup, and Zoltán Szentmiklóssy. Cardinal sequences and Cohen real extensions. *Fund. Math.*, 181(1):75–88, 2004. arXiv: math/0404322.
734. Sh:784 Saharon Shelah. Forcing axiom failure for any $\lambda > \aleph_1$. *Arch. Math. Logic*, 43(3):285–295, 2004. arXiv: math/0112286.
735. Sh:793 Menachem Kojman, Wiesław Kubiś, and Saharon Shelah. On two problems of Erdős and Hechler: new methods in singular madness. *Proc. Amer. Math. Soc.*, 132(11):3357–3365, 2004. arXiv: math/0406441.
736. Sh:814 Paul C. Eklof, Saharon Shelah, and Jan Trlifaj. On the cogeneration of cotorsion pairs. *J. Algebra*, 277(2):572–578, 2004. arXiv: math/0405117.
737. Sh:817 Saharon Shelah. Spectra of monadic second order sentences. *Sci. Math. Jpn.*, 59(2):351–355, 2004. arXiv: math/0405158.
738. Sh:825 Vladimir Kanovei and Saharon Shelah. A definable nonstandard model of the reals. *J. Symbolic Logic*, 69(1):159–164, 2004. arXiv: math/0311165.
739. Sh:852 Juliette Cara Kennedy and Saharon Shelah. More on regular reduced products. *J. Symbolic Logic*, 69(4):1261–1266, 2004. arXiv: math/0504200.
740. Sh:E33b Saharon Shelah and Alexander Soifer. How the axiom of choice can affect the chromatic number of distance graphs: three examples on the plane. In *Proceedings of the Thirty-Fifth Southeastern International Conference on Combinatorics, Graph Theory and Computing*, volume 166, pages 5–9, 2004.
741. Sh:E51 Saharon Shelah and Alexander Soifer. Axiom of choice and chromatic number: examples on the plane. *J. Combin. Theory Ser. A*, 105(2):359–364, 2004.
742. Sh:517 Saharon Shelah. Zero-one laws for graphs with edge probabilities decaying with distance. II. *Fund. Math.*, 185(3):211–245, 2005. arXiv: math/0404239.
743. Sh:535 Todd Eisworth and Saharon Shelah. Successors of singular cardinals and coloring theorems. I. *Arch. Math. Logic*, 44(5):597–618, 2005. arXiv: math/9808138.
744. Sh:604 Saharon Shelah. The pair (\aleph_n, \aleph_0) may fail \aleph_0 -compactness. In *Logic Colloquium '01*, volume 20 of *Lect. Notes Log.*, pages 402–433. Assoc. Symbol. Logic, Urbana, IL, 2005. arXiv: math/0404240.

745. Sh:711 Saharon Shelah. On nicely definable forcing notions. *J. Appl. Anal.*, 11(1):1–17, 2005. arXiv: math/0303293.
746. Sh:726 Saharon Shelah and Jouko A. Väänänen. A note on extensions of infinitary logic. *Arch. Math. Logic*, 44(1):63–69, 2005. arXiv: math/0009080.
747. Sh:775 Saharon Shelah. Super black box (ex. Middle diamond). *Arch. Math. Logic*, 44(5):527–560, 2005. arXiv: math/0212249.
748. Sh:782 Saharon Shelah. On the Arrow property. *Adv. in Appl. Math.*, 34(2):217–251, 2005. arXiv: math/0112213.
749. Sh:788 Péter Komjáth and Saharon Shelah. Finite subgraphs of uncountably chromatic graphs. *J. Graph Theory*, 49(1):28–38, 2005. arXiv: math/0212064.
750. Sh:799 Pierre Matet, Andrzej Rosłanowski, and Saharon Shelah. Cofinality of the nonstationary ideal. *Trans. Amer. Math. Soc.*, 357(12):4813–4837, 2005. arXiv: math/0210087.
751. Sh:801 Mor Doron and Saharon Shelah. A dichotomy in classifying quantifiers for finite models. *J. Symbolic Logic*, 70(4):1297–1324, 2005. arXiv: math/0405091.
752. Sh:808 Martin Goldstern and Saharon Shelah. Clones from creatures. *Trans. Amer. Math. Soc.*, 357(9):3525–3551, 2005. arXiv: math/0212379.
753. Sh:809 Saharon Shelah and Juris Steprāns. Comparing the uniformity invariants of null sets for different measures. *Adv. Math.*, 192(2):403–426, 2005. arXiv: math/0405092.
754. Sh:812 Saharon Shelah, Pauli Väisänen, and Jouko A. Väänänen. On ordinals accessible by infinitary languages. *Fund. Math.*, 186(3):193–214, 2005.
755. Sh:813 Pierre Matet, Cédric Péan, and Saharon Shelah. Cofinality of normal ideals on $P_\kappa(\lambda)$. II. *Israel J. Math.*, 150:253–283, 2005.
756. Sh:815 Bektur Sembiuly Baizhanov, John T. Baldwin, and Saharon Shelah. Subsets of superstable structures are weakly benign. *J. Symbolic Logic*, 70(1):142–150, 2005. arXiv: math/0303324.
757. Sh:818 Linus Kramer, Saharon Shelah, Katrin Tent, and Simon Thomas. Asymptotic cones of finitely presented groups. *Adv. Math.*, 193(1):142–173, 2005. arXiv: math/0306420.
758. Sh:821 Tapani Hyttinen, Olivier Lessmann, and Saharon Shelah. Interpreting groups and fields in some nonelementary classes. *J. Math. Log.*, 5(1):1–47, 2005. arXiv: math/0406481.
759. Sh:824 Saharon Shelah. Two cardinals models with gap one revisited. *MLQ Math. Log. Q.*, 51(5):437–447, 2005. arXiv: math/0404149.
760. Sh:828 Jakob Kellner and Saharon Shelah. Preserving preservation. *J. Symbolic Logic*, 70(3):914–945, 2005. arXiv: math/0405081.
761. Sh:831 Rüdiger Göbel and Saharon Shelah. How rigid are reduced products? *J. Pure Appl. Algebra*, 202(1-3):230–258, 2005.
762. Sh:833 Rüdiger Göbel and Saharon Shelah. On Crawley modules. *Comm. Algebra*, 33(11):4211–4218, 2005. arXiv: math/0504198.
763. Sh:841 Saharon Shelah and Gábor Sági. On topological properties of ultraproducts of finite sets. *MLQ Math. Log. Q.*, 51(3):254–257, 2005. arXiv: math/0404148.
764. Sh:853 Saharon Shelah. The depth of ultraproducts of Boolean algebras. *Algebra Universalis*, 54(1):91–96, 2005. arXiv: math/0406531.
765. Sh:854 Andreas R. Blass and Saharon Shelah. Ultrafilters and partial products of infinite cyclic groups. *Comm. Algebra*, 33(6):1997–2007, 2005. arXiv: math/0504199.
766. Sh:857 Salma Kuhlmann and Saharon Shelah. κ -bounded exponential-logarithmic power series fields. *Ann. Pure Appl. Logic*, 136(3):284–296, 2005. arXiv: math/0512220.
767. Sh:557 Frank Niedermeyer, Saharon Shelah, and Karsten Steffens. The f -factor problem for graphs and the hereditary property. *Arch. Math. Logic*, 45(6):665–672, 2006. arXiv: math/0404179.
768. Sh:669 Saharon Shelah. Non-Cohen oracle C.C.C. *J. Appl. Anal.*, 12(1):1–17, 2006. arXiv: math/0303294.
769. Sh:710 Mirna Džamonja and Saharon Shelah. On properties of theories which preclude the existence of universal models. *Ann. Pure Appl. Logic*, 139(1-3):280–302, 2006. arXiv: math/0009078.
770. Sh:736 Andrzej Rosłanowski and Saharon Shelah. Measured creatures. *Israel J. Math.*, 151:61–110, 2006. arXiv: math/0010070.
771. Sh:763 Sakaé Fuchino, Noam Greenberg, and Saharon Shelah. Models of real-valued measurability. *Ann. Pure Appl. Logic*, 142(1-3):380–397, 2006. arXiv: math/0601087.
772. Sh:764 Saharon Shelah and Masahiro Shioya. Nonreflecting stationary sets in $\mathcal{P}_\kappa\lambda$. *Adv. Math.*, 199(1):185–191, 2006. arXiv: math/0405013.
773. Sh:789 Saharon Shelah and Alexander Usvyatsov. Banach spaces and groups—order properties and universal models. *Israel J. Math.*, 152:245–270, 2006. arXiv: math/0303325.
774. Sh:790 Saharon Shelah and Jouko A. Väänänen. Recursive logic frames. *MLQ Math. Log. Q.*, 52(2):151–164, 2006. arXiv: math/0405016.

775. Sh:805 Moti Gitik, Ralf-Dieter Schindler, and Saharon Shelah. PCF theory and Woodin cardinals. In *Logic Colloquium '02*, volume 27 of *Lect. Notes Log.*, pages 172–205. Assoc. Symbol. Logic, La Jolla, CA, 2006. arXiv: math/0211433.
776. Sh:823 George Mark Bergman and Saharon Shelah. Closed subgroups of the infinite symmetric group. *Algebra Universalis*, 55(2-3):137–173, 2006. arXiv: math/0401305.
777. Sh:827 Menachem Kojman and Saharon Shelah. Almost isometric embedding between metric spaces. *Israel J. Math.*, 155:309–334, 2006. arXiv: math/0406530.
778. Sh:829 Saharon Shelah. More on the revised GCH and the black box. *Ann. Pure Appl. Logic*, 140(1-3):133–160, 2006. arXiv: math/0406482.
779. Sh:830 Saharon Shelah. The combinatorics of reasonable ultrafilters. *Fund. Math.*, 192(1):1–23, 2006. arXiv: math/0407498.
780. Sh:834 Rüdiger Göbel and Saharon Shelah. Torsionless linearly compact modules. In *Abelian groups, rings, modules, and homological algebra*, volume 249 of *Lect. Notes Pure Appl. Math.*, pages 153–158. Chapman & Hall/CRC, Boca Raton, FL, 2006.
781. Sh:836 Saharon Shelah. On long EF-equivalence in non-isomorphic models. In *Logic Colloquium '03*, volume 24 of *Lect. Notes Log.*, pages 315–325. Assoc. Symbol. Logic, La Jolla, CA, 2006. arXiv: math/0404222.
782. Sh:847 Heike Mildenberger, Saharon Shelah, and Boaz Tsaban. Covering the Baire space by families which are not finitely dominating. *Ann. Pure Appl. Logic*, 140(1-3):60–71, 2006. arXiv: math/0407487.
783. Sh:851 Michael Chris Laskowski and Saharon Shelah. Decompositions of saturated models of stable theories. *Fund. Math.*, 191(2):95–124, 2006.
784. Sh:856 Andrzej Rosłanowski and Saharon Shelah. How much sweetness is there in the universe? *MLQ Math. Log. Q.*, 52(1):71–86, 2006. arXiv: math/0406612.
785. Sh:860 Andrzej Rosłanowski and Saharon Shelah. Reasonably complete forcing notions. In *Set theory: recent trends and applications*, volume 17 of *Quad. Mat.*, pages 195–239. Dept. Math., Seconda Univ. Napoli, Caserta, 2006. arXiv: math/0508272.
786. Sh:864 Saharon Shelah and Gábor Sági. On weak and strong interpolation in algebraic logics. *J. Symbolic Logic*, 71(1):104–118, 2006. arXiv: math/0612244.
787. Sh:867 Rüdiger Göbel and Saharon Shelah. Generalized E -algebras via λ -calculus. I. *Fund. Math.*, 192(2):155–181, 2006. arXiv: 0711.3045.
788. Sh:870 Andreas R. Blass and Saharon Shelah. Disjoint non-free subgroups of abelian groups. In *Set theory: recent trends and applications*, volume 17 of *Quad. Mat.*, pages 1–24. Dept. Math., Seconda Univ. Napoli, Caserta, 2006. arXiv: math/0509406.
789. Sh:777 Andrzej Rosłanowski and Saharon Shelah. Sheva-Sheva-Sheva: large creatures. *Israel J. Math.*, 159:109–174, 2007. arXiv: math/0210205.
790. Sh:786 Saharon Shelah and Juris Steprāns. Possible cardinalities of maximal abelian subgroups of quotients of permutation groups of the integers. *Fund. Math.*, 196(3):197–235, 2007. arXiv: math/0212233.
791. Sh:843 Heike Mildenberger and Saharon Shelah. Increasing the groupwise density number by c.c.c. forcing. *Ann. Pure Appl. Logic*, 149(1-3):7–13, 2007. arXiv: math/0404147.
792. Sh:845 Andrzej Rosłanowski and Saharon Shelah. Universal forcing notions and ideals. *Arch. Math. Logic*, 46(3-4):179–196, 2007. arXiv: math/0404146.
793. Sh:850 Gregory L. Cherlin and Saharon Shelah. Universal graphs with a forbidden subtree. *J. Combin. Theory Ser. B*, 97(3):293–333, 2007. arXiv: math/0512218.
794. Sh:858 Heike Mildenberger, Saharon Shelah, and Boaz Tsaban. The combinatorics of τ -covers. *Topology Appl.*, 154(1):263–276, 2007. arXiv: math/0409068.
795. Sh:861 Saharon Shelah. Power set modulo small, the singular of uncountable cofinality. *J. Symbolic Logic*, 72(1):226–242, 2007. arXiv: math/0612243.
796. Sh:865 Mor Doron and Saharon Shelah. Relational structures constructible by quantifier free definable operations. *J. Symbolic Logic*, 72(4):1283–1298, 2007. arXiv: math/0607375.
797. Sh:866 Chanoch Havlin and Saharon Shelah. Existence of EF-equivalent non-isomorphic models. *MLQ Math. Log. Q.*, 53(2):111–127, 2007. arXiv: math/0612245.
798. Sh:873 Saharon Shelah and Lutz H. Strüngmann. A characterization of $\text{Ext}(G, \mathbb{Z})$ assuming $(V = L)$. *Fund. Math.*, 193(2):141–151, 2007. arXiv: math/0609638.
799. Sh:874 Saharon Shelah and Lutz H. Strüngmann. On the p -rank of $\text{Ext}_{\mathbb{Z}}(G, \mathbb{Z})$ in certain models of ZFC. *Algebra Logika*, 46(3):369–397, 403–404, 2007. arXiv: math/0609637.
800. Sh:880 Rüdiger Göbel and Saharon Shelah. Absolutely indecomposable modules. *Proc. Amer. Math. Soc.*, 135(6):1641–1649, 2007. arXiv: 0711.3011.
801. Sh:883 Saharon Shelah. \aleph_n -free abelian group with no non-zero homomorphism to \mathbb{Z} . *Cubo*, 9(2):59–79, 2007. arXiv: math/0609634.
802. Sh:891 Shimon Garti and Saharon Shelah. Two cardinal models for singular μ . *MLQ Math. Log. Q.*, 53(6):636–641, 2007. arXiv: math/0612247.

803. Sh:892 Emmanuel Dror Farjoun, Rüdiger Göbel, Yoav Segev, and Saharon Shelah. On kernels of cellular covers. *Groups Geom. Dyn.*, 1(4):409–419, 2007. arXiv: math/0702294.
804. Sh:896 Jakob Kellner, Matti Pauna, and Saharon Shelah. Winning the pressing down game but not Banach-Mazur. *J. Symbolic Logic*, 72(4):1323–1335, 2007. arXiv: math/0609655.
805. Sh:509 Saharon Shelah. Vive la différence. III. *Israel J. Math.*, 166:61–96, 2008. arXiv: math/0112237.
806. Sh:558 Stefan Geschke and Saharon Shelah. The number of openly generated Boolean algebras. *J. Symbolic Logic*, 73(1):151–164, 2008. arXiv: math/0702600.
807. Sh:794 Saharon Shelah. Reflection implies the SCH. *Fund. Math.*, 198(2):95–111, 2008. arXiv: math/0404323.
808. Sh:826 Tomek Bartoszyński and Saharon Shelah. On the density of Hausdorff ultrafilters. In *Logic Colloquium 2004*, volume 29 of *Lect. Notes Log.*, pages 18–32. Assoc. Symbol. Logic, Chicago, IL, 2008. arXiv: math/0311064.
809. Sh:844 Saharon Shelah and Alexander Usvyatsov. More on SOP_1 and SOP_2 . *Ann. Pure Appl. Logic*, 155(1):16–31, 2008. arXiv: math/0404178.
810. Sh:846 Saharon Shelah. The spectrum of characters of ultrafilters on ω . *Colloq. Math.*, 111(2):213–220, 2008. arXiv: math/0612240.
811. Sh:862 John T. Baldwin and Saharon Shelah. Examples of non-locality. *J. Symbolic Logic*, 73(3):765–782, 2008.
812. Sh:876 Saharon Shelah. Minimal bounded index subgroup for dependent theories. *Proc. Amer. Math. Soc.*, 136(3):1087–1091, 2008. arXiv: math/0603652.
813. Sh:878 Shimon Garti and Saharon Shelah. On Depth and Depth^+ of Boolean algebras. *Algebra Universalis*, 58(2):243–248, 2008. arXiv: math/0512217.
814. Sh:887 Saharon Shelah. Groupwise density cannot be much bigger than the unbounded number. *MLQ Math. Log. Q.*, 54(4):340–344, 2008. arXiv: math/0612353.
815. Sh:889 Andrzej Rosłanowski and Saharon Shelah. Generating ultrafilters in a reasonable way. *MLQ Math. Log. Q.*, 54(2):202–220, 2008. arXiv: math/0607218.
816. Sh:897 Saharon Shelah. Theories with Ehrenfeucht-Fraïssé equivalent non-isomorphic models. *Tbil. Math. J.*, 1:133–164, 2008. arXiv: math/0703477.
817. Sh:899 István Juhász and Saharon Shelah. Hereditarily Lindelöf spaces of singular density. *Studia Sci. Math. Hungar.*, 45(4):557–562, 2008. arXiv: math/0702295.
818. Sh:902 Paul B. Larson and Saharon Shelah. The stationary set splitting game. *MLQ Math. Log. Q.*, 54(2):187–193, 2008. arXiv: 1003.2425.
819. Sh:907 Saharon Shelah. EF-equivalent not isomorphic pair of models. *Proc. Amer. Math. Soc.*, 136(12):4405–4412, 2008. arXiv: 0705.4126.
820. Sh:910 Andreas R. Blass and Saharon Shelah. Basic subgroups and freeness, a counterexample. In *Models, modules and abelian groups*, pages 63–73. Walter de Gruyter, Berlin, 2008. arXiv: 0711.3031.
821. Sh:912 Juliette Cara Kennedy, Saharon Shelah, and Jouko A. Väänänen. Regular ultrafilters and finite square principles. *J. Symbolic Logic*, 73(3):817–823, 2008.
822. Sh:916 Alan Stewart Dow and Saharon Shelah. Tie-points and fixed-points in \mathbb{N}^* . *Topology Appl.*, 155(15):1661–1671, 2008. arXiv: 0711.3037.
823. Sh:747 Martin Goldstern and Saharon Shelah. Large intervals in the clone lattice. *Algebra Universalis*, 62(4):367–374, 2009. arXiv: math/0208066.
824. Sh:783 Saharon Shelah. Dependent first order theories, continued. *Israel J. Math.*, 173:1–60, 2009. arXiv: math/0406440.
825. Sh:803 Saharon Shelah and Lutz H. Strüngmann. Large indecomposable minimal groups. *Q. J. Math.*, 60(3):353–365, 2009.
826. Sh:816 Saharon Shelah. What majority decisions are possible. *Discrete Math.*, 309(8):2349–2364, 2009. arXiv: math/0405119.
827. Sh:819 Todd Eisworth and Saharon Shelah. Successors of singular cardinals and coloring theorems. II. *J. Symbolic Logic*, 74(4):1287–1309, 2009. arXiv: 0806.0031.
828. Sh:840 Saharon Shelah. Model theory without choice? Categoricity. *J. Symbolic Logic*, 74(2):361–401, 2009. arXiv: math/0504196.
829. Sh:848 Heike Mildenberger and Saharon Shelah. Specializing Aronszajn trees and preserving some weak diamonds. *J. Appl. Anal.*, 15(1):47–78, 2009.
830. Sh:872 Jakob Kellner and Saharon Shelah. Decisive creatures and large continuum. *J. Symbolic Logic*, 74(1):73–104, 2009. arXiv: math/0601083.
831. Sh:881 Saharon Shelah. The Erdős-Rado arrow for singular cardinals. *Canad. Math. Bull.*, 52(1):127–131, 2009. arXiv: math/0605385.
832. Sh:882 Itay Kaplan and Saharon Shelah. The automorphism tower of a centerless group without choice. *Arch. Math. Logic*, 48(8):799–815, 2009. arXiv: math/0606216.
833. Sh:885 Saharon Shelah. A comment on “ $\mathfrak{p} < \mathfrak{t}$ ”. *Canad. Math. Bull.*, 52(2):303–314, 2009. arXiv: math/0404220.

834. Sh:894 Heike Mildenerger and Saharon Shelah. The near coherence of filters principle does not imply the filter dichotomy principle. *Trans. Amer. Math. Soc.*, 361(5):2305–2317, 2009.
835. Sh:901 István Juhász, Saharon Shelah, and Lajos Soukup. Resolvability vs. almost resolvability. *Topology Appl.*, 156(11):1966–1969, 2009. arXiv: math/0702296.
836. Sh:917 Alan Stewart Dow and Saharon Shelah. More on tie-points and homeomorphism in \mathbb{N}^* . *Fund. Math.*, 203(3):191–210, 2009. arXiv: 0711.3038.
837. Sh:920 Rüdiger Göbel and Saharon Shelah. \aleph_n -free modules with trivial duals. *Results Math.*, 54(1-2):53–64, 2009.
838. Sh:923 Hayri Ardal, Ján Maňuch, Moshe Rosenfeld, Saharon Shelah, and Ladislav Stacho. The odd-distance plane graph. *Discrete Comput. Geom.*, 42(2):132–141, 2009.
839. Sh:925 Paul B. Larson and Saharon Shelah. Splitting stationary sets from weak forms of choice. *MLQ Math. Log. Q.*, 55(3):299–306, 2009. arXiv: 1003.2477.
840. Sh:927 John T. Baldwin, Alexei S. Kolesnikov, and Saharon Shelah. The amalgamation spectrum. *J. Symbolic Logic*, 74(3):914–928, 2009.
841. Sh:930 Daniel Herden and Saharon Shelah. An upper cardinal bound on absolute E -rings. *Proc. Amer. Math. Soc.*, 137(9):2843–2847, 2009.
842. Sh:943 Rüdiger Göbel, Daniel Herden, and Saharon Shelah. Skeletons, bodies and generalized $E(R)$ -algebras. *J. Eur. Math. Soc. (JEMS)*, 11(4):845–901, 2009.
843. Sh:855 Saharon Shelah and Lutz H. Strüngmann. Filtration-equivalent \aleph_1 -separable abelian groups of cardinality \aleph_1 . *Ann. Pure Appl. Logic*, 161(7):935–943, 2010. arXiv: math/0612241.
844. Sh:895 Saharon Shelah. Large continuum, oracles. *Cent. Eur. J. Math.*, 8(2):213–234, 2010. arXiv: 0707.1818.
845. Sh:903 Michał Machura, Saharon Shelah, and Boaz Tsaban. Squares of Menger-bounded groups. *Trans. Amer. Math. Soc.*, 362(4):1751–1764, 2010. arXiv: math/0611353.
846. Sh:904 Saharon Shelah. Reflexive abelian groups and measurable cardinals and full MAD families. *Algebra Universalis*, 63(4):351–366, 2010. arXiv: math/0703493.
847. Sh:905 Jakob Kellner and Saharon Shelah. A Sacks real out of nowhere. *J. Symbolic Logic*, 75(1):51–76, 2010. arXiv: math/0703302.
848. Sh:908 Saharon Shelah. On long increasing chains modulo flat ideals. *MLQ Math. Log. Q.*, 56(4):397–399, 2010. arXiv: 0705.4130.
849. Sh:921 Saharon Shelah and Boaz Tsaban. On a problem of Juhász and van Mill. *Topology Proc.*, 36:385–392, 2010. arXiv: 0710.2768.
850. Sh:922 Saharon Shelah. Diamonds. *Proc. Amer. Math. Soc.*, 138(6):2151–2161, 2010. arXiv: 0711.3030.
851. Sh:926 Tomek Bartoszyński and Saharon Shelah. Dual Borel conjecture and Cohen reals. *J. Symbolic Logic*, 75(4):1293–1310, 2010.
852. Sh:929 Daniel Herden and Saharon Shelah. κ -fold transitive groups. *Forum Math.*, 22(4):627–640, 2010.
853. Sh:947 Paul B. Larson, Itay Neeman, and Saharon Shelah. Universally measurable sets in generic extensions. *Fund. Math.*, 208(2):173–192, 2010. arXiv: 1003.2479.
854. Sh:953 Mor Doron and Saharon Shelah. Hereditary zero-one laws for graphs. In *Fields of logic and computation*, volume 6300 of *Lecture Notes in Comput. Sci.*, pages 581–614. Springer, Berlin, 2010. arXiv: 1006.2888.
855. Sh:954 Ilijas Farah and Saharon Shelah. A dichotomy for the number of ultrapowers. *J. Math. Log.*, 10(1-2):45–81, 2010. arXiv: 0912.0406.
856. Sh:971 Anatole Khelif and Saharon Shelah. Équivalence élémentaire de puissances cartésiennes d'un même groupe. *C. R. Math. Acad. Sci. Paris*, 348(23-24):1241–1244, 2010.
857. Sh:750 Saharon Shelah. On λ strong homogeneity existence for cofinality logic. *Cubo*, 13(2):59–72, 2011. arXiv: 0902.0439.
858. Sh:771 Saharon Shelah. Polish algebras, shy from freedom. *Israel J. Math.*, 181:477–507, 2011. arXiv: math/0212250.
859. Sh:837 Saharon Shelah and Alexander Usvyatsov. Model theoretic stability and categoricity for complete metric spaces. *Israel J. Math.*, 182:157–198, 2011. arXiv: math/0612350.
860. Sh:859 Jakob Kellner and Saharon Shelah. Saccharinity. *J. Symbolic Logic*, 76(4):1153–1183, 2011. arXiv: math/0511330.
861. Sh:871 Michael Chris Laskowski and Saharon Shelah. A trichotomy of countable, stable, unsuperstable theories. *Trans. Amer. Math. Soc.*, 363(3):1619–1629, 2011. arXiv: 0711.3043.
862. Sh:888 Andrzej Rosłanowski and Saharon Shelah. Lords of the iteration. In *Set theory and its applications*, volume 533 of *Contemp. Math.*, pages 287–330. Amer. Math. Soc., Providence, RI, 2011. arXiv: math/0611131.
863. Sh:890 Andrzej Rosłanowski and Saharon Shelah. Reasonable ultrafilters, again. *Notre Dame J. Form. Log.*, 52(2):113–147, 2011. arXiv: math/0605067.

864. Sh:906 Saharon Shelah. No limit model in inaccessible. In *Models, logics, and higher-dimensional categories*, volume 53 of *CRM Proc. Lecture Notes*, pages 277–290. Amer. Math. Soc., Providence, RI, 2011. arXiv: 0705.4131.
865. Sh:909 Esther Gruenhut and Saharon Shelah. Uniforming n -place functions on well founded trees. In *Set theory and its applications*, volume 533 of *Contemp. Math.*, pages 267–280. Amer. Math. Soc., Providence, RI, 2011. arXiv: 0906.3055.
866. Sh:911 Shimon Garti and Saharon Shelah. Depth of Boolean algebras. *Notre Dame J. Form. Log.*, 52(3):307–314, 2011. arXiv: 0802.4185.
867. Sh:914 Saharon Shelah. The first almost free Whitehead group. *Tbil. Math. J.*, 4:17–30, 2011. arXiv: 0708.1980.
868. Sh:915 Saharon Shelah. The character spectrum of $\beta(\mathbb{N})$. *Topology Appl.*, 158(18):2535–2555, 2011. arXiv: 1004.2083.
869. Sh:931 Saharon Shelah and Juris Steprāns. Masas in the Calkin algebra without the continuum hypothesis. *J. Appl. Anal.*, 17(1):69–89, 2011.
870. Sh:935 Saharon Shelah. MAD saturated families and SANE player. *Canad. J. Math.*, 63(6):1416–1435, 2011. arXiv: 0904.0816.
871. Sh:936 Ali Enayat and Saharon Shelah. An improper arithmetically closed Borel subalgebra of $\mathcal{P}(\omega)$ mod FIN. *Topology Appl.*, 158(18):2495–2502, 2011.
872. Sh:937 Saharon Shelah. Models of expansions of \mathbb{N} with no end extensions. *MLQ Math. Log. Q.*, 57(4):341–365, 2011. arXiv: 0808.2960.
873. Sh:939 Jakob Kellner and Saharon Shelah. More on the pressing down game. *Arch. Math. Logic*, 50(3-4):477–501, 2011. arXiv: 0905.3913.
874. Sh:948 Rüdiger Göbel, Daniel Herden, and Saharon Shelah. Absolute E -rings. *Adv. Math.*, 226(1):235–253, 2011.
875. Sh:951 Heike Mildenberger and Saharon Shelah. Proper translation. *Fund. Math.*, 215(1):1–38, 2011.
876. Sh:952 Saharon Shelah and Jindřich Zapletal. Ramsey theorems for product of finite sets with submeasures. *Combinatorica*, 31(2):225–244, 2011.
877. Sh:958 John T. Baldwin and Saharon Shelah. A Hanf number for saturation and omission. *Fund. Math.*, 213(3):255–270, 2011.
878. Sh:967 Heike Mildenberger and Saharon Shelah. The minimal cofinality of an ultrapower of ω and the cofinality of the symmetric group can be larger than \mathfrak{b}^+ . *J. Symbolic Logic*, 76(4):1322–1340, 2011.
879. Sh:976 Saharon Shelah and Lutz H. Strüningmann. Kulikov’s problem on universal torsion-free abelian groups revisited. *Bull. Lond. Math. Soc.*, 43(6):1198–1204, 2011.
880. Sh:706 Saharon Shelah. Universality among graphs omitting a complete bipartite graph. *Combinatorica*, 32(3):325–362, 2012. arXiv: math/0102058.
881. Sh:797 Saharon Shelah. Nice infinitary logics. *J. Amer. Math. Soc.*, 25(2):395–427, 2012. arXiv: 1005.2806.
882. Sh:868 Saharon Shelah. When a first order T has limit models. *Colloq. Math.*, 126(2):187–204, 2012. arXiv: math/0603651.
883. Sh:879 Paul C. Eklof, László Fuchs, and Saharon Shelah. Test groups for Whitehead groups. *Rocky Mountain J. Math.*, 42(6):1863–1873, 2012. arXiv: math/0702293.
884. Sh:913 Itay Kaplan and Saharon Shelah. Automorphism towers and automorphism groups of fields without choice. In *Groups and model theory*, volume 576 of *Contemp. Math.*, pages 187–203. Amer. Math. Soc., Providence, RI, 2012. arXiv: 1004.1810.
885. Sh:918 Saharon Shelah. Many partition relations below density. *Israel J. Math.*, 191(2):507–543, 2012. arXiv: 0902.0440.
886. Sh:938 Saharon Shelah. PCF arithmetic without and with choice. *Israel J. Math.*, 191(1):1–40, 2012. arXiv: 0905.3021.
887. Sh:941 Andrzej Rosłanowski, Saharon Shelah, and Otmar Spinas. Nonproper products. *Bull. Lond. Math. Soc.*, 44(2):299–310, 2012. arXiv: 0905.0526.
888. Sh:949 Shimon Garti and Saharon Shelah. A strong polarized relation. *J. Symbolic Logic*, 77(3):766–776, 2012. arXiv: 1103.0350.
889. Sh:956 Shimon Garti and Saharon Shelah. (κ, θ) -weak normality. *J. Math. Soc. Japan*, 64(2):549–559, 2012. arXiv: 1104.1491.
890. Sh:959 John T. Baldwin and Saharon Shelah. The stability spectrum for classes of atomic models. *J. Math. Log.*, 12(1):1250001, 19, 2012.
891. Sh:961 Jakob Kellner and Saharon Shelah. Creature forcing and large continuum: the joy of halving. *Arch. Math. Logic*, 51(1-2):49–70, 2012. arXiv: 1003.3425.
892. Sh:962 Shimon Garti and Saharon Shelah. Combinatorial aspects of the splitting number. *Ann. Comb.*, 16(4):709–717, 2012. arXiv: 1007.2266.
893. Sh:964 Shimon Garti and Saharon Shelah. Strong polarized relations for the continuum. *Ann. Comb.*, 16(2):271–276, 2012. arXiv: 1103.5195.

894. Sh:965 Paul B. Larson, Nicholas Matteo, and Saharon Shelah. Majority decisions when abstention is possible. *Discrete Math.*, 312(7):1336–1352, 2012. arXiv: 1003.2756.
895. Sh:977 Saharon Shelah. Modules and infinitary logics. In *Groups and model theory*, volume 576 of *Contemp. Math.*, pages 305–316. Amer. Math. Soc., Providence, RI, 2012. arXiv: 1011.3581.
896. Sh:979 Saharon Shelah and Pierre Simon. Adding linear orders. *J. Symbolic Logic*, 77(2):717–725, 2012. arXiv: 1103.0206.
897. Sh:982 Philipp Lücke and Saharon Shelah. External automorphisms of ultraproducts of finite models. *Arch. Math. Logic*, 51(3-4):433–441, 2012.
898. Sh:985 Alan Stewart Dow and Saharon Shelah. Martin’s axiom and separated mad families. *Rend. Circ. Mat. Palermo (2)*, 61(1):107–115, 2012.
899. Sh:991 Dilip Raghavan and Saharon Shelah. Comparing the closed almost disjointness and dominating numbers. *Fund. Math.*, 217(1):73–81, 2012. arXiv: 1110.6690.
900. Sh:1002 Shimon Garti and Saharon Shelah. The ultrafilter number for singular cardinals. *Acta Math. Hungar.*, 137(4):296–301, 2012. arXiv: 1201.1713.
901. Sh:588 Saharon Shelah. Large weight does not yield an irreducible base. *Period. Math. Hungar.*, 66(2):131–137, 2013. arXiv: 1007.2693.
902. Sh:875 Adi Jarden and Saharon Shelah. Non-forking frames in abstract elementary classes. *Ann. Pure Appl. Logic*, 164(3):135–191, 2013. arXiv: 0901.0852.
903. Sh:898 Saharon Shelah. Pcf and abelian groups. *Forum Math.*, 25(5):967–1038, 2013. arXiv: 0710.0157.
904. Sh:934 Eric Jonathan Hall and Saharon Shelah. Partial choice functions for families of finite sets. *Fund. Math.*, 220(3):207–216, 2013. arXiv: 0808.0535.
905. Sh:942 Andrzej Rosłanowski and Saharon Shelah. More about λ -support iterations of ($< \lambda$)-complete forcing notions. *Arch. Math. Logic*, 52(5-6):603–629, 2013. arXiv: 1105.6049.
906. Sh:957 Andrzej Rosłanowski and Saharon Shelah. Partition theorems from creatures and idempotent ultrafilters. *Ann. Comb.*, 17(2):353–378, 2013. arXiv: 1005.2803.
907. Sh:981 Rüdiger Göbel, Saharon Shelah, and Lutz H. Strüngmann. \aleph_n -free modules over complete discrete valuation domains with almost trivial dual. *Glasg. Math. J.*, 55(2):369–380, 2013.
908. Sh:983 Michael Pinsker and Saharon Shelah. Universality of the lattice of transformation monoids. *Proc. Amer. Math. Soc.*, 141(9):3005–3011, 2013. arXiv: 1107.3946.
909. Sh:984 Alan Stewart Dow and Saharon Shelah. An Efimov space from Martin’s axiom. *Houston J. Math.*, 39(4):1423–1435, 2013.
910. Sh:989 Martin Goldstern, Saharon Shelah, and Gábor Sági. Very many clones above the unary clone. *Algebra Universalis*, 69(4):387–399, 2013. arXiv: 1108.2061.
911. Sh:993 Itay Kaplan and Saharon Shelah. Chain conditions in dependent groups. *Ann. Pure Appl. Logic*, 164(12):1322–1337, 2013. arXiv: 1112.0807.
912. Sh:994 Martin Goldstern, Michael Pinsker, and Saharon Shelah. A closed algebra with a non-Borel clone and an ideal with a Borel clone. *Internat. J. Algebra Comput.*, 23(5):1115–1125, 2013. arXiv: 1112.0774.
913. Sh:999 Maryanthe Malliaris and Saharon Shelah. A dividing line within simple unstable theories. *Adv. Math.*, 249:250–288, 2013. arXiv: 1208.2140.
914. Sh:1006 Saharon Shelah. On compactness for chromatic number of graphs. *Acta Math. Hungar.*, 139(4):363–371, 2013. arXiv: 1205.0064.
915. Sh:1008 Saharon Shelah. Non-reflection of the bad set for $\check{I}_\theta[\lambda]$ and pcf. *Acta Math. Hungar.*, 141(1-2):11–35, 2013. arXiv: 1206.2048.
916. Sh:1013 Moti Gitik and Saharon Shelah. Applications of pcf for mild large cardinals to elementary embeddings. *Ann. Pure Appl. Logic*, 164(9):855–865, 2013. arXiv: 1307.5977.
917. Sh:1015 Piotr Koszmider and Saharon Shelah. Independent families in Boolean algebras with some separation properties. *Algebra Universalis*, 69(4):305–312, 2013. arXiv: 1209.0177.
918. Sh:863 Saharon Shelah. Strongly dependent theories. *Israel J. Math.*, 204(1):1–83, 2014. arXiv: math/0504197.
919. Sh:877 Saharon Shelah. Dependent T and existence of limit models. *Tbilisi Math. J.*, 7(1):99–128, 2014. arXiv: math/0609636.
920. Sh:946 Itay Kaplan and Saharon Shelah. Examples in dependent theories. *J. Symb. Log.*, 79(2):585–619, 2014. arXiv: 1009.5420.
921. Sh:955 Saharon Shelah. Pseudo PCF. *Israel J. Math.*, 201(1):185–231, 2014. arXiv: 1107.4625.
922. Sh:968 Saharon Shelah and Lutz H. Strüngmann. On the p -rank of $\text{Ext}(A, B)$ for countable abelian groups A and B . *Israel J. Math.*, 199(2):567–572, 2014. arXiv: 1401.5317.
923. Sh:969 Martin Goldstern, Jakob Kellner, Saharon Shelah, and Wolfgang Wohofsky. Borel conjecture and dual Borel conjecture. *Trans. Amer. Math. Soc.*, 366(1):245–307, 2014. arXiv: 1105.0823.
924. Sh:970 Rüdiger Göbel, Daniel Herden, and Saharon Shelah. Prescribing endomorphism algebras of \aleph_n -free modules. *J. Eur. Math. Soc. (JEMS)*, 16(9):1775–1816, 2014.
925. Sh:972 Andrzej Rosłanowski and Saharon Shelah. Monotone hulls for $\mathcal{N} \cap \mathcal{M}$. *Period. Math. Hungar.*, 69(1):79–95, 2014. arXiv: 1007.5368.

926. Sh:973 Heike Mildenerger and Saharon Shelah. Many countable support iterations of proper forcings preserve Souslin trees. *Ann. Pure Appl. Logic*, 165(2):573–608, 2014. arXiv: 1309.0196.
927. Sh:975 Itay Kaplan and Saharon Shelah. A dependent theory with few indiscernibles. *Israel J. Math.*, 202(1):59–103, 2014. arXiv: 1010.0388.
928. Sh:978 Maryanthe Malliaris and Saharon Shelah. Regularity lemmas for stable graphs. *Trans. Amer. Math. Soc.*, 366(3):1551–1585, 2014. arXiv: 1102.3904.
929. Sh:987 Ilijas Farah and Saharon Shelah. Trivial automorphisms. *Israel J. Math.*, 201(2):701–728, 2014. arXiv: 1112.3571.
930. Sh:992 John T. Baldwin and Saharon Shelah. A Hanf number for saturation and omission: the superstable case. *MLQ Math. Log. Q.*, 60(6):437–443, 2014.
931. Sh:995 Shimon Garti and Saharon Shelah. Partition calculus and cardinal invariants. *J. Math. Soc. Japan*, 66(2):425–434, 2014. arXiv: 1112.5772.
932. Sh:997 Maryanthe Malliaris and Saharon Shelah. Model-theoretic properties of ultrafilters built by independent families of functions. *J. Symb. Log.*, 79(1):103–134, 2014. arXiv: 1208.2579.
933. Sh:1014 Philipp Lücke and Saharon Shelah. Free groups and automorphism groups of infinite structures. *Forum Math. Sigma*, 2:e8, 18, 2014. arXiv: 1211.6891.
934. Sh:1017 Saharon Shelah. Ordered black boxes: existence. *Geombinatorics*, 23(3):108–126, 2014. arXiv: 1302.3426.
935. Sh:1022 Andrzej Rosłanowski and Saharon Shelah. Around cofin. *Colloq. Math.*, 134(2):211–225, 2014. arXiv: 1304.5683.
936. Sh:1039 Noam Greenberg and Saharon Shelah. Models of Cohen measurability. *Ann. Pure Appl. Logic*, 165(10):1557–1576, 2014. arXiv: 1309.3938.
937. Sh:1031 Tomasz Filipczak, Andrzej Rosłanowski, and Saharon Shelah. On Borel hull operations. *Real Anal. Exchange*, 40(1):129–140, 2014/15. arXiv: 1308.3749.
938. Sh:893 Saharon Shelah. A.E.C. with not too many models. In A. Hirvonen, M. Kesala, J. Kontinen, R. Koskask, and A. Villaveces, editors, *Logic Without Borders: Essays on Set Theory, Model Theory, Philosophical Logic and Philosophy of Mathematics*, volume Ontos Mathematical Logic, vol. 5, pages 367–402. Berlin, Boston: DeGruyter, 2015. arXiv: 1302.4841.
939. Sh:900 Saharon Shelah. Dependent theories and the generic pair conjecture. *Commun. Contemp. Math.*, 17(1):1550004, 64, 2015. arXiv: math/0702292.
940. Sh:924 Saharon Shelah. Models of PA: when two elements are necessarily order automorphic. *MLQ Math. Log. Q.*, 61(6):399–417, 2015. arXiv: 1004.3342.
941. Sh:933 Michael Chris Laskowski and Saharon Shelah. \mathbf{P} -NDOP and \mathbf{P} -decompositions of \aleph_ϵ -saturated models of superstable theories. *Fund. Math.*, 229(1):47–81, 2015. arXiv: 1206.6028.
942. Sh:990 Saharon Shelah and Juris Steprāns. Non-trivial automorphisms of $\mathcal{P}(\mathbb{N})/[\mathbb{N}]^{<\aleph_0}$ from variants of small dominating number. *Eur. J. Math.*, 1(3):534–544, 2015.
943. Sh:996 Maryanthe Malliaris and Saharon Shelah. Constructing regular ultrafilters from a model-theoretic point of view. *Trans. Amer. Math. Soc.*, 367(11):8139–8173, 2015. arXiv: 1204.1481.
944. Sh:1003 John T. Baldwin, Paul B. Larson, and Saharon Shelah. Almost Galois ω -stable classes. *J. Symb. Log.*, 80(3):763–784, 2015.
945. Sh:1009 Maryanthe Malliaris and Saharon Shelah. Saturating the random graph with an independent family of small range. In A. Hirvonen, M. Kesala, J. Kontinen, R. Kossak, and A. Villaveces, editors, *Logic Without Borders: Essays on Set Theory, Model Theory, Philosophical Logic and Philosophy of Mathematics*, Ontos Mathematical Logic, vol. 5, pages 319–337. Berlin, Boston: De Gruyter, 2015. arXiv: 1208.5585.
946. Sh:1011 Juliette Cara Kennedy, Saharon Shelah, and Jouko A. Väänänen. Regular ultrapowers at regular cardinals. *Notre Dame J. Form. Log.*, 56(3):417–428, 2015. arXiv: 1307.6396.
947. Sh:1016 Michael Chris Laskowski and Saharon Shelah. Borel completeness of some \aleph_0 -stable theories. *Fund. Math.*, 229(1):1–46, 2015. arXiv: 1211.0558.
948. Sh:1024 Franz-Viktor Kuhlmann, Katarzyna Kuhlmann, and Saharon Shelah. Symmetrically complete ordered sets abelian groups and fields. *Israel J. Math.*, 208(1):261–290, 2015. arXiv: 1308.0780.
949. Sh:1025 István Juhász and Saharon Shelah. Strong colorings yield κ -bounded spaces with discretely un-touchable points. *Proc. Amer. Math. Soc.*, 143(5):2241–2247, 2015. arXiv: 1307.1989.
950. Sh:1034 Saharon Shelah, Boban Veličković, and Jouko A. Väänänen. Positional strategies in long Ehrenfeucht-Fraïssé games. *J. Symb. Log.*, 80(1):285–300, 2015. arXiv: 1308.0156.
951. Sh:1038 Saharon Shelah and Otmar Spinas. Mad spectra. *J. Symb. Log.*, 80(3):901–916, 2015. arXiv: 1402.5616.
952. Sh:1059 Simcha Haber and Saharon Shelah. An extension of the Ehrenfeucht-Fraïssé game for first order logics augmented with Lindström quantifiers. In *Fields of logic and computation. II*, volume 9300 of *Lecture Notes in Comput. Sci.*, pages 226–236. Springer, Cham, 2015. arXiv: 1510.06581.
953. Sh:1061 Saharon Shelah. On failure of 0-1 laws. In *Fields of logic and computation. II*, volume 9300 of *Lecture Notes in Comput. Sci.*, pages 293–296. Springer, Cham, 2015. arXiv: 2108.03846.

954. Sh:713 Pierre Matet, Cédric Péan, and Saharon Shelah. Cofinality of normal ideals on $[\lambda]^{<\kappa}$ I. *Arch. Math. Logic*, 55(5-6):799–834, 2016. arXiv: math/0404318.
955. Sh:849 Saharon Shelah. Beginning of stability theory for Polish spaces. *Israel J. Math.*, 214(2):507–537, 2016. arXiv: 1011.3578.
956. Sh:884 Martin Goldstern and Saharon Shelah. All creatures great and small. *Trans. Amer. Math. Soc.*, 368(11):7551–7577, 2016. arXiv: 0706.1190.
957. Sh:919 Moran Cohen and Saharon Shelah. Stable theories and representation over sets. *MLQ Math. Log. Q.*, 62(3):140–154, 2016. arXiv: 0906.3050.
958. Sh:998 Maryanthe Malliaris and Saharon Shelah. Cofinality spectrum theorems in model theory, set theory, and general topology. *J. Amer. Math. Soc.*, 29(1):237–297, 2016. arXiv: 1208.5424.
959. Sh:1005 Saharon Shelah. ZF + DC + AX₄. *Arch. Math. Logic*, 55(1-2):239–294, 2016. arXiv: 1411.7164.
960. Sh:1007 Artem Chernikov, Itay Kaplan, and Saharon Shelah. On non-forking spectra. *J. Eur. Math. Soc. (JEMS)*, 18(12):2821–2848, 2016. arXiv: 1205.3101.
961. Sh:1012 Shimon Garti and Saharon Shelah. Open and solved problems concerning polarized partition relations. *Fund. Math.*, 234(1):1–14, 2016. arXiv: 1208.6091.
962. Sh:1029 Saharon Shelah. No universal group in a cardinal. *Forum Math.*, 28(3):573–585, 2016. arXiv: 1311.4997.
963. Sh:1030 Maryanthe Malliaris and Saharon Shelah. Existence of optimal ultrafilters and the fundamental complexity of simple theories. *Adv. Math.*, 290:614–681, 2016. arXiv: 1404.2919.
964. Sh:1032 Michał Machura, Saharon Shelah, and Boaz Tsaban. The linear refinement number and selection theory. *Fund. Math.*, 234(1):15–40, 2016. arXiv: 1404.2239.
965. Sh:1033 Gregory L. Cherlin and Saharon Shelah. Universal graphs with a forbidden subgraph: block path solidity. *Combinatorica*, 36(3):249–264, 2016. arXiv: 1404.5757.
966. Sh:1035 Artem Chernikov and Saharon Shelah. On the number of Dedekind cuts and two-cardinal models of dependent theories. *J. Inst. Math. Jussieu*, 15(4):771–784, 2016. arXiv: 1308.3099.
967. Sh:1037 John T. Baldwin, Michael Chris Laskowski, and Saharon Shelah. Constructing many atomic models in \aleph_1 . *J. Symb. Log.*, 81(3):1142–1162, 2016. arXiv: 1503.00318.
968. Sh:1041 Joan Bagaria and Saharon Shelah. On partial orderings having precalibre- \aleph_1 and fragments of Martin’s axiom. *Fund. Math.*, 232(2):181–197, 2016. arXiv: 1502.05500.
969. Sh:1042 Ilijas Farah and Saharon Shelah. Rigidity of continuous quotients. *J. Inst. Math. Jussieu*, 15(1):1–28, 2016. arXiv: 1401.6689.
970. Sh:1052 Saharon Shelah. Lower bounds on coloring numbers from hardness hypotheses in pcf theory. *Proc. Amer. Math. Soc.*, 144(12):5371–5383, 2016. arXiv: 1503.02423.
971. Sh:1053 Saharon Shelah and Wolfgang Wohofsky. There are no very meager sets in the model in which both the Borel conjecture and the dual Borel conjecture are true. *MLQ Math. Log. Q.*, 62(4-5):434–438, 2016.
972. Sh:1054 Itay Kaplan and Saharon Shelah. Forcing a countable structure to belong to the ground model. *MLQ Math. Log. Q.*, 62(6):530–546, 2016. arXiv: 1410.1224.
973. Sh:1055 Itay Kaplan, Noa Lavi, and Saharon Shelah. The generic pair conjecture for dependent finite diagrams. *Israel J. Math.*, 212(1):259–287, 2016. arXiv: 1410.2516.
974. Sh:1066 Martin Goldstern, Diego A. Mejía, and Saharon Shelah. The left side of Cichoń’s diagram. *Proc. Amer. Math. Soc.*, 144(9):4025–4042, 2016. arXiv: 1504.04192.
975. Sh:1070 Maryanthe Malliaris and Saharon Shelah. Cofinality spectrum problems: the axiomatic approach. *Topology Appl.*, 213:50–79, 2016.
976. Sh:1071 Saharon Shelah and Juris Steprāns. When automorphisms of $\mathcal{P}(\kappa)/[\kappa]^{<\aleph_0}$ are trivial off a small set. *Fund. Math.*, 235(2):167–182, 2016.
977. Sh:1075 Mohammad Golshani and Saharon Shelah. On cuts in ultraproducts of linear orders I. *J. Math. Log.*, 16(2):1650008, 34, 2016. arXiv: 1510.06278.
978. Sh:312 Saharon Shelah. Existentially closed locally finite groups (Sh312). In *Beyond first order model theory*, pages 221–298. CRC Press, Boca Raton, FL, 2017. arXiv: 1102.5578.
979. Sh:779 Paul B. Larson and Saharon Shelah. Consistency of a strong uniformization principle. *Colloq. Math.*, 146(1):1–13, 2017.
980. Sh:820 Saharon Shelah. Universal structures. *Notre Dame J. Form. Log.*, 58(2):159–177, 2017. arXiv: math/0405159.
981. Sh:869 Pierre Matet and Saharon Shelah. The nonstationary ideal on $P_\kappa(\lambda)$ for λ singular. *Arch. Math. Logic*, 56(7-8):911–934, 2017. arXiv: math/0612246.
982. Sh:886 Saharon Shelah. Definable groups for dependent and 2-dependent theories. *Sarajevo J. Math.*, 13(25)(1):3–25, 2017. arXiv: math/0703045.
983. Sh:960 Saharon Shelah. Preserving old $([\omega]^{N_0}, \supseteq^*)$ is proper. *Sarajevo J. Math.*, 13(26)(2):141–154, 2017. arXiv: 1005.2802.

984. Sh:963 James Cummings, Mirna Džamonja, Menachem Magidor, Charles Morgan, and Saharon Shelah. A framework for forcing constructions at successors of singular cardinals. *Trans. Amer. Math. Soc.*, 369(10):7405–7441, 2017. arXiv: 1403.6795.
985. Sh:1004 Saharon Shelah. A parallel to the null ideal for inaccessible λ : Part I. *Arch. Math. Logic*, 56(3-4):319–383, 2017. arXiv: 1202.5799.
986. Sh:1044 Arthur James Fischer, Martin Goldstern, Jakob Kellner, and Saharon Shelah. Creature forcing and five cardinal characteristics in Cichoń’s diagram. *Arch. Math. Logic*, 56(7-8):1045–1103, 2017. arXiv: 1402.0367.
987. Sh:1051 Maryanthe Malliaris and Saharon Shelah. Model-theoretic applications of cofinality spectrum problems. *Israel J. Math.*, 220(2):947–1014, 2017. arXiv: 1503.08338.
988. Sh:1056 Tomek Bartoszyński, Paul B. Larson, and Saharon Shelah. Closed sets which consistently have few translations covering the line. *Fund. Math.*, 237(2):101–125, 2017.
989. Sh:1058 Dilip Raghavan and Saharon Shelah. On embedding certain partial orders into the P-points under Rudin-Keisler and Tukey reducibility. *Trans. Amer. Math. Soc.*, 369(6):4433–4455, 2017. arXiv: 1411.0084.
990. Sh:1060 Dilip Raghavan and Saharon Shelah. Two inequalities between cardinal invariants. *Fund. Math.*, 237(2):187–200, 2017. arXiv: 1505.06296.
991. Sh:1062 Saharon Shelah. Failure of 0-1 law for sparse random graph in strong logics (Sh1062). In *Beyond first order model theory*, pages 77–101. CRC Press, Boca Raton, FL, 2017. arXiv: 1706.01226.
992. Sh:1068 Ashutosh Kumar and Saharon Shelah. A transversal of full outer measure. *Adv. Math.*, 321:475–485, 2017.
993. Sh:1069 Maryanthe Malliaris and Saharon Shelah. Open problems on ultrafilters and some connections to the continuum. In *Foundations of mathematics*, volume 690 of *Contemp. Math.*, pages 145–159. Amer. Math. Soc., Providence, RI, 2017.
994. Sh:1074 Itay Kaplan, Saharon Shelah, and Pierre Simon. Exact saturation in simple and NIP theories. *J. Math. Log.*, 17(1):1750001, 18, 2017. arXiv: 1510.02741.
995. Sh:1076 Paul B. Larson and Saharon Shelah. Coding with canonical functions. *MLQ Math. Log. Q.*, 63(5):334–341, 2017.
996. Sh:1078 Ashutosh Kumar and Saharon Shelah. On a question about families of entire functions. *Fund. Math.*, 239(3):279–288, 2017.
997. Sh:1079 Ashutosh Kumar and Saharon Shelah. Avoiding equal distances. *Fund. Math.*, 236(3):263–267, 2017.
998. Sh:1080 Péter Komjáth and Saharon Shelah. Consistently $\mathcal{P}(\omega_1)$ is the union of less than 2^{\aleph_1} strongly independent families. *Israel J. Math.*, 218(1):165–173, 2017.
999. Sh:1082 Itay Kaplan and Saharon Shelah. Decidability and classification of the theory of integers with primes. *J. Symb. Log.*, 82(3):1041–1050, 2017. arXiv: 1601.07099.
1000. Sh:1083 Shimon Garti, Yair Hayut, and Saharon Shelah. On the verge of inconsistency: Magidor cardinals and Magidor filters. *Israel J. Math.*, 220(1):89–102, 2017. arXiv: 1601.07745.
1001. Sh:1091 Manfred H. Dugas, Daniel Herden, and Saharon Shelah. An extension of M. C. R. Butler’s theorem on endomorphism rings. In *Groups, modules, and model theory—surveys and recent developments*, pages 277–284. Springer, Cham, 2017.
1002. Sh:1112 Gianluca Paolini and Saharon Shelah. No uncountable Polish group can be a right-angled Artin group. *Axioms Topical Collection “Topological Groups”*, 6(2):4, 2017. arXiv: 1701.03021.
1003. Sh:1117 Gianluca Paolini and Saharon Shelah. Group metrics for graph products of cyclic groups. *Topology Appl.*, 232:281–287, 2017. arXiv: 1705.02582.
1004. Sh:944 Saharon Shelah. Models of PA: standard systems without minimal ultrafilters. *Sarajevo J. Math.*, 14(27)(1):3–11, 2018. arXiv: 0901.1499.
1005. Sh:1026 Saharon Shelah. The spectrum of ultraproducts of finite cardinals for an ultrafilter. *Acta Math. Hungar.*, 155(2):201–220, 2018. arXiv: 1312.6780.
1006. Sh:1040 Shimon Garti, Menachem Magidor, and Saharon Shelah. On the spectrum of characters of ultrafilters. *Notre Dame J. Form. Log.*, 59(3):371–379, 2018. arXiv: 1601.01409.
1007. Sh:1047 Shimon Garti and Saharon Shelah. Random reals and polarized colorings. *Studia Sci. Math. Hungar.*, 55(2):203–212, 2018. arXiv: 1609.00242.
1008. Sh:1050 Maryanthe Malliaris and Saharon Shelah. Keisler’s order has infinitely many classes. *Israel J. Math.*, 224(1):189–230, 2018. arXiv: 1503.08341.
1009. Sh:1057 Alan Stewart Dow and Saharon Shelah. Asymmetric tie-points and almost clopen subsets of \mathbb{N}^* . *Comment. Math. Univ. Carolin.*, 59(4):451–466, 2018. arXiv: 1801.02523.
1010. Sh:1063 Ashutosh Kumar and Saharon Shelah. Clubs on quasi measurable cardinals. *MLQ Math. Log. Q.*, 64(1-2):44–48, 2018.
1011. Sh:1072 Shahram Mohsenipour and Saharon Shelah. Set mappings on 4-tuples. *Notre Dame J. Form. Log.*, 59(3):405–416, 2018. arXiv: 1510.02216.

1012. Sh:1081 Andrzej Rosłanowski and Saharon Shelah. Small-large subgroups of the reals. *Math. Slovaca*, 68(3):473–484, 2018. arXiv: 1605.02261.
1013. Sh:1084 Ilan Barnea and Saharon Shelah. The abelianization of inverse limits of groups. *Israel J. Math.*, 227(1):455–483, 2018. arXiv: 1608.02220.
1014. Sh:1086 Piotr Koszmider, Saharon Shelah, and Michał Świątek. There is no bound on sizes of indecomposable Banach spaces. *Adv. Math.*, 323:745–783, 2018. arXiv: 1603.01753.
1015. Sh:1087 Mohammad Golshani and Saharon Shelah. On cuts in ultraproducts of linear orders II. *J. Symb. Log.*, 83(1):29–39, 2018. arXiv: 1604.06044.
1016. Sh:1105 Paul B. Larson and Saharon Shelah. A model of ZFA + PAC with no outer model of ZFAC with the same pure part. *Arch. Math. Logic*, 57(7-8):853–859, 2018.
1017. Sh:1106 Gianluca Paolini and Saharon Shelah. The automorphism group of Hall’s universal group. *Proc. Amer. Math. Soc.*, 146(4):1439–1445, 2018. arXiv: 1703.10540.
1018. Sh:1114 Saharon Shelah and Juris Steprāns. Trivial and non-trivial automorphisms of $\mathcal{P}(\omega_1)/[\omega_1]^{<\aleph_0}$. *Fund. Math.*, 243(2):155–168, 2018.
1019. Sh:1115 Gianluca Paolini and Saharon Shelah. Polish topologies for graph products of cyclic groups. *Israel J. Math.*, 228(1):305–319, 2018. arXiv: 1705.01815.
1020. Sh:1119 Saharon Shelah and Sebastien Vasey. Abstract elementary classes stable in \aleph_0 . *Ann. Pure Appl. Logic*, 169(7):565–587, 2018. arXiv: 1702.08281.
1021. Sh:1127 Alan Stewart Dow and Saharon Shelah. On the cofinality of the splitting number. *Indag. Math. (N.S.)*, 29(1):382–395, 2018. arXiv: 1801.02517.
1022. Sh:1133 Daniel Palaciń and Saharon Shelah. On the class of flat stable theories. *Ann. Pure Appl. Logic*, 169(8):835–849, 2018. arXiv: 1801.01438.
1023. Sh:1139 Tomek Bartoszyński and Saharon Shelah. A note on small sets of reals. *C. R. Math. Acad. Sci. Paris*, 356(11-12):1053–1061, 2018. arXiv: 1805.02703.
1024. Sh:266 Saharon Shelah. Compactness in singular cardinals revisited. *Sarajevo J. Math.*, 15(28)(2):201–208, 2019. arXiv: 1401.3175.
1025. Sh:301 Wilfrid Hodges and Saharon Shelah. Naturality and definability II. *Cubo*, 21(3):9–27, 2019. arXiv: math/0102060.
1026. Sh:974 Shimon Garti and Saharon Shelah. Depth⁺ and Length⁺ of Boolean algebras. *Houston J. Math.*, 45(4):953–963, 2019. arXiv: 1303.3704.
1027. Sh:988 Heike Mildenberger and Saharon Shelah. Specializing Aronszajn trees with strong axiom A and halving. *Notre Dame J. Form. Log.*, 60(4):587–616, 2019.
1028. Sh:1001 Andrzej Rosłanowski and Saharon Shelah. The last forcing standing with diamonds. *Fund. Math.*, 246(2):109–159, 2019. arXiv: 1406.4217.
1029. Sh:1020 Saharon Shelah and Alexander Usvyatsov. Minimal stable types in Banach spaces. *Adv. Math.*, 355:106738, 29, 2019. arXiv: 1402.6513.
1030. Sh:1027 Saharon Shelah. The colouring existence theorem revisited. *Acta Math. Hungar.*, 159(1):1–26, 2019. arXiv: 1311.1026.
1031. Sh:1085 Shani Cohen and Saharon Shelah. Generalizing random real forcing for inaccessible cardinals. *Israel J. Math.*, 234(2):547–580, 2019. arXiv: 1603.08362.
1032. Sh:1090 Haim Horowitz and Saharon Shelah. On the non-existence of mad families. *Arch. Math. Logic*, 58(3-4):325–338, 2019.
1033. Sh:1099 Michael Chris Laskowski and Saharon Shelah. A strong failure of \aleph_0 -stability for atomic classes. *Arch. Math. Logic*, 58(1-2):99–118, 2019. arXiv: 1701.05474.
1034. Sh:1102 Ashutosh Kumar and Saharon Shelah. On possible restrictions of the null ideal. *J. Math. Log.*, 19(2):1950008, 14, 2019.
1035. Sh:1104 Ashutosh Kumar and Saharon Shelah. Saturated null and meager ideal. *Trans. Amer. Math. Soc.*, 371(6):4475–4491, 2019.
1036. Sh:1109 Gianluca Paolini and Saharon Shelah. Reconstructing structures with the strong small index property up to bi-definability. *Fund. Math.*, 247(1):25–35, 2019. arXiv: 1703.10498.
1037. Sh:1116 Enrique Casanovas and Saharon Shelah. Universal theories and compactly expandable models. *J. Symb. Log.*, 84(3):1215–1223, 2019. arXiv: 1705.02611.
1038. Sh:1118 Itay Kaplan, Nicholas Ramsey, and Saharon Shelah. Local character of Kim-independence. *Proc. Amer. Math. Soc.*, 147(4):1719–1732, 2019. arXiv: 1707.02902.
1039. Sh:1121 Gianluca Paolini and Saharon Shelah. Polish topologies for graph products of groups. *J. Lond. Math. Soc. (2)*, 100(2):383–403, 2019. arXiv: 1711.06155.
1040. Sh:1122 Martin Goldstern, Jakob Kellner, and Saharon Shelah. Cichoń’s maximum. *Ann. of Math. (2)*, 190(1):113–143, 2019. arXiv: 1708.03691.
1041. Sh:1124 Maryanthe Malliaris and Saharon Shelah. A new look at interpretability and saturation. *Ann. Pure Appl. Logic*, 170(5):642–671, 2019. arXiv: 1709.04899.

1042. Sh:1129 Péter Komjáth, Imre Leader, Paul Russell, Saharon Shelah, Dániel Tamás Soukup, and Zoltán Vidnyánszky. Infinite monochromatic sumsets for colourings of the reals. *Proc. Amer. Math. Soc.*, 147(6):2673–2684, 2019. arXiv: 1710.07500.
1043. Sh:1131 Jakob Kellner, Anda Latif, and Saharon Shelah. Another ordering of the ten cardinal characteristics in Cichoń’s diagram. *Comment. Math. Univ. Carolin.*, 60(1):61–95, 2019. arXiv: 1712.00778.
1044. Sh:1132 Denis I. Saveliev and Saharon Shelah. Ultrafilter extensions do not preserve elementary equivalence. *MLQ Math. Log. Q.*, 65(4):511–516, 2019. arXiv: 1712.06198.
1045. Sh:1134 Alan Stewart Dow and Saharon Shelah. Pseudo P-points and splitting number. *Arch. Math. Logic*, 58(7-8):1005–1027, 2019. arXiv: 1802.04829.
1046. Sh:1135 Dilip Raghavan and Saharon Shelah. Two results on cardinal invariants at uncountable cardinals. In *Proceedings of the 14th and 15th Asian Logic Conferences*, pages 129–138. World Sci. Publ., Hackensack, NJ, 2019. arXiv: 1801.09369.
1047. Sh:1137 Vera Fischer and Saharon Shelah. The spectrum of independence. *Arch. Math. Logic*, 58(7-8):877–884, 2019.
1048. Sh:1138 Andrzej Rosłanowski and Saharon Shelah. Borel sets without perfectly many overlapping translations. *Rep. Math. Logic*, (54):3–43, 2019. arXiv: 1806.06283.
1049. Sh:1141 Saharon Shelah and Danielle Ulrich. Torsion-free abelian groups are consistently $\mathfrak{a}\Delta_2^1$ -complete. *Fund. Math.*, 247(3):275–297, 2019. arXiv: 1804.08152.
1050. Sh:1142 Samuel M. Corson and Saharon Shelah. Deeply concatenable subgroups might never be free. *J. Math. Soc. Japan*, 71(4):1123–1136, 2019. arXiv: 1804.05538.
1051. Sh:1146 Shahram Mohsenipour and Saharon Shelah. On finitary Hindman numbers. *Combinatorica*, 39(5):1185–1189, 2019. arXiv: 1806.04917.
1052. Sh:1161 Péter Komjáth and Saharon Shelah. Universal graphs omitting finitely many finite graphs. *Discrete Math.*, 342(12):111596, 4, 2019.
1053. Sh:945 Saharon Shelah. On $\text{con}(\mathfrak{d}_\lambda > \text{cov}_\lambda(\text{meagre}))$. *Trans. Amer. Math. Soc.*, 373(8):5351–5369, 2020. arXiv: 0904.0817.
1054. Sh:1028 Saharon Shelah. Quite free complicated Abelian groups, pcf and black boxes. *Israel J. Math.*, 240(1):1–64, 2020. arXiv: 1404.2775.
1055. Sh:1043 Saharon Shelah. Superstable theories and representation. *Sarajevo J. Math.*, 16(29)(1):71–82, 2020. arXiv: 1412.0421.
1056. Sh:1048 Saharon Shelah. The Hanf number in the strictly stable case. *MLQ Math. Log. Q.*, 66(3):280–294, 2020. arXiv: 1412.0428.
1057. Sh:1107 Gianluca Paolini and Saharon Shelah. Automorphism groups of countable stable structures. *Fund. Math.*, 248(3):301–307, 2020. arXiv: 1712.02568.
1058. Sh:1140 Maryanthe Malliaris and Saharon Shelah. An example of a new simple theory. In *Trends in set theory*, volume 752 of *Contemp. Math.*, pages 121–151. Amer. Math. Soc., [Providence], RI, 2020. arXiv: 1804.03254.
1059. Sh:1143 Shimon Garti and Saharon Shelah. Remarks on generalized ultrafilter, dominating and reaping numbers. *Fundamenta Mathematicae*, 250(2):101–115, 2020. arXiv: 1806.09286.
1060. Sh:1148 Gianluca Paolini and Saharon Shelah. On a cardinal invariant related to the Haar measure problem. *Israel J. Math.*, 236(1):305–316, 2020. arXiv: 1809.10442.
1061. Sh:1153 Wiesław Kubiś and Saharon Shelah. Homogeneous structures with nonuniversal automorphism groups. *J. Symb. Log.*, 85(2):817–827, 2020. arXiv: 1811.09650.
1062. Sh:1154 Heike Mildenberger and Saharon Shelah. A version of κ -Miller forcing. *Arch. Math. Logic*, 59(7-8):879–892, 2020. arXiv: 1802.07986.
1063. Sh:1155 Gianluca Paolini and Saharon Shelah. Some results on Polish groups. *Rep. Math. Logic*, (55):61–71, 2020. arXiv: 1810.12855.
1064. Sh:1156 Shimon Garti, Moti Gitik, and Saharon Shelah. Cardinal characteristics at \aleph_ω . *Acta Math. Hungar.*, 160(2):320–336, 2020. arXiv: 1812.05291.
1065. Sh:1159 Saharon Shelah. On \mathfrak{d}_μ for μ singular. *Acta Math. Hungar.*, 161(1):245–256, 2020.
1066. Sh:1160 Dilip Raghavan and Saharon Shelah. A small ultrafilter number at smaller cardinals. *Arch. Math. Logic*, 59(3-4):325–334, 2020. arXiv: 1904.02379.
1067. Sh:1162 Saharon Shelah. No universal in singular. *Boll. Unione Mat. Ital.*, 13(3):361–368, 2020.
1068. Sh:1165 Shimon Garti, Menachem Magidor, and Saharon Shelah. Infinite monochromatic paths and a theorem of Erdős-Hajnal-Rado. *Electronic Journal of Combinatorics*, 27(2):11 pages, 2020. arXiv: 1907.03254.
1069. Sh:1169 Samuel M. Corson and Saharon Shelah. Strongly bounded groups of various cardinalities. *Proc. Amer. Math. Soc.*, 148(12):5045–5057, 2020. arXiv: 1906.10481.
1070. Sh:1171 Manfred H. Dugas, Daniel Herden, and Saharon Shelah. \aleph_k -free cogenerators. *Rend. Semin. Mat. Univ. Padova*, 144:87–104, 2020. arXiv: 1909.00595.
1071. Sh:1180 Clovis Hamel, Haim Horowitz, and Saharon Shelah. Turing invariant sets and the perfect set property. *MLQ Math. Log. Q.*, 66(2):247–250, 2020. arXiv: 1912.12558.

1072. Sh:1181 Saharon Shelah. Density of indecomposable locally finite groups. *Rend. Semin. Mat. Univ. Padova*, 144:253–270, 2020.
1073. Sh:638 Saharon Shelah. More on weak diamond. *Acta Math. Hungar.*, 165(1):1–27, 2021. arXiv: math/9807180.
1074. Sh:648 Saharon Shelah and Andrés Villaveces. The Hart-Shelah example, in stronger logics. *Ann. Pure Appl. Logic*, 172(6):102958, 23, 2021. arXiv: math/0404258.
1075. Sh:1021 Heike Mildenberger and Saharon Shelah. The cofinality of the symmetric group and the cofinality of ultrapowers. *Israel J. Math.*, 242(1):97–128, 2021.
1076. Sh:1064 Saharon Shelah. Atomic saturation of reduced powers. *MLQ Math. Log. Q.*, 67(1):18–42, 2021. arXiv: 1601.04824.
1077. Sh:1088 Saharon Shelah and Juris Steprāns. Universal graphs and functions on ω_1 . *Ann. Pure Appl. Logic*, 172(8):Paper No. 102986, 43, 2021.
1078. Sh:1093 Haim Horowitz and Saharon Shelah. Transcendence bases, well-orderings of the reals and the axiom of choice. *Proc. Amer. Math. Soc.*, 149(2):851–858, 2021. arXiv: 1901.01508.
1079. Sh:1101 Saharon Shelah. Isomorphic limit ultrapowers for infinitary logic. *Israel J. Math.*, 246(1):21–46, 2021. arXiv: 1810.12729.
1080. Sh:1111 Shimon Garti and Saharon Shelah. Double weakness. *Acta Math. Hungar.*, 163(2):379–391, 2021. arXiv: 2002.03573.
1081. Sh:1120 Mohammad Golshani and Saharon Shelah. Specializing trees and answer to a question of Williams. *J. Math. Log.*, 21(1):2050023, 20, 2021. arXiv: 1708.02719.
1082. Sh:1136 Ashutosh Kumar and Saharon Shelah. On some variants of the club principle. *Eur. J. Math.*, 7(1):1–27, 2021. arXiv: 1802.01137.
1083. Sh:1144 Thomas Baumhauer, Martin Goldstern, and Saharon Shelah. The higher Cichoń diagram. *Fund. Math.*, 252(3):241–314, 2021. arXiv: 1806.08583.
1084. Sh:1157 Jeffrey Bergfalk, Michael Hrušák, and Saharon Shelah. Ramsey theory for highly connected monochromatic subgraphs. *Acta Math. Hungar.*, 163(1):309–322, 2021. arXiv: 1812.06386.
1085. Sh:1158 Saharon Shelah. Mutual stationarity and singular Jonsson cardinals. *Acta Math. Hungar.*, 163(1):140–148, 2021.
1086. Sh:1163 Saharon Shelah. Colouring of successor of regular, again. *Acta Math. Hungar.*, 165(1):192–202, 2021. arXiv: 1910.02419.
1087. Sh:1166 Martin Goldstern, Jakob Kellner, Diego A. Mejía, and Saharon Shelah. Controlling cardinal characteristics without adding reals. *J. Math. Log.*, 21(3):Paper No. 2150018, 29, 2021. arXiv: 2006.09826.
1088. Sh:1167 Maryanthe Malliaris and Saharon Shelah. Keisler’s order is not simple (and simple theories may not be either). *Adv. Math.*, 392:Paper No. 108036, 94, 2021. arXiv: 1906.10241.
1089. Sh:1173 Michael Hrušák, Ulises Ariet Ramos-García, Saharon Shelah, and Jan van Mill. Countably compact groups without non-trivial convergent sequences. *Trans. Amer. Math. Soc.*, 374(2):1277–1296, 2021. arXiv: 2006.12675.
1090. Sh:1186 Mirna Džamonja and Saharon Shelah. On wide Aronszajn trees in the presence of MA. *J. Symb. Log.*, 86(1):210–223, 2021. arXiv: 2002.02396.
1091. Sh:1189 Márk Poór and Saharon Shelah. Characterizing the spectra of cardinalities of branches of Kurepa trees. *Pacific J. Math.*, 311(2):423–453, 2021. arXiv: 2003.01272.
1092. Sh:1190 Péter Komjáth and Saharon Shelah. Monocolored topological complete graphs in colorings of uncountable complete graphs. *Acta Math. Hungar.*, 163(1):71–84, 2021.
1093. Sh:1191 Heike Mildenberger and Saharon Shelah. Higher Miller forcing may collapse cardinals. *J. Symb. Log.*, 86(4):1721–1744, 2021.
1094. Sh:1192 Itay Kaplan, Nicholas Ramsey, and Saharon Shelah. Criteria for exact saturation and singular compactness. *Ann. Pure Appl. Logic*, 172(9):Paper No. 102992, 28, 2021. arXiv: 2003.00597.
1095. Sh:1199 Martin Goldstern, Jakob Kellner, Diego A. Mejía, and Saharon Shelah. Preservation of splitting families and cardinal characteristics of the continuum. *Israel J. Math.*, 246(1):73–129, 2021. arXiv: 2007.13500.
1096. Sh:1209 Saharon Shelah and Lutz H. Strüngmann. Infinite Combinatorics in Mathematical Biology. *BioSystems*, 204:14, 2021.
1097. Sh:1036 Saharon Shelah. Forcing axioms for λ -complete μ^+ -c.c. *MLQ Math. Log. Q.*, 68(1):6–26, 2022. arXiv: 1310.4042.
1098. Sh:1092 John T. Baldwin and Saharon Shelah. Hanf numbers for extendibility and related phenomena. *Arch. Math. Logic*, 61(3-4):437–464, 2022. arXiv: 2111.01704.
1099. Sh:1145 Haim Horowitz and Saharon Shelah. κ -madness and definability. *MLQ Math. Log. Q.*, 68(3):346–351, 2022. arXiv: 1805.07048.
1100. Sh:1149 Maryanthe Malliaris and Saharon Shelah. A separation theorem for simple theories. *Trans. Amer. Math. Soc.*, 375(2):1171–1205, 2022. arXiv: 1810.09604.
1101. Sh:1152 Haim Horowitz and Saharon Shelah. On the definability of mad families of vector spaces. *Ann. Pure Appl. Logic*, 2022. arXiv: 1811.03753.

1102. Sh:1172 Itay Kaplan, Ori Segel, and Saharon Shelah. Boolean types in dependent theories. *J. Symb. Log.*, 87(4):1349–1373, 2022. arXiv: 2008.03214.
1103. Sh:1177 Martin Goldstern, Jakob Kellner, Diego A. Mejía, and Saharon Shelah. Cichoń’s maximum without large cardinals. *J. Eur. Math. Soc. (JEMS)*, 24(11):3951–3967, 2022. arXiv: 1906.06608.
1104. Sh:1184 Saharon Shelah and Andrés Villaveces. Infinitary logics and A.E.C. *Proc. Amer. Math. Soc.*, 150:371–380, 2022. arXiv: 2010.02145.
1105. Sh:1196 Yatir Halevi, Itay Kaplan, and Saharon Shelah. Infinite stable graphs with large chromatic number. *Trans. Amer. Math. Soc.*, 375(3):1767–1799, 2022. arXiv: 2007.12139.
1106. Sh:1201 Bernhard Mühlherr, Gianluca Paolini, and Saharon Shelah. First-order aspects of Coxeter groups. *J. Algebra*, 595:297–346, 2022. arXiv: 2010.13161.
1107. Sh:1202 Ilijas Farah and Saharon Shelah. Between reduced powers and ultrapowers, II. *Trans. Amer. Math. Soc.*, 375(12):9007–9034, 2022. arXiv: 2011.07352.
1108. Sh:1203 Will Brian, Alan Stewart Dow, and Saharon Shelah. The independence of GCH and a combinatorial principle related to Banach-Mazur games. *Arch. Math. Logic*, 61(1-2):1–17, 2022. arXiv: 2011.01273.
1109. Sh:1225 Vera Fischer and Saharon Shelah. The spectrum of independence, II. *Ann. Pure Appl. Logic*, 173(9):Paper No. 103161, 2022.
1110. Sh:E87 Martin Goldstern, Jakob Kellner, Diego A. Mejía, and Saharon Shelah. Controlling classical cardinal characteristics while collapsing cardinals. *Colloq. Math.*, 170(1):115–144, 2022. arXiv: 1904.02617.
1111. Sh:822 Ferdinand Börner, Martin Goldstern, and Saharon Shelah. Automorphisms and strongly invariant relations. *Algebra Universalis*, 84(4):Paper No. 27, 23, 2023. arXiv: math/0309165.
1112. Sh:980 Saharon Shelah. Nice \aleph_1 generated non-P-points, Part I. *MLQ Math. Log. Q.*, 69(1):117–129, 2023. arXiv: 1112.0819.
1113. Sh:1089 Haim Horowitz and Saharon Shelah. A Borel maximal eventually different family. *Ann. Pure Appl. Logic*, 2023. arXiv: 1605.07123.
1114. Sh:1095 Haim Horowitz and Saharon Shelah. A Borel maximal cofinitary group. *J. Symbolic Logic*, 2023. arXiv: 1610.01344.
1115. Sh:1110 Saharon Shelah and Otmar Spinas. Different cofinalities of tree ideals. *Ann. Pure Appl. Logic*, 174(8):Paper No. 103290, 18, 2023.
1116. Sh:1123 Saharon Shelah and Jonathan L. Verner. Ramsey partitions of metric spaces. *Acta Math. Hungar.*, 169(2):524–533, 2023. arXiv: 2210.12836.
1117. Sh:1126 Saharon Shelah. Corrected iteration. *Boll. Unione Mat. Ital.*, 16(3):521–584, 2023. arXiv: 2108.03672.
1118. Sh:1150 Jörg Brendle, Lorenz J. Halbeisen, Lukas Daniel Klausner, Marc Lischka, and Saharon Shelah. Halfway new cardinal characteristics. *Ann. Pure Appl. Logic*, 174(9):Paper No. 103303, 33, 2023. arXiv: 1808.02442.
1119. Sh:1164 Saharon Shelah. Universality: new criterion for non-existence. *Boll. Unione Mat. Ital.*, 16(1):43–64, 2023. arXiv: 2108.06727.
1120. Sh:1168 Haim Horowitz and Saharon Shelah. On the non-existence of κ -mad families. *Arch. Math. Logic*, 62(7-8):1033–1039, 2023. arXiv: 1906.09538.
1121. Sh:1175 Saharon Shelah. Canonical universal locally finite groups. *Rend. Semin. Mat. Univ. Padova*, 149:25–44, 2023. arXiv: 2303.03788.
1122. Sh:1179 Shimon Garti and Saharon Shelah. Tiltan and superclub. *C. R. Math. Acad. Sci. Paris*, 361:853–861, 2023. arXiv: 2305.09490.
1123. Sh:1193 Saharon Shelah and Lajos Soukup. On κ -homogeneous, but not κ -transitive permutation groups. *J. Symb. Log.*, 88(1):363–380, 2023. arXiv: 2003.02023.
1124. Sh:1194 Saharon Shelah and Jouko A. Väänänen. Positive logics. *Arch. Math. Logic*, 62(1-2):207–223, 2023. arXiv: 2008.01145.
1125. Sh:1197 Itay Kaplan, Nicholas Ramsey, and Saharon Shelah. Exact saturation in pseudo-elementary classes for simple and stable theories. *J. Math. Log.*, 23(2):Paper No. 2250020, 26, 2023. arXiv: 2009.08365.
1126. Sh:1198 Mohammad Golshani and Saharon Shelah. On slow minimal reals I. *Proc. Amer. Math. Soc.*, 151(10):4527–4536, 2023. arXiv: 2010.10812.
1127. Sh:1207 Ashutosh Kumar and Saharon Shelah. Large Turing independent sets. *Proc. Amer. Math. Soc.*, 151(1):355–367, 2023.
1128. Sh:1211 Yatir Halevi, Itay Kaplan, and Saharon Shelah. Infinite Stable Graphs With Large Chromatic Number II. *J. Eur. Math. Soc. (JEMS)*, 2023. arXiv: 2103.13931.
1129. Sh:1213 István Juhász, Saharon Shelah, Lajos Soukup, and Zoltán Szentmiklóssy. Large strongly anti-Urysohn spaces exist. *Topology Appl.*, 323:Paper No. 108288, 15, 2023. arXiv: 2106.00618.
1130. Sh:1215 Mohammad Golshani and Saharon Shelah. The Keisler-Shelah isomorphism theorem and the continuum hypothesis. *Fund. Math.*, 260(1):59–66, 2023. arXiv: 2108.03977.
1131. Sh:1216 Mohammad Golshani and Saharon Shelah. Usuba’s principle UB_λ can fail at singular cardinals. *J. Symbolic Logic*, 2023. arXiv: 2107.09339.

1132. Sh:1219 Tom Benhamou, Shimon Garti, and Saharon Shelah. Kurepa trees and the failure of the Galvin property. *Proc. Amer. Math. Soc.*, 151(3):1301–1309, 2023. arXiv: 2111.11823.
1133. Sh:1220 Lorenz J. Halbeisen, Riccardo Plati, Salome Schumacher, and Saharon Shelah. Four cardinals and their relations in ZF. *Ann. Pure Appl. Logic*, 174(2):Paper No. 103200, 17, 2023. arXiv: 2109.11315.
1134. Sh:1221 Maryanthe Malliaris and Saharon Shelah. Shearing in some simple rank one theories. *Israel J. Math.*, 2023. arXiv: 2109.12642.
1135. Sh:1223 Mohammad Golshani and Saharon Shelah. The Keisler-Shelah isomorphism theorem and the continuum hypothesis II. *Monatshefte für Mathematik*, 201:789–801, 2023. arXiv: 2112.15468.
1136. Sh:1228 Alan Stewart Dow and Saharon Shelah. S-spaces and large continuum. *Topology Appl.*, 333:Paper No. 108526, 18, 2023. arXiv: 2206.11122.
1137. Sh:1232 Mohsen Asgharzadeh, Mohammad Golshani, and Saharon Shelah. Co-Hopfian and boundedly endo-rigid mixed abelian groups. *PACIFIC JOURNAL OF MATHEMATICS*, 2023. arXiv: 2210.17210.
1138. Sh:1212 Saharon Shelah and Juris Steprāns. Some variations on the splitting number. *Annals of Pure and Applied Logic*, 2024.
1139. Sh:1218 Maryanthe Malliaris and Saharon Shelah. Some simple theories from a Boolean algebra point of view. *APAL*, 2024. arXiv: 2108.05314.

PEER REVIEWED RESEARCH ARTICLES ACCEPTED FOR PUBLICATION

1. Sh:832 Noam Greenberg and Saharon Shelah. Many forcing axioms for all regular uncountable cardinals. *Israel J. Math.*, to appear. arXiv: 2107.05755.
2. Sh:835 Saharon Shelah. PCF without choice. *Arch. Math. Logic*, to appear. arXiv: math/0510229.
3. Sh:1019 Saharon Shelah. Model theory for a compact cardinal. *Israel J. Math.*, to appear. arXiv: 1303.5247.
4. Sh:1108 Gianluca Paolini and Saharon Shelah. The strong small index property for free homogeneous structures. In *Research Trends in Contemporary Logic*. to appear. arXiv: 1703.10517.
5. Sh:1125 Mohammad Golshani and Saharon Shelah. On $C_n^s(\kappa)$ and the Juhasz-Kunen question. *Notre Dame J. Formal Logic*, to appear. arXiv: 1709.06249.
6. Sh:1205 Gianluca Paolini and Saharon Shelah. Torsion-free abelian groups are Borel complete. *Ann. of Math.*, to appear. arXiv: 2102.12371.
7. Sh:1206 Maryanthe Malliaris and Saharon Shelah. New simple theories from hypergraph sequences. *Model Theory*, to appear. arXiv: 2108.05526.
8. Sh:1210 Ziemowit Kostana and Saharon Shelah. Slicing axiom. *Proceedings of the AMS*, to appear. arXiv: 2102.11666.
9. Sh:1222 Maryanthe Malliaris and Saharon Shelah. The Turing degrees and Keisler's order. *J. Symbolic Logic*, to appear.
10. Sh:1224 Jakob Kellner, Anda Latif, and Saharon Shelah. On automorphisms of $\mathcal{P}(\lambda)/[\lambda]^{<\lambda}$. *J. Symbolic Logic*, to appear. arXiv: 2206.02228.
11. Sh:1233 Samuel M. Corson and Saharon Shelah. On projections of the tails of a power. *Forum Mathematicum*, to appear. arXiv: 2211.13749.

NON-RESEARCH ARTICLES

1. Sh:E16 Saharon Shelah. The future of set theory. In *Set theory of the reals (Ramat Gan, 1991)*, volume 6 of *Israel Math. Conf. Proc.*, pages 1–12. Bar-Ilan Univ., Ramat Gan, 1993. arXiv: math/0211397.
2. Sh:E25 Saharon Shelah. You can enter Cantor's paradise! In *Paul Erdős and his mathematics, II (Budapest, 1999)*, volume 11 of *Bolyai Soc. Math. Stud.*, pages 555–564. János Bolyai Math. Soc., Budapest, 2002. arXiv: math/0102056.
3. Sh:E23 Saharon Shelah. Logical dreams. *Bull. Amer. Math. Soc. (N.S.)*, 40(2):203–228, 2003. arXiv: math/0211398.
4. Sh:E35 Saharon Shelah. A bothersome question. *Internat. Math. Nachrichten*, 208:27–30, 2008.
5. Sh:E72 Saharon Shelah. Dependent classes E72. In *European Congress of Mathematics*, pages 137–157. Eur. Math. Soc., Zürich, 2013.
6. Sh:E74 Maryanthe Malliaris and Saharon Shelah. General topology meets model theory, on \mathfrak{p} and \mathfrak{t} . *Proc. Natl. Acad. Sci. USA*, 110(33):13300–13305, 2013.
7. Sh:E73 Saharon Shelah. Reflecting on logical dreams. In *Interpreting Gödel*, pages 242–255. Cambridge Univ. Press, Cambridge, 2014.
8. Sh:1151 Saharon Shelah. Divide and conquer: dividing lines and universality. *Theoria*, 87(2):259–348, 2021.

NON PEER-REVIEWED ABSTRACTS AND RESEARCH ARTICLES

1. Sh:E17 Saharon Shelah. Two cardinal and power like models: compactness and large group of automorphisms. *Notices Amer. Math. Soc.*, 18(2):425, 1971. 71 T-E15.
2. Sh:E30 Saharon Shelah. Going to Canossa. *Abstracts Amer. Math. Soc.*, 1:630, 1980. 80T-E85.

3. Sh:E4 Saharon Shelah. An \aleph_2 Souslin tree from a strange hypothesis. *Abstracts Amer. Math. Soc.*, 160:198, 1984. 84T-03.
4. Sh:E5 Leo Marcus, Timothy Redmond, and Saharon Shelah. Completeness of State Deltas. Technical report, Aerospace Corporation, 1985. Tech. Rep. ATR-85(8354)-5.
5. Sh:217 Gershon Sageev and Saharon Shelah. There are Noetherian domain in every cardinality with free additive groups. *Abstracts Amer. Math. Soc.*, 7:369, 1986. 86T-03-268, 269 arXiv: 0705.4132.

TEXTS PUBLISHED AS PART OF OTHER AUTHORS' PUBLICATIONS (APPENDICES, FOREWORDS)

1. Sh:395 Saharon Shelah. Appendix to: Small uncountable cardinals and topology by Jerry E. Vaughan, 1990.
2. Sh:E92 Saharon Shelah. Foreword to: The incompleteness phenomenon by Martin Goldstern and Haim Judah, 1998.
3. Sh:E21 Saharon Shelah. On a Question of Grinblat (Appendix to: Algebras of sets and combinatorics, by L. Grinblat), 2002. arXiv: math/9912163.
4. Sh:E84 Saharon Shelah. *Foreword to: Beyond first order model theory*. CRC Press, Boca Raton, FL, 2017.

PRELIMINARY VERSIONS AND REPRINTS

1. Sh:54a Saharon Shelah. The lazy model theorist's guide to stability. In *Six days of model theory*, Proceedings of a conference in Louvain-le-Neuve, March 1975, pages 9–76. ed. P. Henrard, Paul Castella, Switzerland 1661 Albeuve, 1978. Reprint of [Sh:54].
2. Sh:244 Yuri Gurevich and Saharon Shelah. Fixed-point extensions of first-order logic. In *26th Annual Symposium on Foundations of Computer Science (sfcs 1985)*, pages 346–353. IEEE Computer Science Society Press, Oct 1985. Conference proceedings version of [Sh:244a].
3. Sh:E85 Sakaé Fuchino and Saharon Shelah. Models of real-valued measurability. *Sūrikaiseikikenkyūsho Kōkyūroku*, (1202):38–60, 2001. Axiomatic set theory (Japanese) (Kyoto, 2000) Preliminary version of [Sh:763].
4. Sh:E86 Saharon Shelah and Masahiro Shioya. Nonreflecting stationary sets in $\mathcal{P}_\kappa\lambda$. *Sūrikaiseikikenkyūsho Kōkyūroku*, (1202):61–65, 2001. Axiomatic set theory (Japanese) (Kyoto, 2000) Preliminary version of [Sh:764].

CLARIFICATIONS, EXPLANATIONS, CORRECTIONS AND ERRATA

1. Sh:25 Saharon Shelah. Errata to: First order theory of permutation groups. *Israel Journal of Mathematics*, 15:437–441, 1973. Correction of [Sh:24].
2. Sh:154a Saharon Shelah and Lee J. Stanley. Corrigendum to: “Generalized Martin’s axiom and Souslin’s hypothesis for higher cardinals” [Israel J. Math. 43 (1982), no. 3, 225–236]. *Israel J. Math.*, 53(3):304–314, 1986. corrigendum to [Sh:154].
3. Sh:240a Matthew Dean Foreman, Menachem Magidor, and Saharon Shelah. Correction to: “Martin’s maximum, saturated ideals, and nonregular ultrafilters. I” [Ann. of Math. (2) 127 (1988), no. 1, 1–47]. *Ann. of Math. (2)*, 129(3):651, 1989. correction to [Sh:240].
4. Sh:326a Saharon Shelah. Erratum to: Vive la différence. I. Nonisomorphism of ultrapowers of countable models. In *Set theory of the continuum*, volume 26 of *Math. Sci. Res. Inst. Publ.*, page 419. Springer, New York, 1992. Correction of [Sh:326].
5. Sh:465a Saharon Shelah and Juris Steprāns. Erratum: “Maximal chains in ${}^\omega\omega$ and ultrapowers of the integers” [Arch. Math. Logic 32 (1993), no. 5, 305–319]. *Arch. Math. Logic*, 33(2):167–168, 1994. arXiv: math/9308202 erratum to [Sh:465].
6. Sh:E19a Mirna Džamonja and Saharon Shelah. Erratum: “ \clubsuit does not imply the existence of a Suslin tree” [Israel J. Math. **113** (1999), 163–204]. *Israel J. Math.*, 119:379, 2000. Retraction of [Sh:E19].
7. Sh:533a Andreas R. Blass, Yuri Gurevich, and Saharon Shelah. Addendum to: “Choiceless polynomial time” [Ann. Pure Appl. Logic **100** (1999), no. 1-3, 141–187; MR1711992 (2001a:68036)]. *Ann. Pure Appl. Logic*, 112(1):117, 2001. Correction of [Sh:533].
8. Sh:E22 Rüdiger Göbel and Saharon Shelah. An addendum and corrigendum to: “Almost free splitters” [Colloq. Math. vol. 81 no. 2, 193–221; MR1715347 (2000m:20092)]. *Colloq. Math.*, 88(1):155–158, 2001. arXiv: math/0009063 corrects an error in [Sh:682].
9. Sh:446a Saharon Shelah. Retraction of “Baire property and axiom of choice”. *Israel J. Math.*, 240(1):443, 2020. Retraction of [Sh:446].

RETRACTED PUBLICATIONS

1. Sh:446 Haim I. Judah and Saharon Shelah. Retracted: Baire property and axiom of choice. *Israel J. Math.*, 84(3):435–450, 1993. arXiv: math/9211213.

2. Sh:E91 Shai Ben-David and Saharon Shelah. Retracted: The two-cardinals transfer property and resurrection of supercompactness. *Proc. Amer. Math. Soc.*, 124(9):2827–2837, 1996. NB: There is a flaw in the proof of the main theorem.
3. Sh:E19 Mirna Džamonja and Saharon Shelah. Retracted: \clubsuit does not imply the existence of a Suslin tree. *Israel J. Math.*, 113:163–204, 1999. arXiv: math/9612226.